



# MATERIAL SAFETY DATA SHEET

## 1. Product and Company Identification

**Product identifier** KLONDIKE SAE 5W-30 SN/GF-5 Synthetic Blend Engine Oil  
**Version #** 01  
**Issue date** 03-27-2014  
**CAS #** Mixture  
**Product code** 5W-30 SN/GF-5 Syn Blend  
**Product use** Synthetic Blend Automotive Engine Oil  
**Manufacturer information** KLONDIKE Lubricants Corporation  
3078 275th Street  
Langley, BC V4W 3L4  
Canada  
info@klondikelubricants.com  
www.klondikelubricants.com  
General Information 1-877-293-4691  
Chemtrec (Within US) 1-800-424-9300  
Chemtrec (International) 1-703-527-3887  
**Supplier** Refer to Manufacture

## 2. Hazards Identification

**Emergency overview** CAUTION  
May cause mild skin and eye irritation. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

**Potential health effects**  
**Routes of exposure** Inhalation. Ingestion. Skin contact. Eye contact.  
**Eyes** May cause mild eye irritation.  
**Skin** Skin contact: May cause mild skin irritation on prolonged contact.  
Skin absorption: Not expected to be absorbed through the skin.  
**Inhalation** Inhalation of vapors/fumes generated by heating this product may cause respiratory irritation with throat discomfort, coughing or difficulty breathing.  
**Ingestion** Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.  
**Target organs** Eyes. Respiratory system. Skin.  
**Potential environmental effects** Components of this product are hazardous to aquatic life. May cause long-term adverse effects in the environment.

## 3. Composition / Information on Ingredients

Non-hazardous components	CAS #	Percent
Oil, Mineral	64742-55-8	15 - 40
Other components below reportable levels		60 - 100

## 4. First Aid Measures

**First aid procedures**  
**Eye contact** Rinse with water. Get medical attention if irritation develops and persists.  
**Skin contact** Rinse skin with water/shower. Get medical attention if irritation develops and persists.  
**Inhalation** If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. Call a physician if symptoms develop or persist.  
**Ingestion** Rinse mouth. If ingestion of a large amount does occur, call a poison control center immediately.  
**General advice** If you feel unwell, seek medical advice (show the label where possible). Show this safety data sheet to the doctor in attendance.

## 5. Fire Fighting Measures

<b>Flammable properties</b>	Not flammable by WHMIS criteria.
<b>Extinguishing media</b>	
<b>Suitable extinguishing media</b>	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
<b>Unsuitable extinguishing media</b>	Do not use water jet as an extinguisher, as this will spread the fire.
<b>Fire fighting equipment/instructions</b>	Not available.
<b>Explosion data</b>	
<b>Sensitivity to static discharge</b>	Not sensitive.
<b>Sensitivity to mechanical impact</b>	Not sensitive.
<b>Hazardous combustion products</b>	Carbon oxides. Hydrocarbons. Nitrogen oxides (NOx). Phosphorus oxides. Sulphur oxides.

## 6. Accidental Release Measures

<b>Personal precautions</b>	Keep unnecessary personnel away. For personal protection, see section 8 of the MSDS.
<b>Environmental precautions</b>	Prevent further leakage or spillage if safe to do so. Do not contaminate water.
<b>Methods for containment</b>	Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible.
<b>Methods for cleaning up</b>	Should not be released into the environment. This product is miscible in water.  Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.  Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.  Never return spills to original containers for re-use. For waste disposal, see section 13 of the MSDS.

## 7. Handling and Storage

<b>Handling</b>	Avoid prolonged exposure. Avoid release to the environment.
<b>Storage</b>	Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the MSDS).

## 8. Exposure Controls / Personal Protection

### Occupational exposure limits

#### US. ACGIH Threshold Limit Values

Components	Type	Value	Form
Oil, Mineral (CAS 64742-55-8)	TWA	5 mg/m3	Inhalable fraction.

#### Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2)

Components	Type	Value	Form
Oil, Mineral (CAS 64742-55-8)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.

#### Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act)

Components	Type	Value	Form
Oil, Mineral (CAS 64742-55-8)	TWA	5 mg/m3	Inhalable fraction.

#### Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)

Components	Type	Value	Form
Oil, Mineral (CAS 64742-55-8)	STEL	10 mg/m3	Mist.

**Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)**

Components	Type	Value	Form
	TWA	5 mg/m <sup>3</sup>	Mist.

**Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment)**

Components	Type	Value	Form
Oil, Mineral (CAS 64742-55-8)	STEL	10 mg/m <sup>3</sup>	Mist.
	TWA	5 mg/m <sup>3</sup>	Mist.

**US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)**

Components	Type	Value	Form
Oil, Mineral (CAS 64742-55-8)	PEL	5 mg/m <sup>3</sup>	Mist.

**Biological limit values**

No biological exposure limits noted for the ingredient(s).

**Engineering controls**

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

**Personal protective equipment****Eye / face protection**

Wear safety glasses with side shields (or goggles).

**Skin protection**

Wear appropriate chemical resistant clothing.

**Respiratory protection**

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

**9. Physical & Chemical Properties**

<b>Appearance</b>	Not available.
<b>Physical state</b>	Liquid.
<b>Form</b>	Liquid.
<b>Color</b>	Amber.
<b>Odor</b>	Mild petroleum odor.
<b>Odor threshold</b>	Not available.
<b>pH</b>	Not available.
<b>Vapor pressure</b>	< 0.2
<b>Vapor density</b>	10
<b>Boiling point</b>	280 °C (536°F)
<b>Melting point/Freezing point</b>	Not available.
<b>Solubility (water)</b>	Not Soluble
<b>Specific gravity</b>	0.86
<b>Relative density</b>	7.18
<b>Flash point</b>	204.0 °C (399°F)
<b>Flammability limits in air, upper, % by volume</b>	Not available.
<b>Flammability limits in air, lower, % by volume</b>	Not available.
<b>Auto-ignition temperature</b>	Not available.
<b>Evaporation rate</b>	Not available
<b>Partition coefficient (n-octanol/water)</b>	Not available

**10. Chemical Stability & Reactivity Information**

<b>Chemical stability</b>	Material is stable under normal conditions.
<b>Conditions to avoid</b>	Avoid temperatures exceeding the flash point. Contact with incompatible materials.
<b>Incompatible materials</b>	Not available.

**Hazardous decomposition products** Not available.

## 11. Toxicological Information

### Toxicological data

Components	Species	Test Results
Oil, Mineral (CAS 64742-55-8)		
<b>Acute</b>		
<i>Dermal</i>		
LD50	Rabbit	> 5000 mg/kg
<i>Inhalation</i>		
LC50	Rat	> 4000 mg/m3, 4 hours
<i>Oral</i>		
LD50	Rat	> 2000 mg/kg

\* Estimates for product may be based on additional component data not shown.

### Acute effects

**Sensitization** Not expected to be a skin or respiratory sensitizer.

**Chronic effects** Prolonged inhalation may be harmful. Not expected to be hazardous by WHMIS criteria.

### Carcinogenicity

#### ACGIH Carcinogens

Oil, Mineral (CAS 64742-55-8) A2 Suspected human carcinogen.  
A4 Not classifiable as a human carcinogen.

**Mutagenicity** Not expected to be hazardous by WHMIS criteria.

**Teratogenicity** Not expected to be hazardous by WHMIS criteria.

**Synergistic materials** Not applicable.

## 12. Ecological Information

**Ecotoxicity** Components of this product are hazardous to aquatic life.

**Environmental effects** Harmful to aquatic organisms. An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

**Persistence and degradability** Not available.

**Mobility in environmental media** This product is miscible in water.

## 13. Disposal Considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Dispose in accordance with all applicable regulations.

**Waste from residues / unused products** Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

**Contaminated packaging** Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

## 14. Transport Information

### TDG


**UN number** UN3082  
**UN proper shipping name** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
**Transport hazard class(es)**  
**Class** 9  
**Subsidiary risk** -  
**Packing group** III  
**Environmental hazards** Not available.  
**Special precautions for user** Read safety instructions, MSDS and emergency procedures before handling.

**IATA**

<b>UN number</b>	UN3082
<b>UN proper shipping name</b>	Environmentally hazardous substance, liquid, n.o.s.
<b>Transport hazard class(es)</b>	
<b>Class</b>	9
<b>Subsidiary risk</b>	-
<b>Packing group</b>	III
<b>Environmental hazards</b>	No.
<b>ERG Code</b>	9L
<b>Special precautions for user</b>	Read safety instructions, MSDS and emergency procedures before handling.
<b>Other information</b>	
<b>Passenger and cargo aircraft</b>	Allowed.
<b>Cargo aircraft only</b>	Allowed.

**IMDG**

<b>UN number</b>	UN3082
<b>UN proper shipping name</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
<b>Transport hazard class(es)</b>	
<b>Class</b>	9
<b>Subsidiary risk</b>	-
<b>Packing group</b>	III
<b>Environmental hazards</b>	
<b>Marine pollutant</b>	Yes
<b>EmS</b>	F-A, S-F
<b>Special precautions for user</b>	Read safety instructions, MSDS and emergency procedures before handling.

**IATA; IMDG; TDG****Marine pollutant****15. Regulatory Information**

**Canadian regulations** This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all the information required by the CPR.

**WHMIS status** Non-controlled

**Inventory status**

<b>Country(s) or region</b>	<b>Inventory name</b>	<b>On inventory (yes/no)*</b>
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No

Country(s) or region	Inventory name	On inventory (yes/no)*
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)  
A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other Information

### HMIS® ratings

Health: 1  
Flammability: 1  
Physical hazard: 0

### NFPA ratings

Health: 1  
Flammability: 1  
Instability: 0

### Disclaimer

The information in this document was written based on the best knowledge and experience currently available, and is offered for your consideration and guidance when exposed to this product. KLONDIKE Lubricants Corporation disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this document does not apply to use with any other product or in any other process. This document may not be changed, or altered in any way without the expressed knowledge and permission of KLONDIKE Lubricants Corporation.