SAFETY DATA SHEET



1. Identification

Product identifier KLONDIKE SAE 30 CF-2 Heavy Duty Engine Oil

Other means of identification

Product code 30 CF-2

Recommended use Heavy Duty Engine Oil

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name KLONDIKE Lubricants Corporation

Address 3078 275th Street

Langley, BC V4W 3L4

Canada

Telephone General Information 1-877-293-4691

Website www.klondikelubricants.com E-mail info@klondikelubricants.com

Chemtrec (Within US) **Emergency phone number** 1-800-424-9300

1-703-527-3887 Chemtrec (International)

Supplier Refer to Manufacturer

2. Hazard(s) identification

Physical hazards This mixture does not meet the classification criteria according to OSHA HazCom 2012. **Health hazards** This mixture does not meet the classification criteria according to OSHA HazCom 2012. **Environmental hazards** This mixture does not meet the classification criteria according to OSHA HazCom 2012. **OSHA** defined hazards This mixture does not meet the classification criteria according to OSHA HazCom 2012.

Label elements

None. Hazard symbol Signal word None.

The mixture does not meet the criteria for classification. **Hazard statement**

Precautionary statement

Prevention Observe good industrial hygiene practices.

Response Wash hands after handling.

Store away from incompatible materials. Storage

Dispose of waste and residues in accordance with local authority requirements. **Disposal**

Hazard(s) not otherwise

classified (HNOC)

May cause mild skin and eye irritation. Ingestion may cause gastrointestinal irritation, nausea,

vomiting and diarrhea.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Distillates, (petroleum), Hydrotreated Heavy Paraffinic	Not Available	64742-54-7	60 - 100
Zinc, Dithiophosphate Di-c1-14-alkyl Esters	PHOSPHORODITHIOIC ACID, O,O-DI-C1-14-ALKYL ESTERS, ZINC SALTS.	68649-42-3	0.1 - 1

The exact concentrations of the above listed chemicals are being withheld as a trade secret as allowed by 29CFR1910.1200.

Material name: KLONDIKE SAE 30 CF-2 Heavy Duty Engine Oil SDS US 1/7 1379 Version #: 01 Issue date: 05-13-2014

4. First-aid measures

Inhalation Move to fresh air. Oxygen or artificial respiration if needed. Call a physician if symptoms develop or

persist.

Wash off with soap and plenty of water. Get medical attention if irritation develops and persists. Skin contact

Immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention if Eye contact

irritation develops and persists.

Do not induce vomiting. Rinse mouth. Never give anything by mouth to a victim who is Ingestion

unconscious or is having convulsions. Get medical attention if symptoms occur.

Most important

symptoms/effects, acute and

delayed

Direct contact with eyes may cause temporary irritation.

Indication of immediate medical attention and special

treatment needed

Treat symptomatically.

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Specific hazards arising from

the chemical Special protective equipment

and precautions for firefighters

Fire-fighting

equipment/instructions

Specific methods General fire hazards

Hazardous combustion

products

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

During fire, gases hazardous to health may be formed.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Evacuate area and fight fire from a safe distance. Ventilate the contaminated area. Remove all sources of ignition. Move containers from fire area if you can do so without risk. Cool containers / tanks with water spray. Prevent fire extinguishing water from contaminating surface water or the ground water system.

Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted.

Carbon oxides. Hydrocarbons. Nitrogen oxides (NOx). Phosphorus oxides. Sulphur oxides.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Methods and materials for containment and cleaning up Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. For personal protection, see section 8 of the SDS.

The product is immiscible with water and will spread on the water surface.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Avoid discharge into drains, water courses or onto the ground. **Environmental precautions**

7. Handling and storage

Precautions for safe handling Conditions for safe storage, including any incompatibilities

Avoid prolonged exposure. Observe good industrial hygiene practices.

Store in original tightly closed container. Store away from incompatible materials (see Section 10

of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

U.S. - OSHA

Components	Туре	Value	Form
Zinc, Dithiophosphate	TWA		None
Di-c1-14-alkyl Esters (CAS			

68649-42-3)

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear protective gloves. Advice should be sought from glove suppliers.

Other Wear appropriate chemical resistant clothing.

Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels Respiratory protection

exceeding the exposure limits. Seek advice from respiratory protection specialists.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Liquid. Liquid. **Form** Amber. Color

Mild petroleum odor. Odor

Odor threshold Not available. Not available. Melting point/freezing point Not available. Initial boiling point and boiling 315 °C (599 °F)

range

210.0 °C (410 °F) Flash point **Evaporation rate** Not available. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. Vapor pressure < 0.01 kPa

Vapor density 10

Not available. Relative density

Solubility(ies)

Insoluble Solubility (water) Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

Not available. **Decomposition temperature** Not available. **Viscosity**

Other information

95 cSt Kinematic viscosity Percent volatile Nil 0.89 Specific gravity

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Avoid temperatures exceeding the flash point. Contact with incompatible materials. Do not use in Conditions to avoid

areas without adequate ventilation.

Strong oxidizing agents. Incompatible materials

Hazardous decomposition

products

None known, refer to hazardous combustion products in Section 5.

11. Toxicological information

Information on likely routes of exposure

May cause discomfort if swallowed. Ingestion

Inhalation May cause irritation to the respiratory system.

May cause mild skin irritation. Skin contact May cause mild eye irritation. Eye contact

Symptoms related to the physical, chemical and toxicological characteristics May cause mild skin and eye irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause respiratory irritation. Symptoms may include upper respiratory irritation, coughing, and breathing difficulties. Ingestion may cause gastrointestinal irritation, nausea,

vomiting and diarrhea.

Information on toxicological effects

May cause mild irritation to skin, eyes and respiratory system. May cause irritation of the **Acute toxicity**

gastrointestinal tract.

Test Results Components **Species**

Distillates, (petroleum), Hydrotreated Heavy Paraffinic (CAS 64742-54-7)

Acute

Dermal

LD50 Rabbit > 5000 mg/kg

Inhalation

No data in literature

Oral

LD50 Rat > 15000 mg/kg

Zinc, Dithiophosphate Di-c1-14-alkyl Esters (CAS 68649-42-3)

Acute

Dermal

LC50 Rabbit No data in literature

Inhalation

LC50 Rat No data in literature

Oral

LD50 Rat 26100 mg/kg

Skin corrosion/irritation May be irritating to the skin. Serious eye damage/eye May be irritating to eyes.

irritation

Material name: KLONDIKE SAE 30 CF-2 Heavy Duty Engine Oil

^{*} Estimates for product may be based on additional component data not shown.

Respiratory or skin sensitization

Respiratory sensitization This product is not expected to cause respiratory sensitization.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Species

Specific target organ toxicity -

single exposure

Product

Not classified as a specific target organ toxicity -single exposure.

Specific target organ toxicity -

repeated exposure

Not classified as a specific target organ toxicity -repeated exposure.

Chronic effects Prolonged or repeated contact may cause drying, cracking and defatting of the skin.

Further information This product has no known adverse effect on human health.

Aspiration toxicity Not expected to be an aspiration hazard.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Test Results

KLONDIKE SAE 30 CF-2 Heavy Duty Engine Oil (CAS Mixture)

Aquatic

Acute

Crustacea EC50 Daphnia 99.0198 mg/l, 48 hours estimated

Fish LC50 Fish 50.2513 mg/l, 96 hours estimated

Components Species Test Results

Distillates, (petroleum), Hydrotreated Heavy Paraffinic (CAS 64742-54-7)

Aquatic

Acute

Crustacea EC50 Water flea (Daphnia magna) > 10000 mg/l, 48 hours
Fish LC50 Fathead minnow (Pimephales promelas) > 100 mg/l, 96 hours

Chronic

Crustacea NOEC Water flea (Daphnia magna) 10 mg/l, 21 days

Zinc, Dithiophosphate Di-c1-14-alkyl Esters (CAS 68649-42-3)

Aquatic

Acute

Algae EC50 Green algae (Selenastrum 1 - 5 mg/l, 96 hours capricornutum)

Crustacea EC50 Water flea (Daphnia magna) 1 - 1.5 mg/l, 48 hours
Fish LC50 Fathead minnow (Pimephales promelas) 1 - 5 mg/l, 96 hours

Chronic

Algae NOEC Green algae (Selenastrum 1 mg/l, 96 hours

capricornutum)

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available.

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site.

Local disposal regulations Dispose in accordance with all applicable regulations.

Material name: KLONDIKE SAE 30 CF-2 Heavy Duty Engine Oil 1379 Version #: 01 Issue date: 05-13-2014

^{*} Estimates for product may be based on additional component data not shown.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code This substance/mixture is not intended to be transported in bulk.

Listed.

15. Regulatory information

US federal regulations All components are on the U.S. EPA TSCA Inventory List.

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Zinc, Dithiophosphate Di-c1-14-alkyl Esters (CAS

68649-42-3)

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No

chemical

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
Zinc, Dithiophosphate Di-c1-14-alkyl Esters	68649-42-3	0.1 - 1

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Zinc, Dithiophosphate Di-c1-14-alkyl Esters (CAS 68649-42-3)

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

US. Rhode Island RTK

Zinc, Dithiophosphate Di-c1-14-alkyl Esters (CAS 68649-42-3)

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Australia Australian Inventory of Chemical Substances (AICS) Canada Domestic Substances List (DSL) Canada Non-Domestic Substances List (NDSL) China Inventory of Existing Chemical Substances in China (IECSC) Europe European Inventory of Existing Commercial Chemical Substances (EINECS) Europe European List of Notified Chemical Substances (ELINCS)	Yes Yes No
Canada Non-Domestic Substances List (NDSL) China Inventory of Existing Chemical Substances in China (IECSC) Europe European Inventory of Existing Commercial Chemical Substances (EINECS)	
China Inventory of Existing Chemical Substances in China (IECSC) Europe European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe European Inventory of Existing Commercial Chemical Substances (EINECS)	
Substances (EINECS)	Yes
Europe European List of Notified Chemical Substances (ELINCS)	Yes
	No
Japan Inventory of Existing and New Chemical Substances (ENCS)	No
Korea Existing Chemicals List (ECL)	Yes
New Zealand New Zealand Inventory	Yes
Philippines Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

Issue date 05-13-2014

Version # 01

Disclaimer The information in this document was written based on the best knowledge and experience

currently available, and is offered for your consideration and guidance when exposed to this product. KLONDIKE Lubricants Corporation disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this document does not apply to use with any other product or in any other process. This document may not be changed, or altered in any way without the expressed knowledge and permission of KLONDIKE Lubricants Corporation. The information in the sheet was written based on the best knowledge and experience currently available.

Material name: KLONDIKE SAE 30 CF-2 Heavy Duty Engine Oil

1379 Version #: 01 Issue date: 05-13-2014 7 / 7

Yes