# MATERIAL SAFETY DATA SHEET



### 1. Product and Company Identification

Product identifier KLONDIKE SAE 15W-40 CK-4 Full Synthetic Heavy Duty Engine Oil

Version # 02

Issue date 03-14-2017
CAS # Mixture

Product code 15W-40 CK-4 Full Syn
Product use Heavy Duty Engine Oil

Manufacturer information KLONDIKE Lubricants Corporation

3078 275th Street Langley, BC V4W 3L4

Canada

info@klondikelubricants.com www.klondikelubricants.com

General Information 1-877-293-4691 Chemtrec (Within US) 1-800-424-9300 Chemtrec (International) 1-703-527-3887

Supplier Refer to Manufacturer

#### 2. Hazards Identification

Emergency overview WARNING

May cause mild skin and eye irritation. May cause respiratory irritation. May be an aspiration

hazard. Prolonged or repeated overexposure may cause liver effects.

Potential health effects

**Routes of exposure** Eye contact. Skin contact. Ingestion. Inhalation.

Eyes May cause mild eye irritation.

Skin May cause mild skin irritation.

**Inhalation** May cause irritation of respiratory tract.

**Ingestion** May cause irritation of the gastrointestinal tract. Product may present an aspiration hazard, if

ingested in large amounts.

**Chronic effects** Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.

Prolonged or repeated overexposure may cause liver effects.

Signs and symptoms May be mildly irritating to skin, eyes and respiratory system. Symptoms may include redness,

edema, drying, defatting and cracking of the skin. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Symptoms may include coughing, choking and wheezing. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. May be an aspiration hazard. Aspiration into the lungs during swallowing or subsequent vomiting may cause

chemical pneumonitis, which can be fatal.

Potential environmental effects Components of this product are hazardous to aquatic life. May cause long-term adverse effects in

the environment.

### 3. Composition / Information on Ingredients

Non-hazardous components	CAS#	Percent	
1-decene Tetramer, Mixed With 1-decene Trimer,hydrogenated	68649-12-7	15 - 40	
1-decene, Homopolymer, Hydrogenated	68037-01-4	3 - 7	

### 4. First Aid Measures

First aid procedures

**Eye contact** Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

**Skin contact** Wash off with soap and plenty of water. Get medical attention if irritation develops and persists. **Inhalation** Move to fresh air. Oxygen or artificial respiration if needed. Get medical attention if symptoms

occur.

Material name: KLONDIKE SAE 15W-40 CK-4 Full Synthetic Heavy Duty Engine Oil 2003 Version #: 02 Issue date: 03-14-2017

Call a physician or poison control center immediately. Do not induce vomiting. If vomiting occurs Ingestion

spontaneously, keep victim's head lowered (forward) to reduce the risk of aspiration. Never give

anything by mouth to a victim who is unconscious or is having convulsions.

Notes to physician

Aspiration hazard.

General advice If you feel unwell, seek medical advice (show the label where possible). Show this safety data

sheet to the doctor in attendance.

### 5. Fire Fighting Measures

Flammable properties

Not flammable by WHMIS criteria. Closed containers may rupture if exposed to excess heat or flame due to a build-up of internal pressure.

Extinguishing media

Suitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

Fire fighting

equipment/instructions

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Evacuate area and fight fire from a safe distance. Ventilate the contaminated area. Cool containers exposed to heat with water spray and remove container, if no risk is involved. Prevent fire extinguishing water from contaminating surface water or the ground water system.

**Explosion data** 

Sensitivity to static discharge

Sensitivity to mechanical

impact

Not expected to be sensitive to static discharge.

Not expected to be sensitive to mechanical impact.

**Hazardous combustion** products

Carbon oxides. Formaldehyde. Hydrocarbons. Other irritating fumes and smoke.

#### 6. Accidental Release Measures

Personal precautions **Environmental precautions** Methods for containment Methods for cleaning up

Keep unnecessary personnel away. For personal protection, see section 8 of the MSDS.

Prevent further leakage or spillage if safe to do so. Do not contaminate water.

Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Should not be released into the environment. The product is immiscible with water and will spread

on the water surface.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Absorb in vermiculite, dry sand or earth and place into containers. Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the MSDS.

### 7. Handling and Storage

Handling

Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Avoid contact with eyes, skin, and clothing. Avoid breathing mist or vapor. Do not taste or swallow. Eliminate all sources of ignition. Do not use in areas without adequate ventilation. When using, do not eat, drink or smoke. Wear suitable protective equipment.

Wash hands after handling and before eating.

Store in tightly closed original container in a dry, cool and well-ventilated place. Store locked up. Storage

Store away from incompatible materials (see Section 10 of the MSDS).

#### 8. Exposure Controls / Personal Protection

Occupational exposure limits

No exposure limits noted for ingredient(s).

**Biological limit values** 

No biological exposure limits noted for the ingredient(s).

**Engineering controls** 

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Material name: KLONDIKE SAE 15W-40 CK-4 Full Synthetic Heavy Duty Engine Oil

MSDS CANADA

Personal protective equipment

Eve/face protection Wear safety goggles or glasses as appropriate for the job. Provide an emergency eye wash

fountain and quick drench shower in the immediate work area.

Skin protection Wear appropriate chemical resistant clothing.

Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels Respiratory protection

exceeding the exposure limits. Advice should be sought from respiratory protection specialists.

Hand protection Wear appropriate chemical resistant gloves. Advice should be sought from glove suppliers.

### 9. Physical & Chemical Properties

**Appearance** 

Liquid. Physical state **Form** Liquid. Color Amber.

Mild petroleum odor. Odor

Not available. **Odor threshold** рΗ Not available. < 0.01 kPa Vapor pressure

Vapor density 10

**Boiling point** 280 °C (536 °F) Melting point/Freezing point Not available. Insoluble Solubility (water) 0.86 Specific gravity

Not available. Relative density 200.0 °C (392 °F) Flash point Flammability limits in air, Not available.

upper, % by volume

Flammability limits in air,

lower, % by volume

Not available.

Not available. **Auto-ignition temperature Evaporation rate** Not available.

Nil Percent volatile

Not available. Partition coefficient

(n-octanol/water)

Other data

Kinematic viscosity 30 cSt Kinematic viscosity temp 40 ºC

#### 10. Chemical Stability & Reactivity Information

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Conditions to avoid Avoid temperatures exceeding the flash point. Direct sources of heat. Contact with incompatible

materials. Do not use in areas without adequate ventilation.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

None known, refer to hazardous combustion products in Section 5.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Material name: KLONDIKE SAE 15W-40 CK-4 Full Synthetic Heavy Duty Engine Oil MSDS CANADA 2003 Version #: 02 Issue date: 03-14-2017

### 11. Toxicological Information

Toxicological data

Components	Species	Test Results
1-decene Tetramer, Mixed	d With 1-decene Trimer,hydrogena	ted (CAS 68649-12-7)
Acute		
Dermal		

LD50 Rabbit > 2000 mg/kg

Inhalation

LC50 Rat 1.17 mg/l, 4 hours Mist

Oral

LD50 Rat > 5000 mg/kg

1-decene, Homopolymer, Hydrogenated (CAS 68037-01-4)

**Acute** 

Dermal

LD50 Rabbit > 3000 mg/kg

Inhalation

LC50 Rat 1.17 mg/l, 4 hours Mist

Oral

LD50 Rat > 5000 mg/kg

**Acute effects** May cause mild irritation to skin, eyes and respiratory system. May cause irritation of the

gastrointestinal tract.

**Sensitization** Not expected to be a skin or respiratory sensitizer.

**Chronic effects** Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.

Prolonged or repeated overexposure may cause liver effects.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

Skin corrosion/irritation May be irritating to the skin.

Serious eye damage/irritation May be irritating to eyes.

Mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

**Reproductive effects**This product is not expected to cause reproductive or developmental effects.

**Teratogenicity** This product is not expected to be a teratogen.

Symptoms and target organs May cause mild skin and eye irritation. Symptoms may include redness, edema, drying, defatting

and cracking of the skin. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause respiratory irritation. Symptoms may include coughing, choking and wheezing. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. May be an

aspiration hazard. Aspiration into the lungs during swallowing or subsequent vomiting may cause

chemical pneumonitis, which can be fatal.

Synergistic materials Not available.

## 12. Ecological Information

Ecotoxicological data

	Species	Test Results	
K-4 Full Synthetic	Heavy Duty Engine Oil (CAS M	ixture)	
EC50	Daphnia	29.7895 mg/l, 48 hours estimated	
LC50	Fish	25.2618 mg/l, 96 hours estimated	
	Species	Test Results	
	EC50	K-4 Full Synthetic Heavy Duty Engine Oil (CAS M EC50 Daphnia LC50 Fish	

1-decene Tetramer, Mixed With 1-decene Trimer, hydrogenated (CAS 68649-12-7)

Aquatic

Acute

Algae EC50 Green algae (Selenastrum > 1000 mg/l, 72 hours

capricornutum)

Material name: KLONDIKE SAE 15W-40 CK-4 Full Synthetic Heavy Duty Engine Oil

MSDS CANADA

Components		Species	Test Results	
Crustacea	EC50	Water flea (Daphnia magna)	> 1000 mg/l, 48 hours	
Fish	LC50	Rainbow trout, donaldson trout (Oncorhynchus mykiss)	> 1000 mg/l, 96 hours	
Chronic				
Algae	NOEC	Green algae (Selenastrum capricornutum)	1000 mg/l, 72 hours	
Crustacea	NOEC	Water flea (Daphnia magna)	125 mg/l, 21 days	
1-decene, Homopolymer,	Hydrogenated (CAS	S 68037-01-4)		
Aquatic				
Acute				
Algae	EC50	Green algae (Selenastrum capricornutum)	> 1000 mg/l, 72 hours	
Crustacea	EC50	Water flea (Daphnia magna)	> 1000 mg/l, 48 hours	
Fish	LC50	Rainbow trout, donaldson trout (Oncorhynchus mykiss)	> 1000 mg/l, 96 hours	
Chronic				
Algae	NOEC	Green algae (Selenastrum capricornutum)	1000 mg/l, 72 hours	
Crustacea	NOEC	Water flea (Daphnia magna)	125 mg/l, 21 days	
Ecotoxicity	Compone	inte of this product are hazardous to agua	tic life	

**Ecotoxicity** Components of this product are hazardous to aquatic life.

Environmental effects Harmful to aquatic organisms. An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Aquatic toxicity Not available.

Persistence and degradability Not available.

Mobility in environmental

media

The product is immiscible with water and will spread on the water surface.

### 13. Disposal Considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Dispose in accordance with all applicable

regulations.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

**Contaminated packaging** Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

# 14. Transport Information

### **TDG**

Not regulated as dangerous goods.

#### **IATA**

Not regulated as dangerous goods.

### **IMDG**

Not regulated as dangerous goods.

### 15. Regulatory Information

Canadian regulations

This product has been classified in accordance with the hazard criteria of the CPR and the MSDS

contains all the information required by the CPR.

WHMIS status Non-controlled

#### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

### 16. Other Information

**HMIS®** ratings Health: 1

Flammability: 1

Physical hazard: 0

Health: 0 NFPA ratings

Flammability: 1 Instability: 0

Disclaimer The information in this document was written based on the best knowledge and experience

currently available, and is offered for your consideration and guidance when exposed to this product. KLONDIKE Lubricants Corporation disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this document does not apply to use with any other product or in any other process. This document may not be changed, or altered in any way without the expressed knowledge and

permission of KLONDIKE Lubricants Corporation.

Material name: KLONDIKE SAE 15W-40 CK-4 Full Synthetic Heavy Duty Engine Oil MSDS CANADA 2003 Version #: 02 Issue date: 03-14-2017