

1. Identification

Product identifier KLONDIKE Arctic Tractor Fluid Synthetic Blend

Other means of identification

Product codeArctic UTF Syn BlendRecommended useNo data availableRecommended restrictionsUniversal Tractor Fluid

Chemical familyUses other than those described aboveManufacturerKLONDIKE Lubricants Corporation

3078 275th Street Langley, BC, V4W 3L4

Canada

info@klondikelubricants.com www.klondikelubricants.com

 General Information
 1-877-293-4691

 Chemtrec (Within US)
 1-800-424-9300

 Chemtrec (International)
 1-703-527-3887

Supplier information Refer to Manufacturer

2. Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200:

GHS Hazard Symbols:



GHS Classification: Acute Toxicity - Inhalation Vapor Category 4

Signal Word: Warning

Hazard Statements: Harmful if inhaled

Precautionary Statements:

Prevention: Avoid breathing dust/fume/gas/mist/ vapors/spray. Use only outdoors or

in a well-ventilated area.

Response: If inhaled: Remove person to fresh air and keep comfortable for

breathing. Call a poison center/doctor/.../if you feel unwell.

Hazards not otherwise classified: Avoid prolonged or repeated skin contact with used fluid.

% unknown toxicity (Inhalation Gas):
% unknown toxicity (Inhalation Dust):
21.839936 % of the mixture consists of ingredient(s) of unknown toxicity.
21.839936 % of the mixture consists of ingredient(s) of unknown toxicity.

Material name: KLONDIKE Arctic Tractor Fluid Synthetic Blend Version #: 2 Issue date:01-11-2017

3. Composition/information on ingredients

Chemical Name	Common name and synonyms	CAS#	%
Lubricating oils (petroleum),	No data available	72623-87-1	5 - 10
C20-50, hydrotreated neutral oil-			
based			

One or more hazardous ingredient(s) is claimed as a trade secret under the OSHA Hazard Communication Standard. The hazards of this (these) ingredient(s) are given on this SDS.

4. First-aid measures

Description of necessary measures, subdivided according to the different routes of exposure, i.e., inhalation, skin and eye contact, and ingestion:

Inhalation: If inhaled: Remove person to fresh air and keep comfortable for

breathing.

Eye Contact: Flush eyes with plenty of water for at least 20 minutes retracting eyelids

often. Tilt the head to prevent chemical from transferring to the

uncontaminated eye. Get immediate medical attention.

Skin Contact: Wash with soap and water. Remove contaminated clothing and launder.

Get medical attention if irritation develops or persists. Seek medical

advice if symptoms persist.

Ingestion: Do not induce vomiting and seek medical attention immediately. Provide

medical care provider with this SDS.

Most important symptoms/effects,

acute and delayed:

Harmful if inhaled

Indication of immediate medical attention and special treatment

needed, if necessary:

Call a poison center/doctor/.../if you feel unwell.

5. Fire-fighting measures

Suitable (and unsuitable) extinguishing media:

Suitable extinguishing media: Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting

fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the

fire. Do not direct a stream of water into the hot burning liquid.

Unsuitable extinguishing media: No data available

Specific hazards arising from the

chemical:

No data available

Hazardous combustion products: Carbon monoxide, Smoke, Carbon dioxide, Phosgene, Toxic fumes., Toxic

gases

Special protective equipment and precautions for fire-fighters:

No data available

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:

No health affects expected from the clean up of this material if contact can be avoided. Follow personal protective equipment recommendations found in Section 8 of this SDS.

Methods and materials for containment and cleaning up:

Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Dispose of according to Federal, State, Local, or Provincial regulations. Used fluid should be disposed of at a recycling center.

7. Handling and storage

Precautions for safe handling:

Mildly irritating material. Avoid unnecessary exposure. No data available

Conditions for safe storage, including

any incompatibilities:

Safe storage conditions: Store in a cool dry place. Isolate from incompatible materials.

Materials to Avoid/Chemical

Incompatibility:

Strong oxidizing agents, Moisture

8. Exposure controls/personal protection

OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available:

Chemical component	OSHA PEL	ACGIH TLV	ACGIH STEL	IDLH
Lubricating oils	5 mg/m3	5 mg/m3	10 mg/m3	No data available
(petroleum), C20-50,				
hydrotreated neutral oil- based				

Appropriate engineering controls: Use only outdoors or in a well-ventilated area. Use local exhaust

ventilation or other engineering controls to minimize exposures and

maintain operator comfort.

Individual protection measures, such as personal protective equipment:

Respiratory Protection: Avoid breathing dust/fume/gas/mist/ vapors/spray.

Respirator Type(s): None required where adequate ventilation is provided. If airborne

concentrations are above the applicable exposure limits, use

NIOSH/MSHA approved respiratory protection.

Eye protection: Wear chemically resistant safety glasses with side shields when handling

this product. Do not wear contact lenses.

Skin protection: Wear protective gloves. Inspect gloves for chemical break-through and

replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating,

drinking, and when leaving work.

Gloves: Neoprene, Nitrile, Polyvinyl chloride, Impervious rubber

General hygiene conditions: No data available

9. Physical and chemical properties

Appearance (physical state, color etc.):

Physical state: Liquid
Color: Brown
Odor: Mild

Odor Threshold: Not determined PH: Not determined

Melting point/freezing point:

Melting Point:No data availableFreezing point:No data available

Initial boiling point and boiling range

(°C):

Not determined

Flash Point (°C): 223
Flash Point Method: COC

Evaporation Rate: No data available

Flammability (solid, gas): No data available

Upper/lower flammability or explosive

limits:

Upper flammability or explosive

limits:

= 10

Lower flammability or explosive

limits:

= 1

Vapor pressure: No data available Vapor density: No data available

Relative density: 0.87

Solubility(ies): Negligible

Partition coefficient: n-octanol/water: Not determined
Auto-ignition temperature: No data available
Decomposition Temperature: Not determined

Viscosity: 34.17
Volatile organic compound (VOC) 0.000000

content and percentage of volatiles:

10. Stability and reactivity

Reactivity: No data available

Chemical stability: Stable under normal conditions.

Possibility of hazardous reactions: No data available

Conditions to avoid (e.g., static discharge, shock, or vibration):

Temperatures above the high flash point of this combustible material in combination with sparks, open flames, or other sources of ignition.

Contact with water (reacts with water).

Contamination.

Moisture (will lead to product performance degradation).

Incompatible materials: Strong oxidizing agents, Moisture

Hazardous decomposition products: Carbon monoxide, Smoke, Carbon dioxide, Phosgene, Toxic fumes., Toxic

gases

11. Toxicological information

Description of the various toxicological (health) effects and the available data used to identify those effects:

Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact):

Inhalation

Symptoms related to the physical,

chemical and toxicological

characteristics:

Harmful if inhaled

Delayed and immediate effects and also chronic effects from short- and long-term exposure:

Ingestion Toxicity: Although this product has a low order of acute oral toxicity, aspiration of

minute amounts into the lungs during ingestion or vomiting may cause

mild to severe pulmonary injury and possibly death.

Skin Contact: This material is likely to be moderately irritating to skin based on animal

data. Can cause moderate skin irritation, defatting, and dermatitis. Not

likely to cause permanent damage.

Absorption: Likely to be practically non-toxic based on animal data.

Inhalation Toxicity: Harmful if inhaled

Eye Contact: This material is likely to be non-irritating to eyes based on animal data.

Sensitization:No data available

Mutagenicity: No data available to indicate product or any components present at

greater than 0.1% is mutagenic or genotoxic.

Carcinogenicity: Not expected to cause cancer. This product meets the IP-346 criteria of

<3% PAH's and is not considered a carcinogen by the International

Agency for Research on Cancer.

STOT-single exposure: Non-hazardous under Specific Target Organ Systemic Toxicity Single

Exposure category.

STOT-repeated exposure: Non-hazardous under Specific Target Organ Systemic Toxicity Repeated

Exposure category.

Aspiration hazard: Non-hazardous under Aspiration category.

Other information: No data available

Numerical measures of toxicity (such as acute toxicity estimates):

	Chemical Name LD50 Oral		LD50 Dermal	LC50 Inhalation	
_	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil- based	OLD50 Rat > 5000 mg/kg	Dermal LD50 Rabbit > 2000 mg/kg	Inhalation LC50 (4h) Rat 2.18 mg/L	_

Is the hazardous chemical is listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or has been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition), or by OSHA:

t edition), or by OSHA:

Chemical Name

OSHA Carcinogen

IARC Carcinogen

NTP Carcinogen

There are no components that are known or reported to cause cancer.

12. Ecological information

Ecotoxicity (aquatic and terrestrial,

No data available

where available):

Ecological Toxicity Data:

Chemical Name

CAS #

Aquatic EC50 Aquatic ERC50

Crustacea Algae

Aquatic LC50 Fish

No data available

Persistence and degradability: Biodegrades slowly.

Bioaccumulative potential: Bioconcentration may occur.

Mobility in soil: This material is expected to have essentially no mobility in soil. It absorbs

strongly to most soil types.

Other adverse effects (such as

hazardous to the ozone layer):

No data available

13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging:

Spent or discarded material is non-hazardous according to environmental $% \left(1\right) =\left(1\right) \left(1\right) \left($

regulations.

Contaminated packaging:

Recycle containers whenever possible.

14. Transport information

Carriage of dangerous goods by road (DOT), rail or inland waterways:

No data available

International carriage of dangerous goods by sea (IMDG/IMO):

No data available

International carriage of dangerous goods by air (IATA):

No data available

Environmental hazards (e.g., Marine

None.

pollutant (Yes/No)):

Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code):

No data available

Special precautions which a user needs to be aware of or needs to comply with

in connection with transport or

conveyance either within or outside

their premises:

No data available

15. Regulatory information

Safety, health and environmental regulations specific for the product in question:

TSCA Status: All components of this material are on the US TSCA Inventory or are

exempt.

Regulated Components:

Chemical Name	CAS #	CERCLA	Sara EHS	Sara 313	U.S. HAP
Petroleum distillates,					_
hydrotreated heavy	64742-54-7	N	N	N	N
paraffinic					
Petroleum distillates,					_
hydrotreated light	64742-53-6	N	N	N	N
naphthenic					
Lubricating oils					
(petroleum), C20-50,	72623-87-1	N	N	N	N
hydrotreated neutral	/2023-07-1	IN	IN	IN	IN
oil-based					
Zinc	68649-42-3	N	N	N	N
alkyldithiophosphate	00049-42-3	IN	IN	IN	IN
Phosphorous acid,	101-02-0	N	N	N	N
triphenyl ester	101-02-0	IN	IV	IV	IN

Chemical Name	CAS#	California Prop 65 - Cancer	California Prop 65 - Dev. Toxicity	California Prop 65 - Reprod fem	California Prop 65 - Reprod male
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	N	N	N	N
Petroleum distillates, hydrotreated light naphthenic	64742-53-6	N	N	N	N
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	72623-87-1	N	N	N	N
Zinc alkyldithiophosphate	68649-42-3	N	N	N	N
Phosphorous acid, triphenyl ester	101-02-0	N	N	N	N

Chemical Name	CAS#	Massachusetts RTK List	New Jersey RTK List	Pennsylvania RTK List	Rhode Island RTK List	Minnesota Hazardous Substance List
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	N	N	N	N	N
Petroleum distillates, hydrotreated light naphthenic	64742-53-6	Υ	N	N	N	N
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	72623-87-1	N	N	N	N	N
Zinc alkyldithiophosphate	68649-42-3	N	N	N	N	N
Phosphorous acid, triphenyl ester	101-02-0	N	N	N	N	N

16. Other information, including date of preparation or last revision.

Issue Date:	01-11-2017
-------------	------------

Version #: 02

Disclaimer: The information in this document was written based on the best

knowledge and experience currently available, and is offered for your consideration and guidance when exposed to this product. KLONDIKE Lubricants Corporation disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this document does not apply to use with any other product or in any other process. This document may not be changed, or altered in any way without the expressed knowledge and permission of KLONDIKE Lubricants Corporation. The information in the sheet was written based on the best knowledge and experience currently available.