MATERIAL SAFETY DATA SHEET



1. Product and Company Identification

Product identifier KLONDIKE BIO AW 46 Hydraulic Oil

Version #

Issue date 02-16-2017 CAS# Mixture BIO AW 46 Product code Hydraulic Fluid **Product use**

Manufacturer information KLONDIKE Lubricants Corporation 3078 275th

Street

Langley, BC V4W 3L4

Canada

info@klondikelubricants.com www.klondikelubricants.com

General Information 1-877-293-4691 Chemtrec (Within US) 1-800-424-9300 Chemtrec (International) 1-703-527-3887

Supplier Refer to Manufacturer

2. Hazards Identification

Emergency overview CAUTION

May cause mild skin and eye irritation. Ingestion may cause gastrointestinal irritation, nausea,

vomiting and diarrhea.

Potential health effects

Routes of exposure Inhalation. Ingestion. Skin contact. Eye contact.

Eves May cause mild eye irritation.

Skin contact: May cause mild skin irritation on prolonged contact. Skin

Skin absorption: Not expected to be absorbed through the skin.

Inhalation of vapors/fumes generated by heating this product may cause respiratory irritation with Inhalation

throat discomfort, coughing or difficulty breathing.

Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Product may Ingestion

present an aspiration hazard, if ingested in large amounts.

Target organs Eyes. Respiratory system. Skin.

Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis. **Chronic effects** May be mildly irritating to skin, eyes and respiratory system. Symptoms may include redness, Most important

symptoms/effects, acute and

delayed

edema, drying, defatting and cracking of the skin. Symptoms may include stinging and tearing. Symptoms may include upper respiratory irritation, coughing, and breathing difficulties. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Product may present an aspiration hazard, if ingested in large amounts. Aspiration into the lungs during swallowing or

subsequent vomiting may cause chemical pneumonitis, which can be fatal.

May cause long-term adverse effects in the environment. Potential environmental effects

3. Composition / Information on Ingredients

The components are not hazardous or are below required disclosure limits.

4. First Aid Measures

First aid procedures

Inhalation Move to fresh air. Oxygen or artificial respiration if needed. Call a physician if symptoms develop or

Skin contact Wash off with soap and plenty of water. Get medical attention if irritation develops and persists.

Immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention if Eve contact

irritation develops and persists.

Material name: KLONDIKE BIO AW 46 Hydraulic Oil MSDS CANADA 1/5 **Ingestion** Do not induce vomiting. If vomiting occurs spontaneously, keep victim's head lowered (forward) to

reduce the risk of aspiration. Rinse mouth. Never give anything by mouth to a victim who is unconscious or is having convulsions. Get medical attention if symptoms occur. If ingestion of a

large amount does occur, call a poison control center immediately.

Notes to physician

In case of shortness of breath, give oxygen. Symptoms may be delayed.

General advice In case of shortness of breath, give oxygen. If you feel unwell, seek medical advice (show the label

where possible). Get medical attention if symptoms occur. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Keep victim under observation. Keep victim warm.

5. Fire Fighting Measures

Flammable properties

Not flammable by WHMIS criteria. Closed containers may rupture if exposed to excess heat or flame due to a build-up of internal pressure.

Extinguishing media

Suitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

Protection of firefighters

Protective equipment for firefighters

Firefighters should wear full protective clothing including self contained breathing apparatus.

Fire fighting equipment/instructions

Evacuate area and fight fire from a safe distance. Ventilate the contaminated area. Remove all sources of ignition. Move containers from fire area if you can do so without risk. Cool containers / tanks with water spray. Prevent fire extinguishing water from contaminating surface water or the ground water system.

Explosion data

Sensitivity to static

discharge

Not expected to be sensitive to static discharge.

Sensitivity to mechanical

impact

Not expected to be sensitive to mechanical impact.

Hazardous combustion

products

Carbon oxides.

6. Accidental Release Measures

Personal precautions

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. For personal protection, see section 8 of the MSDS.

Environmental precautions

Methods and materials for containment and cleaning up

Do not contaminate water.

The product is immiscible with water and will spread on the water surface.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Absorb spillage with non-combustible, absorbent material. Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the MSDS. In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations.

Other information

Clean up in accordance with all applicable regulations.

7. Handling and Storage

Handling

Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Avoid inhalation of vapors and spray mists. Avoid contact with eyes, skin, and clothing. When using do not eat or drink. Use only outdoors or in a well-ventilated area. Do not use in areas without adequate ventilation. Should be handled in closed systems, if possible. Wear appropriate personal protective equipment. Wear personal protective equipment. Wash thoroughly after handling. Avoid release to the environment.

Storage

Store locked up. Keep away from heat, sparks and open flame. Store in tightly closed original container in a dry, cool and well-ventilated place. Keep container tightly closed. Store away from incompatible materials (see Section 10 of the MSDS). Keep away from food, drink and animal feedingstuffs. Use care in handling/storage.

8. Exposure Controls / Personal Protection

Occupational exposure limits No exposure limits noted for ingredient(s).

Biological limit valuesNo biological exposure limits noted for the ingredient(s).

Engineering controls Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates

should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Ensure

adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection Wear appropriate chemical resistant clothing.

exceeding the exposure limits. Seek advice from respiratory protection specialists.

Hand protection Wear protective gloves. Advice should be sought from glove suppliers.

9. Physical & Chemical Properties

Appearance

Physical stateLiquid.FormLiquid.ColorAmber.

Odor Mild petroleum odor.

Odor thresholdNot available.pHNot available.Vapor pressure< 1 mm Hg</th>

Vapor density > 10

Boiling point> 450 °C (842 °F)Melting point/Freezing pointNot available.Solubility (water)InsolubleSpecific gravity0.93

Relative density

Flash point

Solution 250.0 °C (482 °F)

Flammability limits in air.

Not available.

Flammability limits in air, upper, % by volume

Flammability limits in air,

lower, % by volume

Not available.

Auto-ignition temperatureNot available.Evaporation rateNot available.Percent volatileNegligiblePartition coefficientNot available.

(n-octanol/water)

Other data

46 cSt

10. Chemical Stability & Reactivity Information

Chemical stability Material is stable under normal conditions.

areas without adequate ventilation.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

Kinematic viscosity

products

None known, refer to hazardous combustion products in Section 5.

Possibility of hazardousNo dangerous reaction known under conditions of normal use.

reactions

Material name: KLONDIKE BIO AW 46 Hydraulic Oil 2146 Version #: 02 Issue date: 02-16-2017

11. Toxicological Information

Toxicological data No data available.

Acute effectsMay cause mild irritation to skin, eyes and respiratory system. May cause irritation of the

gastrointestinal tract.

Sensitization Not expected to be a skin or respiratory sensitizer.

Chronic effects Prolonged or repeated contact may cause drying, cracking and defatting of the skin. **Carcinogenicity** This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

Skin corrosion/irritation May be irritating to the skin.

Serious eve damage/irritation May be irritating to eyes.

Mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Reproductive effects

This product is not expected to cause reproductive or developmental effects.

Teratogenicity This product is not expected to be a teratogen.

Most important

Synergistic materials

symptoms/effects, acute and

delayed

May be mildly irritating to skin, eyes and respiratory system. Symptoms may include redness, edema, drying, defatting and cracking of the skin. Symptoms may include stinging and tearing. Symptoms may include upper respiratory irritation, coughing, and breathing difficulties. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Product may present an aspiration hazard, if ingested in large amounts. Aspiration into the lungs during swallowing or subsequent vomiting may cause chemical pneumonitis, which can be fatal.

Not applicable.

12. Ecological Information

Ecotoxicological data

No ecotoxicity data noted

for the ingredient(s).

EcotoxicityContains a substance which causes risk of hazardous effects to the environment.

Environmental effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Aquatic toxicity

Not available.

Persistence and degradability

Not available.

Mobility in environmental

media

The product is immiscible with water and will spread on the water surface.

13. Disposal Considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Dispose in accordance with all applicable

regulations.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport Information

TDG

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

15. Regulatory Information

Canadian regulations

This product has been classified in accordance with the hazard criteria of the CPR and the MSDS

contains all the information required by the CPR.

WHMIS status Non-controlled

Material name: KLONDIKE BIO AW 46 Hydraulic Oil 2146 Version #: 02 Issue date: 02-16-2017

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other Information

HMIS® ratings Health: 0

Flammability: 1 Physical hazard: 0

NFPA ratings Health: 0

Flammability: 1 Instability: 0

Disclaimer The information in this document was written based on the best knowledge and experience

currently available, and is offered for your consideration and guidance when exposed to this product. KLONDIKE Lubricants Corporation disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this document does not apply to use with any other product or in any other process. This document may not be changed, or altered in any way without the expressed knowledge and permission of KLONDIKE Lubricants Corporation. The information in the sheet was written based

on the best knowledge and experience currently available.

Bibliography Not available.

Legend to abbreviations and Not available.

acronyms used in the SDS