



MATERIAL SAFETY DATA SHEET

1. Product and Company Identification

Product identifier KLONDIKE MD3 Transmission Fluid
Version # 02
Issue date 03-27-2017
CAS # Mixture
Product code MD3
Product use Transmission Fluid
Manufacturer information KLONDIKE Lubricants Corporation
3078 275th Street
Langley, BC V4W 3L4
Canada
info@klondikelubricants.com
www.klondikelubricants.com
General Information 1-877-293-4691
Chemtrec (Within US) 1-800-424-9300
Chemtrec (International) 1-703-527-3887

2. Hazards Identification

Emergency overview CAUTION
Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. May cause mild skin and eye irritation.

Potential health effects

Routes of exposure Inhalation. Ingestion. Skin contact. Eye contact.

Eyes May cause mild eye irritation.

Skin Skin contact: May cause mild skin irritation on prolonged contact.
Skin absorption: Not expected to be absorbed through the skin.

Inhalation Inhalation of vapors/fumes generated by heating this product may cause respiratory irritation with throat discomfort, coughing or difficulty breathing.

Ingestion Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Target organs Eyes. Respiratory system. Skin.

Potential environmental effects May cause long-term adverse effects in the environment.

3. Composition / Information on Ingredients

Non-hazardous components	CAS #	Percent
Oil, Mineral	64742-55-8	80 - 100

4. First Aid Measures

First aid procedures

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Skin contact Rinse skin with water/shower. Get medical attention if irritation develops and persists.

Inhalation If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. Call a physician if symptoms develop or persist.

Ingestion Rinse mouth. If ingestion of a large amount does occur, call a poison control center immediately.

General advice If you feel unwell, seek medical advice (show the label where possible). Show this safety data sheet to the doctor in attendance.

5. Fire Fighting Measures

Flammable properties Not flammable by WHMIS criteria.

Extinguishing media	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Fire fighting equipment/instructions	Not available.
Explosion data	
Sensitivity to static discharge	Not sensitive.
Sensitivity to mechanical impact	Not sensitive.
Hazardous combustion products	Hydrocarbons. Carbon oxides. Nitrogen oxides (NOx). Sulphur oxides. Phosphorus oxides.

6. Accidental Release Measures

Personal precautions	Keep unnecessary personnel away. For personal protection, see section 8 of the MSDS.
Environmental precautions	Do not contaminate water.
Methods for containment	Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible.
Methods for cleaning up	Should not be released into the environment. This product is miscible in water. Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills to original containers for re-use. For waste disposal, see section 13 of the MSDS.

7. Handling and Storage

Handling	Avoid prolonged exposure. Avoid release to the environment.
Storage	Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the MSDS).

8. Exposure Controls / Personal Protection

Occupational exposure limits

US. ACGIH Threshold Limit Values

Components	Type	Value	Form
Oil, Mineral (CAS 64742-55-8)	TWA	5 mg/m ³	Inhalable fraction.

Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2)

Components	Type	Value	Form
Oil, Mineral (CAS 64742-55-8)	STEL	10 mg/m ³	Mist.
	TWA	5 mg/m ³	Mist.

Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act)

Components	Type	Value	Form
Oil, Mineral (CAS 64742-55-8)	TWA	5 mg/m ³	Inhalable fraction.

Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)

Components	Type	Value	Form
Oil, Mineral (CAS 64742-55-8)	STEL	10 mg/m ³	Mist.
	TWA	5 mg/m ³	Mist.

Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment)

Components	Type	Value	Form
Oil, Mineral (CAS 64742-55-8)	STEL	10 mg/m ³	Mist.
	TWA	5 mg/m ³	Mist.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value	Form
Oil, Mineral (CAS 64742-55-8)	PEL	5 mg/m ³	Mist.

Biological limit values

No biological exposure limits noted for the ingredient(s).

Engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Personal protective equipment**Eye / face protection**

Wear safety glasses with side shields (or goggles).

Skin protection

Wear appropriate chemical resistant clothing.

Respiratory protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

9. Physical & Chemical Properties

Appearance	Not available.
Physical state	Liquid.
Form	Liquid.
Color	Red.
Odor	Mild petroleum odor.
Odor threshold	Not available.
pH	Not available.
Vapor pressure	< 0.0001
Vapor density	> 17
Boiling point	Not available.
Melting point/Freezing point	Not available.
Solubility (water)	Not Soluble
Specific gravity	0.86
Relative density	Not available.
Flash point	176.0 °C (348.8°F) (Closed Cup)
Flammability limits in air, upper, % by volume	Not available.
Flammability limits in air, lower, % by volume	Not available.
Auto-ignition temperature	Not available.
Evaporation rate	Not Available
Viscosity	30 cSt
Percent volatile	Negligible
Partition coefficient (n-octanol/water)	Not available

10. Chemical Stability & Reactivity Information

Chemical stability	Material is stable under normal conditions.
Conditions to avoid	Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	Carbon oxides. Hydrocarbons. Nitrogen oxides (NOx). Sulphur oxides. Oxides of phosphorus.

11. Toxicological Information

Toxicological data

Components	Species	Test Results
Oil, Mineral (CAS 64742-55-8)		
Acute		
<i>Dermal</i>		
LD50	Rabbit	> 5000 mg/kg
<i>Inhalation</i>		
LC50	Rat	> 4000 mg/m3, 4 hours
<i>Oral</i>		
LD50	Rat	> 2000 mg/kg

* Estimates for product may be based on additional component data not shown.

Acute effects

Sensitization Not expected to be a skin or respiratory sensitizer.

Chronic effects Prolonged inhalation may be harmful. Not expected to be hazardous by WHMIS criteria.

Carcinogenicity

ACGIH Carcinogens

Oil, Mineral (CAS 64742-55-8) A4 Not classifiable as a human carcinogen.

Mutagenicity Not expected to be hazardous by WHMIS criteria.

Reproductive effects Not expected to be hazardous by WHMIS criteria.

Teratogenicity Not expected to be hazardous by WHMIS criteria.

Synergistic materials Not applicable.

12. Ecological Information

Ecotoxicity Contains a substance which causes risk of hazardous effects to the environment.

Environmental effects An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Persistence and degradability Not available.

Mobility in environmental media This product is miscible in water.

13. Disposal Considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Dispose in accordance with all applicable regulations.

Waste from residues / unused products Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport Information

TDG

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

15. Regulatory Information

Canadian regulations This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all the information required by the CPR.

WHMIS status Non-controlled

Inventory status

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other Information

HMIS® ratings

Health: 1
Flammability: 1
Physical hazard: 0

NFPA ratings

Health: 1
Flammability: 1
Instability: 0

Disclaimer

The information in this document was written based on the best knowledge and experience currently available, and is offered for your consideration and guidance when exposed to this product. KLONDIKE Lubricants Corporation disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this document does not apply to use with any other product or in any other process. This document may not be changed, or altered in any way without the expressed knowledge and permission of KLONDIKE Lubricants Corporation.