# MATERIAL SAFETY DATA SHEET



## 1. Product and Company Identification

**KLONDIKE Moly Tac EP-2 3% Grease Product identifier** 

Version #

Issue date 02-03-2017 CAS# Mixture

Moly Tac HD EP-2 3% Product code Multi-Purpose Grease **Product use** 

**Manufacturer information** KLONDIKE Lubricants Corporation

3078 275th Street Langley, BC V4W 3L4

Canada

info@klondikelubricants.com www.klondikelubricants.com

General Information 1-877-293-4691 Chemtrec (Within US) 1-800-424-9300 Chemtrec (International) 1-703-527-3887

**Supplier** Refer to Manufacturer

#### 2. Hazards Identification

**Emergency overview** CAUTION

May cause mild skin and eye irritation. Ingestion may cause gastrointestinal irritation, nausea,

vomiting and diarrhea.

Potential health effects

**Routes of exposure** Inhalation. Ingestion. Skin contact. Eye contact.

**Eves** May cause mild eye irritation.

Skin contact: May cause mild skin irritation on prolonged contact. Skin

Skin absorption: Not expected to be absorbed through the skin.

Inhalation of vapors/fumes generated by heating this product may cause respiratory irritation with Inhalation

throat discomfort, coughing or difficulty breathing.

Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Product may Ingestion

present an aspiration hazard, if ingested in large amounts.

**Target organs** Eyes. Respiratory system. Skin.

**Chronic effects** Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis. May be mildly irritating to skin, eyes and respiratory system. Symptoms may include redness, Most important

symptoms/effects, acute and

delayed

edema, drying, defatting and cracking of the skin. Symptoms may include stinging and tearing. Symptoms may include upper respiratory irritation, coughing, and breathing difficulties. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

May cause long-term adverse effects in the environment.

Potential environmental effects

## 3. Composition / Information on Ingredients

Non-hazardous components	CAS#	Percent	
Molybdenum Compounds	1317-33-5	1 - 5	

## 4. First Aid Measures

First aid procedures

Inhalation Move to fresh air. Oxygen or artificial respiration if needed. Call a physician if symptoms develop or

Skin contact Wash off with soap and plenty of water. Get medical attention if irritation develops and persists. Eye contact

Flush with large amounts of water for 15 minutes. Get medical attention if irritation develops and persists.

Material name: KLONDIKE Moly Tac EP-2 3% Grease

MSDS CANADA 2161 Version #: 02 Issue date: 02-03-2017

Ingestion

Do not induce vomiting. Rinse mouth. Never give anything by mouth to a victim who is unconscious or is having convulsions. Get medical attention if symptoms occur.

Notes to physician General advice

In case of shortness of breath, give oxygen. Symptoms may be delayed.

In case of shortness of breath, give oxygen, If you feel unwell, seek medical advice (show the label where possible). Get medical attention if symptoms occur. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Keep victim under observation. Keep victim warm.

# 5. Fire Fighting Measures

Flammable properties

Not flammable by WHMIS criteria. Closed containers may rupture if exposed to excess heat or flame due to a build-up of internal pressure.

**Extinguishing media** 

Suitable extinguishing

media

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

**Protection of firefighters** 

Protective equipment for firefighters

Firefighters should wear full protective clothing including self contained breathing apparatus.

Fire fighting equipment/instructions Evacuate area and fight fire from a safe distance. Ventilate the contaminated area. Remove all sources of ignition. Move containers from fire area if you can do so without risk. Cool containers / tanks with water spray. Prevent fire extinguishing water from contaminating surface water or the ground water system.

**Explosion data** 

Sensitivity to static

discharge

Not expected to be sensitive to static discharge.

Sensitivity to mechanical impact

Not expected to be sensitive to mechanical impact.

**Hazardous combustion** 

products

Carbon oxides.

#### 6. Accidental Release Measures

Personal precautions

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. For personal protection, see section 8 of the MSDS.

**Environmental precautions** Methods and materials for containment and cleaning up Do not contaminate water.

The product is immiscible with water and will spread on the water surface.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Absorb spillage with non-combustible, absorbent material. Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the MSDS. In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations.

Other information

Clean up in accordance with all applicable regulations.

# 7. Handling and Storage

Handling

Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Avoid inhalation of vapors and spray mists. Avoid contact with eyes, skin, and clothing. When using do not eat or drink. Use only outdoors or in a well-ventilated area. Do not use in areas without adequate ventilation. Should be handled in closed systems, if possible. Wear appropriate personal protective equipment. Wear personal protective equipment. Wash thoroughly after handling. Avoid release to the environment.

Storage

Store locked up. Keep away from heat, sparks and open flame. Store in tightly closed original container in a dry, cool and well-ventilated place. Keep container tightly closed. Store away from incompatible materials (see Section 10 of the MSDS). Keep away from food, drink and animal feedingstuffs. Use care in handling/storage.

Material name: KLONDIKE Moly Tac EP-2 3% Grease

MSDS CANADA

## 8. Exposure Controls / Personal Protection

## Occupational exposure limits

#### **US. ACGIH Threshold Limit Values**

Components	Туре	Value	Form
Molybdenum Compounds (CAS 1317-33-5)	TWA	3 mg/m3	Respirable fraction.
		10 mg/m3	Inhalable fraction.
US. OSHA Table Z-1 Limits for Air	r Contaminants (29 CFR 1910.1000)		
Components	Туре	Value	Form
Molybdenum Compounds	PEL	15 mg/m3	Total dust.

Biological limit values No biological exposure limits noted for the ingredient(s).

Engineering controls Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates

should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Ensure

adequate ventilation, especially in confined areas.

Personal protective equipment

(CAS 1317-33-5)

**Eye/face protection** Wear safety glasses with side shields (or goggles).

**Skin protection** Wear appropriate chemical resistant clothing.

Respiratory protection Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels

exceeding the exposure limits. Seek advice from respiratory protection specialists.

**Hand protection** Wear protective gloves. Advice should be sought from glove suppliers.

# 9. Physical & Chemical Properties

**Appearance** 

Physical stateLiquid.FormSemi-fluid.ColorGrey.

Odor Mild petroleum odor.

Odor thresholdNot available.pHNot available.Vapor pressure< 0.01 mm Hg</th>

Vapor density > 5

Boiling point> 300 °C (572 °F)Melting point/Freezing pointNot available.Solubility (water)Not Soluble

Specific gravity 0.96

Relative densityNot available.Flash point $> 200.0 \,^{\circ}\text{C} \, (392 \,^{\circ}\text{F})$ 

Flammability limits in air,

upper, % by volume

**n air,** Not available.

Flammability limits in air,

lower, % by volume

Not available.

Auto-ignition temperature Not available.

VOC Nil

Evaporation rateNot available.Viscosity336 cStPartition coefficientNot available.

(n-octanol/water)

# 10. Chemical Stability & Reactivity Information

**Chemical stability** Material is stable under normal conditions.

Conditions to avoid Avoid temperatures exceeding the flash point. Contact with incompatible materials. Do not use in

areas without adequate ventilation.

Strong oxidizing agents.

Incompatible materials

Hazardous decomposition

products

None known, refer to hazardous combustion products in Section 5.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

# 11. Toxicological Information

#### Toxicological data

Components **Species Test Results** 

Molybdenum Compounds (CAS 1317-33-5)

Acute

Dermal

LD50 Rabbit > 2000 mg/kg

Inhalation

LC50 Rat 2.82 mg/l, 4 hours (Dust)

Oral

LD50 Rat > 2000 mg/kg

**Acute effects** May cause mild irritation to skin, eyes and respiratory system. May cause irritation of the

gastrointestinal tract.

Sensitization Not expected to be a skin or respiratory sensitizer.

Prolonged or repeated contact may cause drying, cracking and defatting of the skin. **Chronic effects** This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Carcinogenicity

May be irritating to the skin. Skin corrosion/irritation Serious eye damage/irritation May be irritating to eyes.

No data available to indicate product or any components present at greater than 0.1% are Mutagenicity

mutagenic or genotoxic.

This product is not expected to cause reproductive or developmental effects. Reproductive effects

This product is not expected to be a teratogen. **Teratogenicity** 

Most important

symptoms/effects, acute and

delayed

May be mildly irritating to skin, eyes and respiratory system. Symptoms may include redness, edema, drying, defatting and cracking of the skin. Symptoms may include stinging and tearing. Symptoms may include upper respiratory irritation, coughing, and breathing difficulties. Ingestion

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Synergistic materials Not applicable.

## 12. Ecological Information

**Ecotoxicological data** No ecotoxicity data noted

for the ingredient(s).

Contains a substance which causes risk of hazardous effects to the environment. **Ecotoxicity** 

**Aquatic toxicity** Not available.

Persistence and degradability Not available.

Mobility in environmental

**Environmental effects** 

media

The product is immiscible with water and will spread on the water surface.

# 13. Disposal Considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Dispose in accordance with all applicable

regulations.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Empty containers should be taken to an approved waste handling site for recycling or disposal. Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is

Material name: KLONDIKE Moly Tac EP-2 3% Grease

MSDS CANADA 2161 Version #: 02 Issue date: 02-03-2017

## 14. Transport Information

#### **TDG**

Not regulated as dangerous goods.

#### **IATA**

Not regulated as dangerous goods.

#### **IMDG**

Not regulated as dangerous goods.

## 15. Regulatory Information

Canadian regulations This product has been classified in accordance with the hazard criteria of the CPR and the MSDS

contains all the information required by the CPR.

WHMIS status Non-controlled

#### International Inventories

Country(s) or region

Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Toxic Substances Control Act (TSCA) Inventory

## 16. Other Information

United States & Puerto Rico

**HMIS®** ratings Health: 1

Flammability: 1 Physical hazard: 0

**Inventory name** 

NFPA ratings Health: 0

Flammability: 1 Instability: 0

Disclaimer The information in this document was written based on the best knowledge and experience

> currently available, and is offered for your consideration and guidance when exposed to this product. KLONDIKE Lubricants Corporation disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this document does not apply to use with any other product or in any other process. This document may not be changed, or altered in any way without the expressed knowledge and permission of KLONDIKE Lubricants Corporation. The information in the sheet was written based

On inventory (yes/no)\*

Yes

on the best knowledge and experience currently available.

**Bibliography** Not available. Legend to abbreviations and

acronyms used in the SDS

Not available.

Material name: KLONDIKE Moly Tac EP-2 3% Grease MSDS CANADA 5/5

2161 Version #: 02 Issue date: 02-03-2017