SAFETY DATA SHEET



1. Identification

Product identifier KLONDIKE SAE 5W-40 SN/CF Euro Spec Full Synthetic Engine Oil

Other means of identification

5W-40 SN/CF Euro Full Syn Product code

Recommended use Full Synthetic Automotive Engine Oil

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

KLONDIKE Lubricants Corporation Company name

Address 3078 275th Street

Langley, BC V4W 3L4

Canada

1-877-293-4691 **Telephone** General Information

Website www.klondikelubricants.com E-mail info@klondikelubricants.com

Emergency phone number Chemtrec (Within US) 1-800-424-9300

Chemtrec (International) 1-703-527-3887

Supplier Refer to Manufacturer

2. Hazard(s) identification

Physical hazards This mixture does not meet the classification criteria according to OSHA HazCom 2012. **Health hazards** This mixture does not meet the classification criteria according to OSHA HazCom 2012. **Environmental hazards** This mixture does not meet the classification criteria according to OSHA HazCom 2012. **OSHA** defined hazards This mixture does not meet the classification criteria according to OSHA HazCom 2012.

Label elements

None. Hazard symbol None. Signal word

Not available. **Hazard statement**

Precautionary statement

Prevention Observe good industrial hygiene practices.

Response Wash hands after handling.

Storage Store away from incompatible materials.

Dispose of waste and residues in accordance with local authority requirements. **Disposal**

Hazard(s) not otherwise May cause mild skin and eye irritation. May cause respiratory irritation. Ingestion may cause classified (HNOC)

gastrointestinal irritation, nausea, vomiting and diarrhea. Product may present an aspiration hazard, if ingested in large amounts. Frequent or prolonged contact may defat and dry the skin,

leading to discomfort and dermatitis.

Supplemental information Not applicable.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Distillates, (petroleum), Hydrotreated Heavy Paraffinic	Not Available	64742-54-7	60 - 100
Zinc, Dithiophosphate Di-c1-14-alkyl Esters	PHOSPHORODITHIOIC ACID, O,O-DI-C1-14-ALKYL ESTERS, ZINC SALTS.	68649-42-3	1 - 5

The exact concentrations of the above listed chemicals are being withheld as a trade secret as allowed by 29CFR1910.1200.

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eve contact Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur. Most important Direct contact with eyes may cause temporary irritation.

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special

treatment needed

Treat symptomatically.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to **General information**

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

During fire, gases hazardous to health may be formed.

the chemical Special protective equipment

Specific hazards arising from

and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire-fighting equipment/instructions

Evacuate area and fight fire from a safe distance. Ventilate the contaminated area. Remove all sources of ignition. Cool containers / tanks with water spray. Move containers from fire area if you can do so without risk. Prevent fire extinguishing water from contaminating surface water or the ground water system.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards

No unusual fire or explosion hazards noted.

Hazardous combustion

products

Hydrocarbons. Phosphorus oxides. Sulphur oxides. Nitrogen oxides (NOx). Other irritating fumes

and smoke.

6. Accidental release measures

Personal precautions. protective equipment and emergency procedures

Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

This product is miscible in water.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

Components	Туре	Value	Form	
Zinc, Dithiophosphate Di-c1-14-alkyl Esters (CAS	TWA		None	
68649-42-3)				

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering

controls

If exposure limits have not been established, maintain airborne levels to an acceptable level. Ventilation should be sufficient to effectively remove and prevent buildup of any dusts or fumes

that may be generated during handling or thermal processing.

Individual protection measures, such as personal protective equipment

Eye/face protection If contact is likely, safety glasses with side shields are recommended. Eye wash facilities and

emergency shower must be available when handling this product.

Skin protection

Hand protection For prolonged or repeated skin contact use suitable protective gloves. Advice should be sought

from glove suppliers.

Other Wear suitable protective clothing.

Respiratory protection Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels

exceeding the exposure limits. Advice should be sought from respiratory protection specialists.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygieneAlways observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical stateLiquid.FormLiquid.ColorAmber.

Odor Mild petroleum odor.

Odor threshold

pH

Not available.

Not available.

Melting point/freezing point

Initial boiling point and boiling

> 300 °C (572 °F)

range

Flash point > 200.0 °C (392°F)

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure < 0.01 mm Hg

Vapor density >= 10

Relative density Not available.

Solubility(ies)

Solubility (water) Not Soluble

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

Kinematic viscosity 88 cSt Specific gravity 0.85

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Avoid temperatures exceeding the flash point. Contact with incompatible materials. Direct sources

of heat. Do not use in areas without adequate ventilation.

Incompatible materials

Hazardous decomposition

products

None known, refer to hazardous combustion products in Section 5.

11. Toxicological information

Information on likely routes of exposure

Ingestion May cause discomfort if swallowed.

Inhalation May cause irritation to the respiratory system.

Strong oxidizing agents.

Skin contactMay cause mild skin irritation.Eye contactMay cause mild eye irritation.

Symptoms related to the physical, chemical and toxicological characteristics

May cause mild skin and eye irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause respiratory irritation. Symptoms may include coughing, choking and wheezing. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Product may present an aspiration hazard, if ingested in large amounts. Aspiration into the lungs during swallowing or subsequent vomiting may cause chemical pneumonitis, which can be fatal.

Information on toxicological effects

Acute toxicity May cause mild irritation to skin, eyes and respiratory system.

Components Species Test Results

Distillates, (petroleum), Hydrotreated Heavy Paraffinic (CAS 64742-54-7)

Acute

Dermal

LD50 Rabbit > 5000 mg/kg

Inhalation

No data in literature

Oral

LD50 Rat > 15000 mg/kg

Zinc, Dithiophosphate Di-c1-14-alkyl Esters (CAS 68649-42-3)

Acute

Dermal

LC50 Rabbit No data in literature

Inhalation

LC50 Rat No data in literature

Oral

LD50 Rat 26100 mg/kg

Skin corrosion/irritation May be irritating to the skin.

Serious eye damage/eye May be irritating to eyes.

irritation

Respiratory or skin sensitization

Respiratory sensitization This product is not expected to cause respiratory sensitization.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

^{*} Estimates for product may be based on additional component data not shown.

Specific target organ toxicity -

single exposure

Not classified as a specific target organ toxicity -single exposure.

Specific target organ toxicity -

repeated exposure

Not classified as a specific target organ toxicity -repeated exposure.

Chronic effects Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.

Aspiration toxicity Not available.

12. Ecological information

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Product		Species	Test Results
KLONDIKE SAE 5W-40	SM/CF Euro Spe	ec Full Synthetic Engine Oil (CAS Mixture)	
Aquatic			
Acute			
Crustacea	EC50	Daphnia	28.4216 mg/l, 48 hours estimated
Fish	LC50	Fish	22.3528 mg/l, 96 hours estimated
Components		Species	Test Results
Distillates, (petroleum), F	Hydrotreated Hea	avy Paraffinic (CAS 64742-54-7)	
Aquatic			
Acute			
Crustacea	EC50	Water flea (Daphnia magna)	> 10000 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	> 100 mg/l, 96 hours
Chronic			
Crustacea	NOEC	Water flea (Daphnia magna)	10 mg/l, 21 days
Zinc, Dithiophosphate Di	-c1-14-alkyl Este	ers (CAS 68649-42-3)	
Aquatic			
Acute			
Algae	EC50	Green algae (Selenastrum capricornutum)	1 - 5 mg/l, 96 hours
Crustacea	EC50	Water flea (Daphnia magna)	1 - 1.5 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	1 - 5 mg/l, 96 hours
Chronic			
Algae	NOEC	Green algae (Selenastrum	1 mg/l, 96 hours

^{*} Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available.

Mobility in soil No data available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site.

capricornutum)

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

This substance/mixture is not intended to be transported in bulk.

15. Regulatory information

US federal regulations

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Zinc, Dithiophosphate Di-c1-14-alkyl Esters (CAS

Listed.

68649-42-3)

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No

chemical

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
Zinc. Dithiophosphate Di-c1-14-alkyl Esters	68649-42-3	1 - 5

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Zinc, Dithiophosphate Di-c1-14-alkyl Esters (CAS 68649-42-3)

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

US. Rhode Island RTK

Zinc, Dithiophosphate Di-c1-14-alkyl Esters (CAS 68649-42-3)

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances	Yes

(PICCS)

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other information, including date of preparation or last revision

Issue date 03-14-2017

Version # 02

Disclaimer The information in this document was written based on the best knowledge and experience

currently available, and is offered for your consideration and guidance when exposed to this product. KLONDIKE Lubricants Corporation disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this document does not apply to use with any other product or in any other process. This document may not be changed, or altered in any way without the expressed knowledge and

permission of KLONDIKE Lubricants Corporation.

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).