

# **SAFETY DATA SHEET**

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

**Product identifier** 

Product name KLONDIKE ENVIRO MV 32, 46 Inherently Biodegradable Hydraulic Fluids

Other means of identification

Product Code(s)90298, 90260, 90299SynonymsNo information available

Recommended use of the chemical and restrictions on use

Recommended Use Lubricant.

Uses advised against No information available Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name KLONDIKE Lubricants Corporation

Address 3078 275th Street

Langley, BC V4W 3L4

Canada

**Telephone** General Information 1-877-293-4691

Website www.klondikelubricants.com E-mail info@klondikelubricants.com

Emergency phone number Chemtrec (Within US) 1-800-424-9300

Chemtrec (International) 1-703-527-3887

## 2. HAZARDS IDENTIFICATION

## Classification

### **OSHA Regulatory Status**

This material is not hazardous under the criteria of the Federal OSHA Hazard Communication Standard 29CFR 1910.1200.

## Label elements

## **EMERGENCY OVERVIEW**

Not classified

Appearance No information available Physical state Viscous Liquid Odor Mild petroleum odor

Hazards not otherwise classified (HNOC)

Other information

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Common NameHydrocarbon Lubricating Fluid.Chemical FamilyPetroleum hydrocarbon mixture.

Chemical name	CAS-No	Weight %	Trade secret
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	0-93	*

Material name: KLONDIKE ENVIRO MV 32, 46 Inherently Biodegradable Hydraulic

Methacrylate copolymer	Proprietary	3.18-6.36	*
Lubricating oils, petroleum, hydrotreated spent	64742-58-1	0-93	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

## 4. FIRST AID MEASURES

First aid measures

**General advice** No hazards which require special first aid measures.

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

**Skin contact** Wash skin with soap and water. If symptoms persist, call a physician.

Inhalation Move victim to fresh air. If symptoms persist, call a physician.

**Ingestion** Do NOT induce vomiting. If symptoms persist, call a physician.

Most important symptoms and effects, both acute and delayed

**Symptoms** No information available.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Carbon dioxide (CO<sub>2</sub>). Dry chemical. Foam. Water can be used to keep surrounding materials cool.

Large Fires Contact emergency personnel.

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire.

### Specific hazards arising from the chemical

Combustible material.

Hazardous combustion products Carbon monoxide. Carbon dioxide (CO2).

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

## Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

**Personal protection** Wear protective gloves/clothing and eye/face protection.

Environmental precautions

**Environmental precautions** See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Material name: KLONDIKE ENVIRO MV 32, 46 Inherently Biodegradable Hydraulic

Methods for containment Absorb with earth, sand or other non-combustible material and transfer to containers for

later disposal.

**Methods for cleaning up**Soak up with inert absorbent material. Prevent product from entering drains.

## 7. HANDLING AND STORAGE

Precautions for safe handling

**Advice on safe handling** Keep away from open flames, hot surfaces and sources of ignition.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep in a dry, cool and well-ventilated place. Keep out of the reach of children.

Incompatible Products Strong oxidizing agents.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Petroleum distillates, hydrotreated	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	IDLH: 2500 mg/m <sup>3</sup>
heavy paraffinic	_	-	TWA: 5 mg/m <sup>3</sup>
64742-54-7			STEL: 10 mg/m <sup>3</sup>

#### Appropriate engineering controls

Engineering Controls Showers

Eyewash stations Ventilation systems.

## Individual protection measures, such as personal protective equipment

**Eye/face Protection** Goggles. Safety glasses.

**Skin and body protection** Long sleeved clothing. Protective gloves.

**Respiratory protection** In case of inadequate ventilation wear respiratory protection.

General Hygiene Considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and

immediately after handling the product.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

## Information on basic physical and chemical properties

Physical state Viscous Liquid

Appearance No information available Odor Mild petroleum odor

Colorlight yellowOdor thresholdNo information available

Property Values Remarks • Method

pH No information available
Melting point/freezing point No information available
Boiling Point/Range No information available
Flash point > 180 °C / > 356 °F
Evaporation rate No information available

Material name: KLONDIKE ENVIRO MV 32, 46 Inherently Biodegradable Hydraulic

Flammability (solid, gas) No information available

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor density

No information available
No information available
No information available

Specific gravity 0.87-0.89

Water solubilityNo information availableSolubility in other solventsNo information availablePartition coefficientNo information available

Autoignition temperature

Decomposition temperatureNo information availableKinematic viscosity32-68 @40C mm2/sDynamic viscosityNo information availableExplosive propertiesNo information availableOxidizing propertiesNo information available

Other information

Softening point
VOC Content
Density
No information available

# 10. STABILITY AND REACTIVITY

#### Reactivity

No data available

### **Chemical stability**

Stable under normal conditions.

## **Possibility of Hazardous Reactions**

None under normal processing.

**Hazardous polymerization** Hazardous polymerization does not occur.

### Conditions to avoid

Excessive heat. Keep away from open flames, hot surfaces and sources of ignition.

## **Incompatible materials**

Strong oxidizing agents.

## **Hazardous decomposition products**

None known based on information supplied.

# 11. TOXICOLOGICAL INFORMATION

# Information on likely routes of exposure

Product Information No data available

**Inhalation** Inhalation of vapors in high concentration may cause irritation of respiratory system.

**Eye contact** Avoid contact with eyes. May cause slight irritation.

**Skin contact** Repeated exposure may cause skin dryness or cracking.

**Ingestion** Do NOT taste or swallow.

Material name: KLONDIKE ENVIRO MV 32, 46 Inherently Biodegradable Hydraulic

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Petroleum distillates, hydrotreated	> 15 g/kg (Rat) > 24 g/kg (Rat)	> 5000 mg/kg (Rabbit)	= 2062 ppm (Rat) 4 h
heavy paraffinic			
64742-54-7			
Lubricating oils, petroleum,	> 2000 mg/kg (Rat)	> 4480 mg/kg (Rabbit)	-
hydrotreated spent			
64742-58-1			

### Information on toxicological effects

**Symptoms** No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization** No information available. **Germ cell mutagenicity** No information available.

**Carcinogenicity** Mineral oils are known to cause cancer because of carcinogenic components (e.g.

benzene). The mineral oil in this product is highly refined and should not be considered a

carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Petroleum distillates,	-	Group 1	Known	X
hydrotreated heavy		-		
paraffinic				
64742-54-7				

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration hazard
No information available.
No information available.
No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

# 12. ECOLOGICAL INFORMATION

# **Ecotoxicity**

Chemical name	Algae/aquatic plants	Fish	Crustacea
Petroleum distillates, hydrotreated heavy	-	5000: 96 h Oncorhynchus mykiss	1000: 48 h Daphnia magna mg/L
paraffinic		mg/L LC50	EC50
64742-54-7		_	

# Persistence and degradability

No information available.

## **Bioaccumulation**

No information available.

Other adverse effects No information available

## 13. DISPOSAL CONSIDERATIONS

# Waste treatment methods

Waste Disposal Method Disposal should be in accordance with applicable regional, national and local laws and

regulations.

**Contaminated packaging** Do not reuse container.

Material name: KLONDIKE ENVIRO MV 32, 46 Inherently Biodegradable Hydraulic

## 14. TRANSPORT INFORMATION

**DOT** Not regulated

## 15. REGULATORY INFORMATION

#### **International Inventories**

**TSCA** Does not comply Does not comply DSL/NDSL Does not comply **EINECS/ELINCS** Does not comply **ENCS IECSC** Does not comply Does not comply **KECL** Does not comply **PICCS** Does not comply AICS

### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

## U.S. Federal Regulations

### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

# SARA 311/312 Hazard Categories

Acute health hazardNoChronic Health HazardNoFire hazardNoSudden release of pressure hazardNoReactive HazardNo

## Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

## **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Material name: KLONDIKE ENVIRO MV 32, 46 Inherently Biodegradable Hydraulic

## **U.S. State Regulations**

## **California Proposition 65**

This product does not contain any Proposition 65 chemicals

## U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Petroleum distillates, hydrotreated	X	-	X
heavy paraffinic			
64742-54-7			

## U.S. EPA Label Information

EPA Pesticide registration number Not Applicable

## **16. OTHER INFORMATION**

NFPA Health hazards 0 Flammability 1 Instability 0 Physical and Chemical

Hazards -

Health hazards 0 Flammability 1 Physical hazards 0 Personal protection X

**Issuing Date** 15-Feb-2010 **Revision Date** 21-May-2019

**Revision Note** 

SDS sections updated 2 4 5 6 7 8 9 10 11 14

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Material name: KLONDIKE ENVIRO MV 32, 46 Inherently Biodegradable Hydraulic