KLONDIKE®

SAFETY DATA SHEET

1. IDENTIFICATION

Product identifier

Product Name Open Gear Lubricant

Other means of identification

1487171K (M)SDS Number

Recommended use of the chemical and restrictions on use

Recommended Use For industrial use only

No information available Uses advised against

Details of the supplier of the safety data sheet

Supplier Identification KLONDIKE Lubricants Corp

Address KLONDIKE Lubricants Corp

> 3078 275 Street Langley, BC Canada

V4W 3L4

KLONDIKE TEL: 877-293-6922 **Telephone**

E-mail info@klondikelubricants.com

Emergency telephone number

Company Emergency Phone

1-800-699-6318

Number

Emergency Telephone Number CHEMTREC: +1-703-527-3887 (INTERNATIONAL)

1-800-424-9300 (NORTH AMERICA)

2. HAZARDS IDENTIFICATION

Classification

Category 2A Serious eye damage/eye irritation

Physical state Liquid **Odor** Petroleum Appearance Dark

Material name: KLONDIKE Open Gear Lubricant SDS US 1 / 10

GHS Label elements, including precautionary statements

Warning

Hazard statements

Causes serious eye irritation



Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood Wear protective gloves/protective clothing/eye protection/face protection

Wash face, hands and any exposed skin thoroughly after handling

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

Eves

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable.

<u>Mixture</u>

Chemical Name	CAS-No	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Petroleum resins	64742-16-1	60-65	-	-
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	1-5	-	-
Zinc, bis[O,O-bis(2-ethylhexyl) phosphorodithioato-S,S`]- , (T-4)-	4259-15-8	<2.0	-	-

4. FIRST AID MEASURES

Material name: KLONDIKE Open Gear Lubricant sps us

First aid measures

General advice IF exposed or concerned: Get medical advice/attention. Immediate medical attention is

required. Show this safety data sheet to the doctor in attendance.

Inhalation Aspiration into lungs can produce severe lung damage. If breathing has stopped, give

artificial respiration. Get medical attention immediately. Remove to fresh air. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If breathing is difficult, (trained personnel should) give oxygen. Get immediate medical advice/attention. Delayed

pulmonary edema may occur.

Eye contactRinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and

persists.

Skin contact Wash skin with soap and water.

Ingestion Aspiration hazard if swallowed - can enter lungs and cause damage. Do NOT induce

vomiting. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth

to an unconscious person. Get immediate medical advice/attention.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as

parrier to give mouth-to-mouth resuscitation. Use personal protective equipment as

required. Avoid contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

Symptoms Difficulty in breathing. Coughing and/ or wheezing. Dizziness. Burning sensation.

Indication of any immediate medical attention and special treatment needed

Note to physicians Because of the danger of aspiration, emesis or gastric lavage should not be employed

unless the risk is justified by the presence of additional toxic substances.

5. FIRE-FIGHTING MEASURES

surrounding environment.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the

chemical

No information available.

Hazardous Combustion Products Carbon oxides.

Explosion Data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

Material name: KLONDIKE Open Gear Lubricant SDS US

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Use personal protective equipment as required. Avoid contact

with skin, eyes or clothing.

Other Information Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled

containers.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Do not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

Keep out of the reach of children. Store away from other materials.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Petroleum distillates,	TWA: 5 mg/m³, as oil mist,	TWA: 5 mg/m³, as oil mist,	
hydrotreated heavy paraffinic	mineral	mineral	
64742-54-7	STEL: TWA: 10 mg/m³, as oil		
	mist, mineral		

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992). See section 15 for national exposure control parameters.

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Material name: KLONDIKE Open Gear Lubricant SDS US

Eye/face protection If splashes are likely to occur, wear safety glasses with side-shields.

Hand protection Wear suitable gloves. Viton™. Rubber gloves.

Skin and body protection Wear suitable protective clothing.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or **General hygiene considerations**

smoke when using this product. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face

protection.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical state Liquid **Appearance** Dark Odor Petroleum Color Black

Odor Threshold No information available

Values_ **Property** Remarks Method

рΗ 7.5

Melting / freezing point No data available None known Boiling point / boiling range No data available None known

Flash Point 116 C

Evaporation Rate No data available None known Flammability (solid, gas) No data available None known Flammability Limit in Air None known

Upper flammability limit No data available

Lower flammability limit No data available Vapor pressure No data available

None known Vapor density No data available None known Relative density

0.92

Water Solubility Insoluble in water No data available

Solubility(ies) None known

Partition coefficient: n-octanol/water No data available

Autoignition temperature No data available None known **Decomposition temperature** No data available None known Kinematic viscosity No data available None known **Dynamic viscosity** No data available None known

Explosive properties No information available **Oxidizing properties** No information available

Other Information

Softening Point No information available No information available **Molecular Weight** No information available **VOC Content (%) Liquid Density** No information available **Bulk Density** No information available **Particle Size** No information available **Particle Size Distribution** No information available

10. STABILITY AND REACTIVITY

Reactivity No information available.

Material name: KLONDIKE Open Gear Lubricant SDS US Chemical stability Stable under normal conditions.

Possibility of Hazardous Reactions None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to avoidNone known based on information supplied.

Incompatible materialsNone known based on information supplied.

Hazardous Decomposition Products Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available.

Eye contact Specific test data for the substance or mixture is not available. May cause irritation. Causes

serious eye irritation. (based on components). May cause redness, itching, and pain.

Skin contact Specific test data for the substance or mixture is not available. Repeated exposure may

cause skin dryness or cracking. May cause irritation. Prolonged contact may cause redness

and irritation.

Ingestion Specific test data for the substance or mixture is not available.

Information on toxicological effects

Symptoms May cause redness and tearing of the eyes.

Numerical measures of toxicity

Acute Toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 8,087.80 mg/kg

Unknown acute toxicity No information available

Component Information

Component information			
Chemical Name	LD50 Oral	LD50 Dermal	Inhalation LC50
Petroleum distillates,	> 15 g/kg (Rat)	> 5000 mg/kg (Rabbit)	
hydrotreated heavy paraffinic			
Zinc, bis[O,O-bis(2-ethylhexyl)	= 3100 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	
phosphorodithioato-S,S`]-,			
(T-4)-			

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation May cause skin irritation.

Serious eye damage/eye irritation Classification based on data available for ingredients. Irritating to eyes.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity

Legend

No information available.

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposureNo information available.

Aspiration hazard No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to	Daphnia Magna (Water
			Microorganisms	Flea)
Petroleum distillates,		96h LC50: > 5000 mg/L	-	48h EC50: > 1000 mg/L
hydrotreated heavy		(Oncorhynchus mykiss)		_
paraffinic				
Zinc,	96h EC50: 1.0 - 5.0	96h LC50: 1.0 - 5.0 mg/L	-	48h EC50: 1 - 1.5 mg/L
bis[O,O-bis(2-ethylhexyl)	mg/L	(Pimephales promelas)		_
phosphorodithioato-S,S`]-	(Pseudokirchneriella	96h LC50: 10.0 - 35.0		
, (T-4)-	subcapitata)	mg/L (Pimephales		
		promelas)		

Persistence and Degradability

No information available.

Bioaccumulation

Chemical Name	Log Pow
Zinc, bis[O,O-bis(2-ethylhexyl) phosphorodithioato-S,S`]-, (T-4)-	2.86

Mobility

No information available.

Other adverse effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

California Hazardous Waste Codes 141

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste
Zinc, bis[O,O-bis(2-ethylhexyl) phosphorodithioato-S,S`]-, (T-4)-	Toxic

Material name: KLONDIKE Open Gear Lubricant

4259-15-8

14. TRANSPORT INFORMATION

DOTNOT REGULATEDProper Shipping NameNON-REGULATED

Hazard Class N/A

TDG Not regulated

MEX NOT REGULATED

ICAO NOT REGULATED

IATA Not regulated

Proper Shipping Name NON REGULATED

IMDG Not regulated

RID NOT REGULATED

ADR NOT REGULATED

ADN NOT REGULATED

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

Ozone-depleting substances (ODS) Not applicable

Persistent Organic Pollutants Not applicable

Export Notification requirements Not applicable

International Inventories

TSCA Complies.
DSL/NDSL Complies.
EINECS/ELINCS Complies.

ENCSContact supplier for inventory compliance status.KECLContact supplier for inventory compliance status.PICCSContact supplier for inventory compliance status.AICSContact supplier for inventory compliance status.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Material name: KLONDIKE Open Gear Lubricant SDS US

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS-No	Weight-%	SARA 313 - Threshold Values %
Zinc, bis[O,O-bis(2-ethylhexyl) phosphorodithioato-S,S`]-, (T-4) 4259-15-8	4259-15-8	<2.0	1.0

Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Zinc, bis[O,O-bis(2-ethylhexyl) phosphorodithioato-S,S`]- , (T-4)- 4259-15-8		X		

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

Chronic Hazard Star Legend

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

Chemic	cal Name	New Jersey	Massachusett	Pennsylvania	Rhode Island	Illinois
			S			
' '	drotreated heavy paraffinic 42-54-7					X
phosphorodithic	bis(2-ethylhexyl) oato-S,S`]-, (T-4)- 9-15-8	Х		Х	Х	

16. OTHER INFORMATION					
NFPA	Health hazards 1	Flammability 1	Instability 0	Physical and Chemical	
HMIS_	Health hazards 1	Flammability 1	Physical hazards 0	Properties - Personal Protection X	

Prepared By Product Stewardship

Material name: KLONDIKE Open Gear Lubricant

* = Chronic Health Hazard

SDS US

23 British American Blvd. Latham, NY 12110 1-800-572-6501

Issuing Date 24-Aug 2018

Revision Date 24-Aug-2018

Revision Note No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

Material name: KLONDIKE Open Gear Lubricant

Version #: 02 Issue date: 08-24-2018