

Date of the latest revision of the safety data sheet: 24-08-2019

Supercedes: 26-07-2019

KLONDIKE SAE 15W-40 CK-4 Heavy Duty Engine Oil

1 Identification

Product Identifier: KLONDIKE SAE 15W-40 CK-4 Heavy Duty Engine Oil

Stock Number:

Other means of identification: No data available

Synonyms:

Recommended use and restrictions on use: Motor Oil

Recommended use: Uses other than those described above KLONDIKE

Restrictions on use: **Lubricants Corporation Initial Supplier Identifier:** 3078 275th Street Langley, BC, V4W 3L4

Canada

General information 1-877-293-4691

(International) 1-703-527-3887

info@klondikelubricants.com Tel No.:

Email: Chemtrec (Within US) 1-800-424-9300 Chemtrec

Emergency telephone number and any restrictions on the use of that number,

if applicable:

2 Hazard identification

Classification of the hazardous product:

Serious Eye Damage/Eye Irritation Category 2

GHS Hazard class symbols:



Signal word: Warning

Hazard statements: Causes serious eye irritation.

Precautionary statements:

Prevention: Wash thoroughly after handling. Wear protective gloves/protective

clothing/eye protection/face protection.

Response: IF IN EYES:: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. If eye

irritation persists: Get medical advice/attention.

Other hazards known to the supplier with respect to the hazardous product:

Physical hazards not otherwise None known.

classified

Material name: KLONDIKE SAE 15W-40 CK-4 Heavy Duty Engine Oil



Date of the latest revision of the safety data sheet: 24-08-2019

Supercedes: 26-07-2019

Health hazards not otherwise classified None known.

3 Composition/information on ingredients

Chemical Name	Common name and synonyms	CAS registry number and any unique identifiers	Concentration
Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts	No data available	85940-28-9	1 - 5
Petroleum distillates, solvent dewaxed heavy paraffinic	No data available	64742-65-0	1 - 5
Petroleum distillates, hydrotreated heavy paraffinic	No data available	64742-54-7	80 - 100

4 First-aid measures

Inhalation: Remove to fresh air. If breathing is difficult, have a trained individual

administer oxygen.

Immediately flush eyes with plenty of water for at least 20 minutes Eye contact:

> retracting eyelids often. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Get immediate medical attention and monitor the eye daily as advised by your physician.

Skin Contact: Wash with soap and water. Remove contaminated clothing and launder.

Get medical attention if irritation develops or persists.

No hazard in normal industrial use. Do not induce vomiting. Seek medical Ingestion:

attention if symptoms develop. Provide medical care provider with this

SDS.

The most important symptoms and

effects, whether acute or delayed: An indication of immediate medical

attention and special treatment

needed, if necessary:

Causes serious eye irritation

No additional first aid information available.

5 Fire-fighting measures

Suitable extinguishing media: Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting

fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the

fire. Do not direct a stream of water into the hot burning liquid.



Date of the latest revision of the safety data sheet: 24-08-2019

Supercedes: 26-07-2019

Unsuitable extinguishing media:

No data available

Specific hazards arising from the hazardous product, such as the nature of any hazardous combustion:

Material may be ignited only if preheated to temperatures above the

high flash point, for example in a fire.

Hazardous Combustion Products:

Carbon monoxide, Sulfur containing gases, Nitrogen containing gases,

Aldehydes, oxides of phosphorus, Hydrogen sulfide, Smoke

Special protective equipment and precautions for firefighters:

Do not enter fire area without proper protection including self- contained breathing apparatus and full protective equipment. Use methods for the

surrounding fire.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Exposure to the spilled material may be irritating or harmful. Follow personal protective equipment recommendations found in Section 8 of this SDS. Additional precautions may be necessary based on special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred. Also consider the expertise of employees in the area responding to the spill.

Methods and materials for containment and cleaning up:

Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Dispose of according to Federal, State, Local, or Provincial regulations.

7 Handling and storage

Precautions for safe handling:

Harmful or irritating material. Avoid contacting and avoid breathing the material. Use only in a well ventilated area. Empty containers may retain product residues/ vapors. Use proper bonding and grounding during bulk product transfer.

Conditions for safe storage: Materials to Avoid/Chemical

Store in a cool dry place. Isolate from incompatible materials.

Used fluid should be disposed of at a recycling center.

Strong oxidizing agents

Incompatibility:

8 Exposure controls/personal protection

Control parameters, including occupational exposure limit values or biological limit values and the source of those values:

Canada – Alberta – Occupational Exposure Limits:

Chemical Name	Occupational	Occupational	Occupational
Chemical Name	Exposure Limits -	Exposure Limits -	Exposure Limits -



Date of the latest revision of the safety data sheet: 24-08-2019

Supercedes: 26-07-2019

	TWAs	STELs	Ceiling
No data available			
Canada – British Columbia– O	ccupational Exposure Limits:		
	Occupational	Occupational	Occupational
Chemical Name	Exposure Limits - TWAs	Exposure Limits - STELs	Exposure Limits - Ceiling
No data available	IVVAS	SIELS	Cennig
Canada – Manitoba – Occupa	tional Exposure Limits:	l	
<u> </u>	Occupational	Occupational	Occupational
Chemical Name	Exposure Limits - TWAs	Exposure Limits - STELs	Exposure Limits - Ceiling
No data available	IVVAS	31223	Cennig
Canada – New Brunswick – O	ccupational Exposure Limits:	<u> </u>	<u>I</u>
- I I I I I I I I I I I I I I I I I I I	Occupational	Occupational	Occupational
Chemical Name	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			
Canada – Newfoundland & La	brador – Occupational Exposure L	imits:	
	Occupational	Occupational	Occupational
Chemical Name	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			
Canada – Northwest Territori	es – Occupational Exposure Limits	:	
	Occupational	Occupational	Occupational
Chemical Name	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			
Canada – Nova Scotia – Occup	pational Exposure Limits:		
	Occupational	Occupational	Occupational
Chemical Name	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			
Canada – Nunavut – Occupati	onal Exposure Limits:		
	Occupational	Occupational	Occupational
Chemical Name	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			

Material name: KLONDIKE SAE 15W-40 CK-4 Heavy Duty Engine Oil 0001 Version #: 01 Issue date: 08-24-2019



Date of the latest revision of the safety data sheet: 24-08-2019

Supercedes: 26-07-2019

Canada – Ontario – Occupational Exposure Limits:

	Occupational	Occupational	Occupational
Chemical Name	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			

Canada – Prince Edward Island – Occupational Exposure Limits:

	Occupational	Occupational	Occupational
Chemical Name	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			

Canada – Quebec – Occupational Exposure Limits:

	Occupational	Occupational	Occupational
Chemical Name	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAEVs	STEVs	Ceiling
No data available			

Canada – Saskatchewan – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
No data available			

Canada - Yukon - Occupational Exposure Limits:

	Occupational	Occupational	Occupational
Chemical Name	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			

Chemical Name	OSHA PEL	ACGIH TLV-TWA	ACGIH STEL	IDLH
No data available				

Appropriate engineering controls: Use local exhaust ventilation or other engineering controls to minimize

exposures and maintain operator comfort.

Individual protection measures, such as personal protective equipment:

Respiratory Protection: Respiratory protection may be required to avoid overexposure when

handling this product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms. None required where adequate ventilation is provided. If airborne

concentrations are above the applicable exposure limits, use

Respirator Type(s):



Date of the latest revision of the safety data sheet: 24-08-2019

Supercedes: 26-07-2019

NIOSH/MSHA approved respiratory protection.

Eye and face protection: Wear chemically resistant safety glasses with side shields when handling

> this product. Wear additional eye protection such as chemical splash goggles and/or face shield when the possibility exists for eye contact with splashing or spraying liquid, or airborne material. Do not wear contact

lenses. Have an eye wash station available.

Skin Protection: Wear protective gloves. Inspect gloves for chemical break-through and

> replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating,

drinking, and when leaving work.

Hand protection: Neoprene, Nitrile

General hygiene conditions: Wear protective gloves/protective clothing/eye protection/face

Not established

protection. Wash thoroughly after handling.

9 Physical and chemical properties

Physical state: Liquid **Colour:** Brown **Odour:** Mild

Odour threshold: Not determined No data available pH: Melting point (°C): No data available No data available Freezing point (°C): No data available

Initial boiling point and boiling range

(°C):

223 Flash point (°C):

Evaporation rate: No data available Flammability, in the case of solids and No data available

gases:

Upper flammable or explosive limit, %

in air:

Lower flammable or explosive limit, % Not established

in air:

No data available Vapour pressure: No data available Vapour density:

Relative density: 0.88

Solubility: Negligible; 0-1% Partition coefficient — n-No data available

octanol/water:

Auto-ignition temperature (°C): No data available **Decomposition temperature (°C):** Not determined



Date of the latest revision of the safety data sheet: 24-08-2019

Supercedes: 26-07-2019

Viscosity: 123.7

10 Stability and reactivity

Reactivity: There are no known reactivity hazards associated with this product.

Chemical stability: Stable under normal conditions.

Possibility of hazardous reactions: None expected under standard conditions of storage.

Conditions to avoid including static Tomporatures above the high flack point of this comb

Conditions to avoid, including static discharge, shock or vibration:Temperatures above the high flash point of this combustible material in combination with sparks, open flames, or other sources of ignition.

Moisture (will lead to product performance degradation).

Incompatible materials: Strong oxidizing agents

Hazardous decomposition products: Carbon monoxide Sulfur containing gases Nitrogen containing gases

Aldehydes oxides of phosphorus Hydrogen sulfide Smoke

11 Toxicological information

Information on the likely routes of exposure (inhalation, ingestion, skin

and eye contact):

Symptoms related to the physical,

chemical and toxicological

characteristics:

Eye contact, Ingestion, Inhalation, Skin contact

Causes serious eye irritation

Immediate effects from short term exposure:

Inhalation: No hazard in normal industrial use.

Skin Contact: This material is likely to be moderately irritating to skin based on animal

data. Can cause moderate skin irritation, defatting, and dermatitis. Not

likely to cause permanent damage.

Eye Contact: Classification is based on pH and the components listed in Section 3.

Ingestion: Estimated to be > 5.0 g/kg. No hazard in normal industrial use.

Delayed and chronic effects from long term exposure:

Carcinogenicity: Not expected to cause cancer. This product meets the IP-346 criteria of

<3% PAH's and is not considered a carcinogen by the International

Agency for Research on Cancer.

Reproductive and Developmental

Toxicity:

Mutagenicity:

Not known or reported to cause reproductive or developmental toxicity.

No data available to indicate product or any components present at

greater than 0.1% is mutagenic or genotoxic.

Skin Contact: Upon prolonged or repeated contact, can cause moderate skin irritation,

defatting, and dermatitis. Not likely to cause permanent damage.

Skin Absorption: Upon prolonged or repeated exposure, no hazard in normal industrial

use.



Date of the latest revision of the safety data sheet: 24-08-2019

Supercedes: 26-07-2019

STOT-single exposure:Based on available data, the classification criteria are not met.STOT-repeated exposure:Based on available data, the classification criteria are not met.Aspiration hazard:Based on available data, the classification criteria are not met.

Numerical measures of toxicity, including ATEs Based on available data, the classification criteria are not met.

12 Ecological information

Ecotoxicity (aquatic and terrestrial, if available):

Moderate ecological hazard. This product may be dangerous to plants

and/or wildlife.

Ecological Toxicity Data:

Chemical Name	CAS registry number and any unique identifiers	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
Petroleum distillates, solvent dewaxed heavy paraffinic	64742-65-0	Aquatic LC50 (48h) > 1000 mg/L	No data available	Aquatic LC50 (96h) Rainbow Trout > 5000 mg/L
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	Aquatic LC50 (48h) > 1000 mg/L	No data available	Aquatic LC50 (96h) Rainbow Trout > 5000 mg/L

Persistence and degradability: Biodegrades slowly.

Bioaccumulative potential: Bioconcentration may occur.

Mobility in soil: This material is expected to have essentially no mobility in soil. It absorbs

strongly to most soil types.

Other adverse effects: None known.

13 Disposal considerations

Information on safe handling for disposal and methods of disposal,

Spent or discarded material is non-hazardous according to environmental

regulations.

including any contaminated packaging:

14 Transport information

Transportation of Dangerous Goods by land (TDG):

UN number: Not regulated for road transport

UN Proper shipping name:

Transport hazard class(es):

Packing group:

Not applicable

Not applicable

International carriage of dangerous goods by sea (IMDG/IMO):



Date of the latest revision of the safety data sheet: 24-08-2019

Supercedes: 26-07-2019

UN number: Not regulated by IMDG

UN Proper shipping name: Not applicable Transport hazard class(es): Not applicable Not applicable Packing group: International carriage of dangerous goods by air (IATA):

UN number: Not regulated by IATA

UN Proper shipping name: Not applicable Transport hazard class(es): Not applicable Packing group: Not applicable

Environmental hazards according to the No

International Maritime Dangerous Goods Code and the United Nations

Model Regulations:

Transport in bulk (according to Annex II of the International Convention for the Prevention of Pollution From Ships. 1973, as modified by the Protocol of 1978 (MARPOL 73/78) and the **International Code for the Construction**

and Equipment of Ships carrying **Dangerous Chemicals in Bulk (IBC**

Code)):

Special precautions in connection with transport or conveyance either within

or outside the premises:

No data available

No data available

15 Regulatory information

Safety, health and environmental regulations, made within or outside Canada, specific to the product in question: Canada - Domestic Substances List (DSL):

Chemical Name	CAS No	Canada - Domestic Substances List (DSL)	
Petroleum distillates, hydrotreated	64742-54-7	Yes	
heavy paraffinic	04/42-34-/	res	
Petroleum distillates, solvent dewaxed	64742-65-0	Yes	
heavy paraffinic	04/42-05-0	165	
Phosphorodithioic acid, mixed O,O-			
bis(2-ethylhexyl and iso-Bu and iso-Pr)	85940-28-9	Yes	
esters, zinc salts			

SDS CAD



Date of the latest revision of the safety data sheet: 24-08-2019

Supercedes: 26-07-2019

Canada - Non-Domestic Substances List (NDSL):

Chemical Name	CAS No	Canada - Non-Domestic Substances List (NDSL)	
Petroleum distillates, hydrotreated	64742-54-7	No	
heavy paraffinic	04/42-34-7	NO	
Petroleum distillates, solvent dewaxed	64742-65-0	No	
heavy paraffinic	04742-03-0	INO	
Phosphorodithioic acid, mixed O,O-			
bis(2-ethylhexyl and iso-Bu and iso-Pr)	85940-28-9	No	
esters, zinc salts			

Canada - Controlled Drugs and Substances:

Chemical Name	CAS No	Schedule						
Chemical Name	CAS NO	I	II	III	IV	V	VII	VIII
Petroleum distillates,								
hydrotreated heavy	64742-54-7	No						
paraffinic								
Petroleum distillates,								
solvent dewaxed heavy	64742-65-0	No						
paraffinic								
Phosphorodithioic acid,								
mixed O,O-bis(2-	05040 30 0	Na	Na	Na	No	No	No	Na
ethylhexyl and iso-Bu and	85940-28-9	No						
iso-Pr) esters, zinc salts								

Chemical Name	CAS No	Class A Precursors	Class B Precursors	Exempt Precursors	Class 1 Targeted Substances	Class 2 Targeted Substances
Petroleum distillates,						
hydrotreated heavy	64742-54-7	No	No	No	No	No
paraffinic						
Petroleum distillates,						
solvent dewaxed heavy	64742-65-0	No	No	No	No	No
paraffinic						
Phosphorodithioic acid, mixed O,O-bis(2-	85940-28-9	No	No	No	No	No



Date of the latest revision of the safety data sheet: 24-08-2019

Supercedes: 26-07-2019

ethylhexyl and iso-Bu and			
iso-Pr) esters, zinc salts			

Canada - CEPA - Schedule III Export Control List:

Chemical Name	CAS No	Part 1 Prohibited Substances	Part 2 Substances Subject to Notification or Consent	Part 3 Restricted Substances	Export Control List
Petroleum distillates,					
hydrotreated heavy	64742-54-7	No	No	No	No
paraffinic					
Petroleum distillates,					
solvent dewaxed heavy	64742-65-0	No	No	No	No
paraffinic					
Phosphorodithioic acid,					
mixed O,O-bis(2-	85940-28-9	No	No	No	No
ethylhexyl and iso-Bu and	03340-20-3	INO	INO	INO	INU
iso-Pr) esters, zinc salts					

Canada CEPA - 2015 Greenhouse Gases (GHG) Subject to Mandatory Reporting:

Chemical Name	CAS No	Canada CEPA - 2015 Greenhouse Gases (GHG) Subject to Mandatory Reporting	
Petroleum distillates, hydrotreated	64742-54-7	No	
heavy paraffinic	04/42-34-7	NO	
Petroleum distillates, solvent dewaxed	64742-65-0	No	
heavy paraffinic	04742-03-0	INO	
Phosphorodithioic acid, mixed O,O-			
bis(2-ethylhexyl and iso-Bu and iso-Pr)	85940-28-9	No	
esters, zinc salts			

Canada - Narcotic Control Regulations (C.R.C., c. 1041):

Chemical Name	CAS No	Canada - Narcotic Control Regulations (C.R.C., c. 1041)
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No



Date of the latest revision of the safety data sheet: 24-08-2019

Supercedes: 26-07-2019

Petroleum distillates, solvent dewaxed heavy paraffinic	64742-65-0	No
Phosphorodithioic acid, mixed O,O-		
bis(2-ethylhexyl and iso-Bu and iso-Pr)	85940-28-9	No
esters, zinc salts		

Canada - Ontario - Toxics Reduction - List of Priority Toxics:

Chemical Name	CAS No	Canada - Ontario - Toxics Reduction - List of Priority Toxics	
Petroleum distillates, hydrotreated	64742-54-7	No	
heavy paraffinic	04/42-34-/	NO	
Petroleum distillates, solvent dewaxed	64742-65-0	No	
heavy paraffinic	04742-03-0	NO	
Phosphorodithioic acid, mixed O,O-			
bis(2-ethylhexyl and iso-Bu and iso-Pr)	85940-28-9	No	
esters, zinc salts			

Stockholm Convention on Persistent Organic Pollutants:

Chemical Name	CAS No	Stockholm Convention on Persistent Organic Pollutants	
Petroleum distillates, hydrotreated	64742-54-7	No	
heavy paraffinic	04/42-34-7	INO	
Petroleum distillates, solvent dewaxed	64742-65-0	No	
heavy paraffinic	04/42-03-0	NO	
Phosphorodithioic acid, mixed O,O-			
bis(2-ethylhexyl and iso-Bu and iso-Pr)	85940-28-9	No	
esters, zinc salts			

Rotterdam Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in International Trade:

Chemical Name	CAS No	Rotterdam Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in International Trade.
Petroleum distillates, hydrotreated	64742-54-7	No
heavy paraffinic	04742 34 7	140
Petroleum distillates, solvent dewaxed	64742-65-0	No



 $\textbf{Date of the latest revision of the safety data sheet:} \quad 24\text{-}08\text{-}2019$

Supercedes: 26-07-2019

heavy paraffinic		
Phosphorodithioic acid, mixed O,O-		
bis(2-ethylhexyl and iso-Bu and iso-Pr)	85940-28-9	No
esters, zinc salts		

(United Nations) - Kyoto Protocol - Convention on Climate Change - Greenhouse Gases (GHGs):

Chemical Name	CAS No	(United Nations) - Kyoto Protocol - Convention on Climate Change - Greenhouse Gases (GHGs)
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
Petroleum distillates, solvent dewaxed heavy paraffinic	64742-65-0	No
Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts	85940-28-9	No

Montreal Protocol on Substances that Deplete the Ozone Layer:

Chemical Name	CAS No	Montreal Protocol on Substances that Deplete the Ozone Layer
Petroleum distillates, hydrotreated	64742-54-7	No
heavy paraffinic		
Petroleum distillates, solvent dewaxed	64742-65-0	No
heavy paraffinic		
Phosphorodithioic acid, mixed O,O-		
bis(2-ethylhexyl and iso-Bu and iso-Pr)	85940-28-9	No
esters, zinc salts		

Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and their Disposal.:

Chemical Name	CAS No	Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and their Disposal.
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
Petroleum distillates, solvent dewaxed heavy paraffinic	64742-65-0	No
Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr)	85940-28-9	No

Material name: KLONDIKE SAE 15W-40 CK-4 Heavy Duty Engine Oil 0001 Version #: 01 Issue date: 08-24-2019



Date of the latest revision of the safety data sheet: 24-08-2019

Supercedes: 26-07-2019

esters, zinc salts	

16 Other information

Date of the latest revision of the safety

24-08-2019

data sheet:

Revision Number: 11

Reason for revision: Activated by Document Formulation Generation

Disclaimer:

This safety data sheet and the information it contains is offered to you in good faith as accurate. We have reviewed any information contained in the data sheet which we have received from outside sources and we believe the information to be correct, but cannot guarantee its accuracy or completeness. Health and safety precautions in this data sheet may not be adequate for all individuals and/or situations. It is the user's obligation to evaluate and use this product in a safe manner and to comply with all applicable laws and regulations. No statement made in this data sheet shall be construed as permission or recommendation for the use of any product in a manner that might infringe existing patents.

No warranty is made, either expressed or implied.