

Date of the latest revision of the safety data sheet:19-08-2019Supercedes:12-08-2019

## **KLONDIKE 5W20 SN PLUS Synthetic Blend Engine Oil**

Product Identifier:KLONDIKE 5W20 SN PLUS Synthetic Blend Engine OilStock Number:Other means of identification:Synonyms:No data availableRecommended use and restrictions on use:Motor OilRestrictions on use:Uses other than those described above KLONDIKEInitial Supplier Identifier:Lubricants Corporation3078 275th Streetangley, BC, V4W 3L4Langley, BC, V4W 3L4CanadaTel No.:General information 1-877-293-4691Emergency telephone number and anyChemtrec (Within US) 1-800-424-9300 Chemtrec	1 Identification			
Synonyms:No data availableRecommended use and restrictions on use:Motor OilRestrictions on use:Uses other than those described above KLONDIKEInitial Supplier Identifier:Lubricants Corporation3078 275th StreetLangley, BC, V4W 3L4CanadaCanadaTel No.:General information 1-877-293-4691Email:info@klondikelubricants.com	Stock Number:	KLONDIKE 5W20 SN PLUS Synthetic Blend Engine Oil		
Recommended use and restrictions on use: Motor Oil   Restrictions on use: Uses other than those described above KLONDIKE   Initial Supplier Identifier: Lubricants Corporation   3078 275th Street Jangley, BC, V4W 3L4   Canada Canada   Tel No.: General information 1-877-293-4691   Email: info@klondikelubricants.com	_	No data available		
Recommended use:Motor OilRestrictions on use:Uses other than those described above KLONDIKEInitial Supplier Identifier:Lubricants Corporation3078 275th Street3078 275th StreetLangley, BC, V4W 3L4CanadaTel No.:General information 1-877-293-4691Email:info@klondikelubricants.com	Synonyms:			
Restrictions on use:Uses other than those described above KLONDIKEInitial Supplier Identifier:Lubricants Corporation3078 275th Street3078 275th StreetLangley, BC, V4W 3L4CanadaTel No.:General information 1-877-293-4691Email:info@klondikelubricants.com	Recommended use and restrictions on use	:		
Initial Supplier Identifier:Lubricants Corporation 3078 275th Street Langley, BC, V4W 3L4 CanadaTel No.:General information info@klondikelubricants.com	Recommended use:	Motor Oil		
3078 275th Street Langley, BC, V4W 3L4 Canada Tel No.: General information 1-877-293-4691 Email: info@klondikelubricants.com	Restrictions on use:	Uses other than those described above KLONDIKE		
Langley, BC, V4W 3L4CanadaTel No.:General information1-877-293-4691info@klondikelubricants.com	Initial Supplier Identifier:	Lubricants Corporation		
CanadaTel No.:General information1-877-293-4691Email:info@klondikelubricants.com		3078 275th Street		
Tel No.:General information1-877-293-4691Email:info@klondikelubricants.com		Langley, BC, V4W 3L4		
Email: info@klondikelubricants.com		Canada		
-	Tel No.:	General information 1-877-293-4691		
Emergency telephone number and any Chemtrec (Within US) 1-800-424-9300 Chemtrec	Email:	info@klondikelubricants.com		
	Emergency telephone number and any	Chemtrec (Within US) 1-800-424-9300 Chemtrec		
restrictions on the use of that number, (International) 1-703-527-3887	restrictions on the use of that number,	(International) 1-703-527-3887		
if applicable:	if applicable:			

## 2 Hazard identification

Classification of the hazardous produ	uct:
Not classified under GHS	
Hazard statements:	Not applicable
Other hazards known to the supplie	r with respect to the hazardous product:
Physical hazards not otherwise classified	None known.

Health hazards not otherwise classified None known.

### 3 Composition/information on ingredients CAS registry Common name and Concentration **Chemical Name** number and any synonyms unique identifiers Petroleum distillates, solvent dewaxed No data available 64742-65-0 0.1 - 1 heavy paraffinic Petroleum distillates, hydrotreated No data available 5 - 10 64742-54-7 heavy paraffinic



Date of the latest revision of the safety data sheet:19-08-2019Supercedes:12-08-2019

Lubricating oils, petroleum,	No data available	64742-58-1	65 - 85
hydrotreated spent			
4 First-aid measures			
Inhalation:	Remove to fresh air. If breath administer oxygen.	ing is difficult, have a tra	ined individual
Eye contact:	Use eye wash to remove a chemical from the eye. Flush the affected eye for at least fifteen minutes. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Seek medical attention if irritation persists.		
Skin Contact:	Wash with soap and water. Get medical attention if irritation develops or persists.		
Ingestion:	No hazard in normal industrial use. Do not induce vomiting. Seek medical attention if symptoms develop. Provide medical care provider with this SDS.		
The most important symptoms and effects, whether acute or delayed:	None known.		
An indication of immediate medical attention and special treatment needed, if necessary:	Treat symptomatically.		

Suitable extinguishing media:	Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the fire. Do not direct a stream of water into the hot burning liquid. No data available
Unsuitable extinguishing media:	
Specific hazards arising from the hazardous product, such as the nature of any hazardous combustion:	Material may be ignited only if preheated to temperatures above the high flash point, for example in a fire.
Hazardous Combustion Products:	Carbon monoxide, Sulfur containing gases, Nitrogen containing gases, Aldehydes, oxides of phosphorus, Hydrogen sulfide, Smoke
Special protective equipment and precautions for firefighters:	Do not enter fire area without proper protection including self- contained breathing apparatus and full protective equipment. Use methods for the surrounding fire.

6 Accidental release measures	
Personal precautions, protective	No health affects expected from the clean up of this material if contact



Date of the latest revision of the safety data sheet:19-08-2019Supercedes:12-08-2019

equipment and emergency procedures:	can be avoided. Follow personal protective equipment recommendations found in Section 8 of this SDS.
Methods and materials for containment and cleaning up:	Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Dispose of according to Federal, State, Local, or Provincial regulations. Used fluid should be disposed of at a recycling center.

7 Handling and storage	
Precautions for safe handling:	Mildly irritating material. Avoid unnecessary exposure.
Conditions for safe storage:	Store in a cool dry place. Isolate from incompatible materials.
Materials to Avoid/Chemical	Strong oxidizing agents
Incompatibility:	

## 8 Exposure controls/personal protection

Control parameters, including occupational exposure limit values or biological limit values and the source of those values:

## Canada – Alberta – Occupational Exposure Limits:

Chemical Name	Occupational	Occupational	Occupational
	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			

## Canada – British Columbia– Occupational Exposure Limits:

Chemical Name	Occupational	Occupational	Occupational
	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			

## Canada – Manitoba – Occupational Exposure Limits:

Chemical Name	Occupational	Occupational	Occupational
	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			

## Canada – New Brunswick – Occupational Exposure Limits:

	Occupational	Occupational	Occupational
Chemical Name	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			



Date of the latest revision of the safety data sheet:19-08-2019Supercedes:12-08-2019

## Canada – Newfoundland & Labrador – Occupational Exposure Limits:

	Occupational	Occupational	Occupational
Chemical Name	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			
Canada – Northwest Territories – C	Occupational Exposure Limits	:	
	Occupational	Occupational	Occupational
Chemical Name	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			

## Canada – Nova Scotia – Occupational Exposure Limits:

Chemical Name	Occupational	Occupational	Occupational
	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			

## Canada – Nunavut – Occupational Exposure Limits:

Chemical Name	Occupational	Occupational	Occupational
	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			

## Canada – Ontario – Occupational Exposure Limits:

Chemical Name	Occupational	Occupational	Occupational
	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			

## Canada – Prince Edward Island – Occupational Exposure Limits:

Chemical Name	Occupational	Occupational	Occupational
	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			

## Canada – Quebec – Occupational Exposure Limits:

Chemical Name	Occupational	Occupational	Occupational
	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAEVs	STEVs	Ceiling
No data available			

## Canada – Saskatchewan – Occupational Exposure Limits:

Chemical Name	Occupational	Occupational	Occupational
---------------	--------------	--------------	--------------



	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			

## Canada - Yukon – Occupational Exposure Limits:

Chemical Name	Occupational	Occupational	Occupational
	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			

Chemical Name	OSHA PEL	ACGIH TLV-TWA	ACGIH STEL	IDLH
No data available				

## Appropriate engineering controls:

Use local exhaust ventilation or other engineering controls to minimize exposures and maintain operator comfort.

Individual protection measures, su	ich as personal protective equipment:
Pospiratory Protoction	Pospiratory protection may be requ

Respiratory Protection:	Respiratory protection may be required to avoid overexposure when handling this product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms.
Respirator Type(s):	None required where adequate ventilation is provided. If airborne
	concentrations are above the applicable exposure limits, use
	NIOSH/MSHA approved respiratory protection.
Eye and face protection:	Wear safety glasses when handling this product if there is a likelihood of contact with eyes.
Skin Protection:	Where use can result in skin contact, practice good personal hygiene and wear impervious gloves. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work.
Hand protection:	Neoprene, Nitrile
General hygiene conditions:	No data available

9 Physical and chemical properties	
Physical state:	Liquid
Colour:	Brown
Odour:	Mild
Odour threshold:	Not determined
pH:	No data available
Melting point (°C):	No data available
Freezing point (°C):	No data available
Initial boiling point and boiling range	No data available



Date of the latest revision of the safety data sheet:19-08-2019Supercedes:12-08-2019

(°C):	
Flash point (°C):	220
Evaporation rate:	No data available
Flammability, in the case of solids and	No data available
gases:	
Upper flammable or explosive limit, %	Not established
in air:	
Lower flammable or explosive limit, %	Not established
in air:	
Vapour pressure:	No data available
Vapour density:	No data available
Relative density:	0.86
Solubility:	Negligible; 0-1%
Partition coefficient — n-	No data available
octanol/water:	
Auto-ignition temperature (°C):	No data available
Decomposition temperature (°C):	Not determined
Viscosity:	50.5

10 Stability and reactivity	
Reactivity:	There are no known reactivity hazards associated with this product.
Chemical stability:	Stable under normal conditions.
Possibility of hazardous reactions:	None expected under standard conditions of storage.
Conditions to avoid, including static discharge, shock or vibration:	Temperatures above the high flash point of this combustible material in combination with sparks, open flames, or other sources of ignition.
	Moisture (will lead to product performance degradation).
Incompatible materials:	Strong oxidizing agents
Hazardous decomposition products:	Carbon monoxide Sulfur containing gases Nitrogen containing gases Aldehydes oxides of phosphorus Hydrogen sulfide Smoke

# 11 Toxicological informationInformation on the likely routes of<br/>exposure (inhalation, ingestion, skin<br/>and eye contact):Eye contact, Ingestion, Inhalation, Skin contactSymptoms related to the physical,<br/>chemical and toxicological<br/>characteristics:None known.Immediate effects from short term exposure:Likely to be practically non-toxic based on animal data. No hazard in<br/>normal industrial use.



Date of the latest revision of the safety data sheet:19-08-2019Supercedes:12-08-2019

Skin Contact: Eye Contact: Ingestion:	This material is likely to be slightly irritating to skin based on animal data. Can cause minor skin irritation, defatting, and dermatitis. This material is likely to be non-irritating to eyes based on animal data. Although this product has a low order of acute oral toxicity, aspiration of minute amounts into the lungs during ingestion or vomiting may cause mild to severe pulmonary injury and possibly death. Estimated to be 2.0 - 5.0 g/kg.
Delayed and chronic effects from long t	erm exposure:
Carcinogenicity:	Not expected to cause cancer. This product meets the IP-346 criteria of <3% PAH's and is not considered a carcinogen by the International Agency for Research on Cancer.
Reproductive and Developmental Toxicity:	Not known or reported to cause reproductive or developmental toxicity.
Mutagenicity:	No data available to indicate product or any components present at greater than 0.1% is mutagenic or genotoxic.
Skin Contact:	Upon prolonged or repeated contact, can cause minor skin irritation, defatting, and dermatitis.
Skin Absorption:	Upon prolonged or repeated exposure, no hazard in normal industrial use.
STOT-single exposure:	Based on available data, the classification criteria are not met.
STOT-repeated exposure:	Based on available data, the classification criteria are not met.
Aspiration hazard:	Based on available data, the classification criteria are not met.

Numerical measures of toxicity, including ATEs Based on available data, the classification criteria are not met.

12 Ecological information	
Ecotoxicity (aquatic and terrestrial, if available):	Moderate ecological hazard. This product may be dangerous to plants and/or wildlife.

## **Ecological Toxicity Data:**

Ī

Chemical Name	CAS registry number and any unique identifiers	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
Petroleum distillates, solvent dewaxed heavy paraffinic	64742-65-0	Aquatic LC50 (48h) > 1000 mg/L	No data available	Aquatic LC50 (96h) Rainbow Trout > 5000 mg/L
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	Aquatic LC50 (48h) > 1000 mg/L	No data available	Aquatic LC50 (96h) Rainbow Trout > 5000 mg/L



Date of the latest revision of the safety data sheet:19-08-2019Supercedes:12-08-2019

Persistence and degradability: Bioaccumulative potential: Mobility in soil: Other adverse effects:	Biodegrades slowly. Bioconcentration may occur. This material is expected to have essentially no mobility in soil. It absorbs strongly to most soil types. None known.
13 Disposal considerations	
Information on safe handling for disposal and methods of disposal, including any contaminated packaging:	Spent or discarded material is non-hazardous according to environmental regulations.
14 Transport information	
Transportation of Dangerous Goods by la	nd (TDG):
UN number: UN Proper shipping name: Transport hazard class(es): Packing group: International carriage of dangerous goods UN number: UN Proper shipping name: Transport hazard class(es): Packing group: International carriage of dangerous goods UN number: UN Proper shipping name: Transport hazard class(es): Packing group:	Not regulated by IMDG Not applicable Not applicable Not applicable
Environmental hazards according to the International Maritime Dangerous Goods Code and the United Nations Model Regulations: Transport in bulk (according to Annex II of the International Convention for the Prevention of Pollution From Ships, 1973, as modified by the Protocol of 1978 (MARPOL 73/78) and the International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk (IBC	No No data available



Date of the latest revision of the safety data sheet:19-08-2019Supercedes:12-08-2019

## Code)): Special precautions in connection with No data available transport or conveyance either within or outside the premises:

## 15 Regulatory information

Safety, health and environmental regulations, made within or outside Canada, specific to the product in question:

## Canada - Domestic Substances List (DSL):

Chemical Name	CAS No	Canada - Domestic Substances List (DSL)
Lubricating oils, petroleum,	64742-58-1	Yes
hydrotreated spent	04742-38-1	Tes
Petroleum distillates, hydrotreated	64742-54-7	Yes
heavy paraffinic	04/42-54-7	fes
Petroleum distillates, solvent dewaxed	64742-65-0	Yes
heavy paraffinic	04742-05-0	165

## Canada - Non-Domestic Substances List (NDSL):

Chemical Name	CAS No	Canada - Non-Domestic Substances List (NDSL)		
Lubricating oils, petroleum,	64742-58-1	No		
hydrotreated spent	04742-38-1	NO		
Petroleum distillates, hydrotreated	64742-54-7	No		
heavy paraffinic	04/42-54-7	NO		
Petroleum distillates, solvent dewaxed	64742-65-0	No		
heavy paraffinic	04742-03-0			

## **Canada - Controlled Drugs and Substances:**

Chemical Name	CAS No	Schedule I	Schedule II	Schedule III	Schedule IV	Schedule V	Schedule VII	Schedule VIII
Lubricating oils, petroleum, hydrotreated spent	64742-58-1	No	No	No	No	No	No	No
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No	No	No	No	No	No	No
Petroleum distillates,	64742-65-0	No	No	No	No	No	No	No



Date of the latest revision of the safety data sheet:19-08-2019Supercedes:12-08-2019

solvent dewaxed heavy				
paraffinic				

Chemical Name	CAS No	Class A Precursors	Class B Precursors	Exempt Precursors	Class 1 Targeted Substances	Class 2 Targeted Substances
Lubricating oils, petroleum, hydrotreated spent	64742-58-1	No	No	No	No	No
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No	No	No	No	No
Petroleum distillates, solvent dewaxed heavy paraffinic	64742-65-0	No	No	No	No	No

Canada - CEPA - Schedule III Export Control List:

Chemical Name	CAS No	Part 1 Prohibited Substances	Part 2 Substances Subject to Notification or Consent	Part 3 Restricted Substances	Export Control List
Lubricating oils,					
petroleum, hydrotreated	64742-58-1	No	No	No	No
spent					
Petroleum distillates,					
hydrotreated heavy	64742-54-7	No	No	No	No
paraffinic					
Petroleum distillates,					
solvent dewaxed heavy	64742-65-0	No	No	No	No
paraffinic					

## Canada CEPA - 2015 Greenhouse Gases (GHG) Subject to Mandatory Reporting:

Chemical Name	CAS No	Canada CEPA - 2015 Greenhouse Gases (GHG) Subject to Mandatory Reporting
Lubricating oils, petroleum,	64742-58-1	No



Date of the latest revision of the safety data sheet:19-08-2019Supercedes:12-08-2019

hydrotreated spent		
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
Petroleum distillates, solvent dewaxed heavy paraffinic	64742-65-0	No

## Canada - Narcotic Control Regulations (C.R.C., c. 1041):

Chemical Name	CAS No	Canada - Narcotic Control Regulations (C.R.C., c. 1041)
Lubricating oils, petroleum,	64742-58-1	No
hydrotreated spent	64742-58-1	
Petroleum distillates, hydrotreated		Ne
heavy paraffinic	64742-54-7	No
Petroleum distillates, solvent dewaxed	64742-65-0	No
heavy paraffinic	04742-05-0	NO

## Canada - Ontario - Toxics Reduction - List of Priority Toxics:

Chemical Name	CAS No	Canada - Ontario - Toxics Reduction - List of Priority Toxics
Lubricating oils, petroleum,	64742-58-1	No
hydrotreated spent	04742-58-1	
Petroleum distillates, hydrotreated	64742-54-7	No
heavy paraffinic		
Petroleum distillates, solvent dewaxed	64742 65 0	No
heavy paraffinic	64742-65-0	NO

## Stockholm Convention on Persistent Organic Pollutants:

Chemical Name	CAS No	Stockholm Convention on Persistent Organic Pollutants
Lubricating oils, petroleum,	64742-58-1	No
hydrotreated spent	04/42-38-1	
Petroleum distillates, hydrotreated	64742-54-7	No
heavy paraffinic	04742-34-7	NO
Petroleum distillates, solvent dewaxed	64742-65-0	No
heavy paraffinic	64742-63-0	NO

Rotterdam Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in International Trade:



Date of the latest revision of the safety data sheet:19-08-2019Supercedes:12-08-2019

Chemical Name	CAS No	Rotterdam Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in International Trade.
Lubricating oils, petroleum, hydrotreated spent	64742-58-1	No
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
Petroleum distillates, solvent dewaxed heavy paraffinic	64742-65-0	No

(United Nations) - Kyoto Protocol - Convention on Climate Change - Greenhouse Gases (GHGs):

Chemical Name	CAS No	(United Nations) - Kyoto Protocol - Convention on Climate Change - Greenhouse Gases (GHGs)
Lubricating oils, petroleum, hydrotreated spent	64742-58-1	No
Petroleum distillates, hydrotreated	64742-54-7	No
heavy paraffinic Petroleum distillates, solvent dewaxed		
heavy paraffinic	64742-65-0	No

## Montreal Protocol on Substances that Deplete the Ozone Layer:

Chemical Name	CAS No	Montreal Protocol on Substances that Deplete the Ozone Layer
Lubricating oils, petroleum,	64742-58-1	No
hydrotreated spent	04742-38-1	NO
Petroleum distillates, hydrotreated	64742-54-7	No
heavy paraffinic	04742-34-7	NO
Petroleum distillates, solvent dewaxed	64742-65-0	No
heavy paraffinic	04742-03-0	NO

## Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and their Disposal.:

Chemical Name	CAS No	Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and their Disposal.
Lubricating oils, petroleum, hydrotreated spent	64742-58-1	No



Date of the latest revision of the safety data sheet:19-08-2019Supercedes:12-08-2019

the use of any product in a manner that might infringe existing patents.

No warranty is made, either expressed or implied.

Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
Petroleum distillates, solvent dewaxed heavy paraffinic	64742-65-0	No

16 Other information	
Date of the latest revision of the safety	19-08-2019
data sheet:	
Revision Number:	20
Reason for revision:	NEW VERSION
Disclaimer:	This safety data sheet and the information it contains is offered to you in good faith as accurate. We have reviewed any information contained in the data sheet which we have received from outside sources and we believe the information to be correct, but cannot guarantee its accuracy or completeness. Health and safety precautions in this data sheet may not be adequate for all individuals and/or situations. It is the user's obligation to evaluate and use this product in a safe manner and to comply with all applicable laws and regulations. No statement made in this data sheet shall be construed as permission or recommendation for