

Date of the latest revision of the safety data sheet:06-10-2019Supercedes:12-09-2019

KLONDIKE SAE 0W-16 SN PLUS Full Synthetic Engine Oil

1 Identification	
Product Identifier: Stock Number:	KLONDIKE SAE 0W-16 SN PLUS Full Synthetic Engine Oil
Other means of identification: Synonyms:	No data available
Synonyms.	
Recommended use and restrictions on use	: Motor Oil
Recommended use:	Uses other than those described above KLONDIKE
Restrictions on use:	Lubricants Corporation
Initial Supplier Identifier:	3078 275th Street
	Langley, BC, V4W 3L4
	Canada
	General information 1-877-293-4691
Tel No.:	info@klondikelubricants.com
Email:	Chemtrec (Within US) 1-800-424-9300 Chemtrec
Emergency telephone number and any	(International) 1-703-527-3887
restrictions on the use of that number,	
if applicable:	
2 Hazard identification	
Classification of the hazardous product:	
Not classified under GHS	
Hazard statements:	Not applicable
Other hazards known to the supplier with	respect to the hazardous product:
Physical hazards not otherwise	None known.

Health hazards not otherwise classified None known.

classified

3 Composition/information on ingredients CAS registry Common name and Concentration **Chemical Name** number and any synonyms unique identifiers Petroleum distillates, solvent dewaxed No data available 64742-65-0 0.1 - 1 heavy paraffinic Petroleum distillates, hydrotreated No data available 3 - 7 64742-54-7 heavy paraffinic



Date of the latest revision of the safety data sheet:06-10-2019Supercedes:12-09-2019

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based	No data available	72623-86-0	80 - 100
4 First-aid measures			
Inhalation:	Remove to fresh air. If breath administer oxygen.	ing is difficult, have a tra	ined individual
Eye contact:	Use eye wash to remove a chemical from the eye. Flush the affected eye for at least fifteen minutes. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Seek medical attention if irritation persists.		
Skin Contact:	Wash with soap and water. Get medical attention if irritation develops or persists.		
Ingestion:	No hazard in normal industrial use. Do not induce vomiting. Seek medica attention if symptoms develop. Provide medical care provider with this SDS.		
The most important symptoms and effects, whether acute or delayed:	None known.		
An indication of immediate medical attention and special treatment needed, if necessary:	No additional first aid informa	tion available.	

Suitable extinguishing media:	Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting
	fires. Water or foam may cause frothing if liquid is burning but it still may
	be a useful extinguishing agent if carefully applied to the surface of the
	fire. Do not direct a stream of water into the hot burning liquid.
Unsuitable extinguishing media:	No data available
Specific hazards arising from the	Material may be ignited only if preheated to temperatures above the
hazardous product, such as the nature	high flash point, for example in a fire.
of any hazardous combustion:	
Hazardous Combustion Products:	Carbon monoxide, Sulfur containing gases, oxides of phosphorus, Hydrogen sulfide
Special protective equipment and	Do not enter fire area without proper protection including self- contained
precautions for firefighters:	breathing apparatus and full protective equipment. Use methods for the surrounding fire.

6 Accidental release measures	
Personal precautions, protective	No health affects expected from the clean up of this material if contact



Date of the latest revision of the safety data sheet:06-10-2019Supercedes:12-09-2019

equipment and emergency procedures:	can be avoided. Follow personal protective equipment recommendations found in Section 8 of this SDS.
Methods and materials for containment and cleaning up:	Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Dispose of according to Federal, State, Local, or Provincial regulations. Used fluid should be disposed of at a recycling center.

7 Handling and storage	
Precautions for safe handling:	Mildly irritating material. Avoid unnecessary exposure.
Conditions for safe storage:	Store in a cool dry place. Isolate from incompatible materials.
Materials to Avoid/Chemical	Strong oxidizing agents
Incompatibility:	

8 Exposure controls/personal protection

Control parameters, including occupational exposure limit values or biological limit values and the source of those values:

Canada – Alberta – Occupational Exposure Limits:

	Occupational	Occupational	Occupational
Chemical Name	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELS	Ceiling
No data available			

Canada – British Columbia– Occupational Exposure Limits:

Chemical Name	Occupational	Occupational	Occupational
	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			

Canada – Manitoba – Occupational Exposure Limits:

Chemical Name	Occupational	Occupational	Occupational
	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			

Canada – New Brunswick – Occupational Exposure Limits:

	Occupational	Occupational	Occupational
Chemical Name	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELS	Ceiling
No data available			



Date of the latest revision of the safety data sheet:06-10-2019Supercedes:12-09-2019

Canada – Newfoundland & Labrador – Occupational Exposure Limits:

	Occupational	Occupational	Occupational	
Chemical Name	Exposure Limits -	Exposure Limits -	Exposure Limits -	
	TWAs	STELs	Ceiling	
No data available				
Canada – Northwest Territories – Occupational Exposure Limits:				
	Occupational	Occupational	Occupational	
Chemical Name	Exposure Limits -	Exposure Limits -	Exposure Limits -	
	TWAs	STELS	Ceiling	
No data available				

Canada – Nova Scotia – Occupational Exposure Limits:

Chemical Name	Occupational	Occupational	Occupational
	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			

Canada – Nunavut – Occupational Exposure Limits:

Chemical Name	Occupational	Occupational	Occupational
	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			

Canada – Ontario – Occupational Exposure Limits:

Chemical Name	Occupational	Occupational	Occupational
	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			

Canada – Prince Edward Island – Occupational Exposure Limits:

Chemical Name	Occupational	Occupational	Occupational
	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			

Canada – Quebec – Occupational Exposure Limits:

Chemical Name	Occupational	Occupational	Occupational
	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAEVs	STEVs	Ceiling
No data available			

Canada – Saskatchewan – Occupational Exposure Limits:

Chemical Name Occupational Occupational O



	Exposure Limits - TWAs	Exposure Limits - STELs	Exposure Limits - Ceiling	
No data available				
Canada - Yukon – Occupational Exposure Limits:				

Chemical Name	Occupational	Occupational	Occupational
	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			

Chemical Name	OSHA PEL	ACGIH TLV-TWA	ACGIH STEL	IDLH
No data available				
Appropriate engineering controls:Use local exhaust ventilation or other engineering controls to minimize exposures and maintain operator comfort.				
Individual protection measures, such	as personal protec	tive equipment:		
	D			

Respiratory Protection:	Respiratory protection may be required to avoid overexposure when handling this product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms.
Respirator Type(s):	None required where adequate ventilation is provided. If airborne
	concentrations are above the applicable exposure limits, use
	NIOSH/MSHA approved respiratory protection.
Eye and face protection:	Wear safety glasses when handling this product if there is a likelihood of contact with eyes.
Skin Protection:	Where use can result in skin contact, practice good personal hygiene and wear impervious gloves. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work.
Hand protection:	Neoprene, Nitrile
General hygiene conditions:	No data available

9 Physical and chemical propert	es	
Physical state:	Liquid	
Colour:	Amber	
Odour:	Mild	
	Petroleum	
Odour threshold:	Not determined	
pH:	No data available	
Melting point (°C):	No data available	
Freezing point (°C):	No data available	



Date of the latest revision of the safety data sheet:06-10-2019Supercedes:12-09-2019

Initial boiling point and boiling range (°C):	No data available	
Flash point (°C):	226	
Evaporation rate:	No data available	
Flammability, in the case of solids and gases:	No data available	
Upper flammable or explosive limit, % in air:	Not established	
Lower flammable or explosive limit, % in air:	Not established	
Vapour pressure:	No data available	
Vapour density:	No data available	
Relative density:	0.85	
Solubility:	Insoluble	
Partition coefficient — n- octanol/water:	No data available	
Auto-ignition temperature (°C):	No data available	
Decomposition temperature (°C):	Not determined	
Viscosity:	39.29	

10 Stability and reactivity

There are no known reactivity hazards associated with this product.
Stable under normal conditions.
None expected under standard conditions of storage.
Temperatures above the high flash point of this combustible material in
combination with sparks, open flames, or other sources of ignition.
Moisture (will lead to product performance degradation).
Strong oxidizing agents
Carbon monoxide Sulfur containing gases oxides of phosphorus Hydrogen sulfide

11 Toxicological information

Information on the likely routes of exposure (inhalation, ingestion, skin	Eye contact, Skin contact, Ingestion, Inhalation
and eye contact): Symptoms related to the physical, chemical and toxicological characteristics:	None known.
Immediate effects from short term expose	Jre:
Inhalation:	Likely to be practically non-toxic based on animal data. No hazard in



Date of the latest revision of the safety data sheet:06-10-2019Supercedes:12-09-2019

	normal industrial use.
Skin Contact:	This material is likely to be slightly irritating to skin based on animal data.
	Can cause minor skin irritation, defatting, and dermatitis.
Eye Contact:	This material is likely to be non-irritating to eyes based on animal data.
Ingestion:	Estimated to be > 5.0 g/kg. No hazard in normal industrial use.
Delayed and chronic effects from long te	erm exposure:
Carcinogenicity:	Not expected to cause cancer. This product meets the IP-346 criteria of
	<3% PAH's and is not considered a carcinogen by the International
	Agency for Research on Cancer.
Reproductive and Developmental	Not known or reported to cause reproductive or developmental toxicity.
Toxicity:	
Mutagenicity:	No data available to indicate product or any components present at
	greater than 0.1% is mutagenic or genotoxic.
Skin Contact:	Upon prolonged or repeated contact, can cause minor skin irritation,
	defatting, and dermatitis.
Skin Absorption:	Upon prolonged or repeated exposure, no hazard in normal industrial
	use.
STOT-single exposure:	Based on available data, the classification criteria are not met.
STOT-repeated exposure:	Based on available data, the classification criteria are not met.
Aspiration hazard:	Based on available data, the classification criteria are not met.

Numerical measures of toxicity, including ATEs Based on available data, the classification criteria are not met.

12 Ecological information	

Ecotoxicity (aquatic and terrestrial, if
available):Slight ecological hazard. In high concentrations, this product may be
dangerous to plants and/or wildlife.

Ecological Toxicity Data:

Chemical Name	CAS registry number and any unique identifiers	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
Petroleum distillates, solvent dewaxed heavy paraffinic	64742-65-0	Aquatic EC50 (48h) Daphnia > 1000 mg/L	No data available	Aquatic LC50 (96h) Rainbow Trout > 5000 mg/L
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	Aquatic EC50 (48h) Daphnia > 1000 mg/L	No data available	Aquatic LC50 (96h) Rainbow Trout > 5000 mg/L
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-	72623-86-0	Aquatic EC50 (48h) Daphnia > 1000 mg/L	No data available	Aquatic LC50 (96h) Rainbow Trout > 5000 mg/L



based							
based							
Persistence and degradability:	Biodegrades slowly.						
Bioaccumulative potential:		ioconcentration may occur.					
Mobility in soil:			ive essentially no mobi	lity in soil. It absorbs			
	strongly to most soil types.						
Other adverse effects:	None known.						
13 Disposal considerations							
Information on safe handling for	•		non-hazardous accord	ing to environmental			
disposal and methods of disposal,	regulatio	ns.					
including any contaminated packaging:							
14 Transport information							
Transportation of Dangerous Goods by la	nd (TDG):						
UN number:	Not regul	ated for road transpo	ort				
UN Proper shipping name:	Not applicable						
Transport hazard class(es):	Not applicable						
Packing group:	Not appli	cable					
International carriage of dangerous goods	s by sea (IN	1DG/IMO):					
UN number:	Not regul	ated by IMDG					
UN Proper shipping name:	Not appli	cable					
Transport hazard class(es):	Not appli	cable					
Packing group:	Not appli	cable					
International carriage of dangerous goods	s by air (IA1	ſA):					
UN number:	Not regul	ated by IATA					
UN Proper shipping name:	Not appli	cable					
Transport hazard class(es):	Not appli	cable					
Packing group:	Not appli	cable					
Environmental hazards according to the	No						
International Maritime Dangerous							
Goods Code and the United Nations							
Model Regulations:							
Transport in bulk (according to Annex II	No data a	vailable					
of the International Convention for the							
Prevention of Pollution From Ships,							
1973, as modified by the Protocol of							
1978 (MARPOL 73/78) and the							
International Code for the Construction							



Date of the latest revision of the safety data sheet:06-10-2019Supercedes:12-09-2019

and Equipment of Ships carryingDangerous Chemicals in Bulk (IBCCode)):Special precautions in connection with
transport or conveyance either within
or outside the premises:

15 Regulatory information

Safety, health and environmental regulations, made within or outside Canada, specific to the product in question: Canada - Domestic Substances List (DSL):

Chemical Name	CAS No	Canada - Domestic Substances List (DSL)	
Lubricating oils (petroleum), C15-30,	72623-86-0	Yes	
hydrotreated neutral oil-based	72025-80-0	fes	
Petroleum distillates, hydrotreated	64742-54-7	Yes	
heavy paraffinic	04/42-34-7	fes	
Petroleum distillates, solvent dewaxed	64742-65-0	Yes	
heavy paraffinic	04742-03-0	105	

Canada - Non-Domestic Substances List (NDSL):

Chemical Name	CAS No	Canada - Non-Domestic Substances List (NDSL)	
Lubricating oils (petroleum), C15-30,	72623-86-0	No	
hydrotreated neutral oil-based	/2023-80-0		
Petroleum distillates, hydrotreated	64742-54-7	No	
heavy paraffinic	04/42-34-7	NO	
Petroleum distillates, solvent dewaxed	64742-65-0	No	
heavy paraffinic	04742-05-0	NO	

Canada - Controlled Drugs and Substances:

Chemical Name	CAS No	Schedule I	Schedule II	Schedule III	Schedule IV	Schedule V	Schedule VII	Schedule VIII
Lubricating oils								
(petroleum), C15-30, hydrotreated neutral oil-	72623-86-0	No	No	No	No	No	No	No
based								
Petroleum distillates,	64742-54-7	No	No	No	No	No	No	No



Date of the latest revision of the safety data sheet:06-10-2019Supercedes:12-09-2019

hydrotreated heavy paraffinic								
Petroleum distillates, solvent dewaxed heavy paraffinic	64742-65-0	No						

Chemical Name	CAS No	Class A Precursors	Class B Precursors	Exempt Precursors	Class 1 Targeted Substances	Class 2 Targeted Substances
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil- based	72623-86-0	No	No	No	No	No
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No	No	No	No	No
Petroleum distillates, solvent dewaxed heavy paraffinic	64742-65-0	No	No	No	No	No

Canada - CEPA - Schedule III Export Control List:

Chemical Name	CAS No	Part 1 Prohibited Substances	Part 2 Substances Subject to Notification or Consent	Part 3 Restricted Substances	Export Control List
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil- based	72623-86-0	No	No	No	No
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No	No	No	No
Petroleum distillates, solvent dewaxed heavy paraffinic	64742-65-0	No	No	No	No



Date of the latest revision of the safety data sheet:06-10-2019Supercedes:12-09-2019

Canada CEPA - 2015 Greenhouse Gases (GHG) Subject to Mandatory Reporting:

Chemical Name	CAS No	Canada CEPA - 2015 Greenhouse Gases (GHG) Subject to Mandatory Reporting
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based	72623-86-0	No
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
Petroleum distillates, solvent dewaxed heavy paraffinic	64742-65-0	No

Canada - Narcotic Control Regulations (C.R.C., c. 1041):

Chemical Name	CAS No	Canada - Narcotic Control Regulations (C.R.C., c. 1041)
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based	72623-86-0	No
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
Petroleum distillates, solvent dewaxed heavy paraffinic	64742-65-0	No

Canada - Ontario - Toxics Reduction - List of Priority Toxics:

Chemical Name	CAS No	Canada - Ontario - Toxics Reduction - List of Priority Toxics
Lubricating oils (petroleum), C15-30,	72623-86-0	No
hydrotreated neutral oil-based	/2023-80-0	
Petroleum distillates, hydrotreated	64742-54-7	Ne
heavy paraffinic	04742-34-7	100
Petroleum distillates, solvent dewaxed		No
heavy paraffinic	64742-65-0	

Stockholm Convention on Persistent Organic Pollutants:

Chemical Name	CAS No	Stockholm Convention on Persistent Organic Pollutants
Lubricating oils (petroleum), C15-30,	72623-86-0	No
hydrotreated neutral oil-based		
Petroleum distillates, hydrotreated	64742-54-7	No



Date of the latest revision of the safety data sheet:06-10-2019Supercedes:12-09-2019

heavy paraffinic		
Petroleum distillates, solvent dewaxed	64742-65-0	No
heavy paraffinic	04742-03-0	NO

Rotterdam Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in International Trade:

Chemical Name	CAS No	Rotterdam Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in International Trade .
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based	72623-86-0	No
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
Petroleum distillates, solvent dewaxed heavy paraffinic	64742-65-0	No

(United Nations) - Kyoto Protocol - Convention on Climate Change - Greenhouse Gases (GHGs):

Chemical Name	CAS No	(United Nations) - Kyoto Protocol - Convention on Climate Change - Greenhouse Gases (GHGs)
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based	72623-86-0	No
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
Petroleum distillates, solvent dewaxed heavy paraffinic	64742-65-0	No

Montreal Protocol on Substances that Deplete the Ozone Layer:

Chemical Name	CAS No	Montreal Protocol on Substances that Deplete the Ozone Layer
Lubricating oils (petroleum), C15-30,	72623-86-0	No
hydrotreated neutral oil-based		
Petroleum distillates, hydrotreated	64742-54-7	No
heavy paraffinic		NO
Petroleum distillates, solvent dewaxed	64742-65-0	No
heavy paraffinic	04742-03-0	



Date of the latest revision of the safety data sheet:06-10-2019Supercedes:12-09-2019

Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and their Disposal.:

Chemical Name	CAS No	Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and their Disposal.
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based	72623-86-0	No
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
Petroleum distillates, solvent dewaxed heavy paraffinic	64742-65-0	No

16 Other information	
Date of the latest revision of the safety	06-10-2019
data sheet:	
Revision Number:	2
Reason for revision:	Activated by Document Formulation Generation
Disclaimer:	This safety data sheet and the information it contains is offered to you in good faith as accurate. We have reviewed any information contained in the data sheet which we have received from outside sources and we believe the information to be correct, but cannot guarantee its accuracy or completeness. Health and safety precautions in this data sheet may not be adequate for all individuals and/or situations. It is the user's obligation to evaluate and use this product in a safe manner and to comply with all applicable laws and regulations. No statement made in this data sheet shall be construed as permission or recommendation for the use of any product in a manner that might infringe existing patents.

No warranty is made, either expressed or implied.