

Date of the latest revision of the safety data sheet: 11-10-2019

Supercedes: 06-10-2019

KLONDIKE SAE 50 CF-2 Heavy Duty Engine Oil

1 Identification

Product Identifier: KLONDIKE SAE 50 CF-2 Heavy Duty Engine Oil

Stock Number: No data available

Other means of identification:

Synonyms: Motor Oil

Recommended use and restrictions on use: Uses other than those described above **Recommended use:** KLONDIKE Lubricants Corporation

Restrictions on use: 3078 275th Street **Initial Supplier Identifier:** Langley, BC, V4W 3L4

Canada

General information 1-877-293-4691

info@klondikelubricants.com

Tel No.:Chemtrec (Within US)1-800-424-9300Email:Chemtrec (International)1-703-527-3887

Emergency telephone number and any restrictions on the use of that number,

if applicable:

2 Hazard identification

Classification of the hazardous product:

Not classified under GHS

Hazard statements: Not applicable

Other hazards known to the supplier with respect to the hazardous product:

Physical hazards not otherwise None known.

classified

Health hazards not otherwise classified None known.

3 Composition/information on ingredients

Chemical Name	Common name and synonyms	CAS registry number and any unique identifiers	Concentration
Petroleum distillates, solvent dewaxed heavy paraffinic	No data available	64742-65-0	0.1 - 1
Petroleum distillates, solvent-refined	No data available	64741-88-4	0.1 - 1

Material name: KLONDIKE SAE 50 CF-2 Heavy Duty Engine Oil



Date of the latest revision of the safety data sheet: 11-10-2019

Supercedes: 06-10-2019

heavy paraffinic			
Residual oils (petroleum), solvent dewaxed	No data available	64742-62-7	15 - 40
Petroleum distillates, hydrotreated heavy paraffinic	No data available	64742-54-7	45 - 70

4 First-aid measures

Inhalation: Remove to fresh air. If breathing is difficult, have a trained individual

administer oxygen.

Eye contact: Use eye wash to remove a chemical from the eye. Flush the affected eye

for at least fifteen minutes. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Seek medical attention if

irritation persists.

Skin Contact: Wash with soap and water. Get medical attention if irritation develops or

persists.

Ingestion: No hazard in normal industrial use. Do not induce vomiting. Seek medical

attention if symptoms develop. Provide medical care provider with this

SDS.

The most important symptoms and effects, whether acute or delayed:

effects, whether acute or delayed:

An indication of immediate medical attention and special treatment

needed, if necessary:

None known.

No additional first aid information available.

5 Fire-fighting measures

Suitable extinguishing media: Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting

fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the

fire. Do not direct a stream of water into the hot burning liquid.

Unsuitable extinguishing media: No data available

Specific hazards arising from the

hazardous product, such as the nature of any hazardous combustion:

Hazardous Combustion Products:

Material may be ignited only if preheated to temperatures above the

high flash point, for example in a fire.

ducts: Carbon monoxide, Sulfur containing gases, Nitrogen containing gases,

oxides of phosphorus, Hydrogen sulfide

Special protective equipment and precautions for firefighters:

Do not enter fire area without proper protection including self- contained breathing apparatus and full protective equipment. Use methods for the

surrounding fire.

SDS CAD



Date of the latest revision of the safety data sheet: 11-10-2019

Supercedes: 06-10-2019

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures: No health affects expected from the clean up of this material if contact can be avoided. Follow personal protective equipment recommendations

found in Section 8 of this SDS.

Methods and materials for containment and cleaning up:

Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Dispose of according to Federal, State, Local, or Provincial regulations.

Used fluid should be disposed of at a recycling center.

7 Handling and storage

Precautions for safe handling: Conditions for safe storage: Materials to Avoid/Chemical

Mildly irritating material. Avoid unnecessary exposure.

Store in a cool dry place. Isolate from incompatible materials.

Strong oxidizing agents

Incompatibility:

8 Exposure controls/personal protection

Control parameters, including occupational exposure limit values or biological limit values and the source of those values:

Canada – Alberta – Occupational Exposure Limits:

	Occupational	Occupational	Occupational
Chemical Name	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			

Canada – British Columbia – Occupational Exposure Limits:

	Occupational	Occupational	Occupational
Chemical Name	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			

Canada – Manitoba – Occupational Exposure Limits:

	Occupational	Occupational	Occupational
Chemical Name	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			

Canada – New Brunswick – Occupational Exposure Limits:

Chemical Name Occupational Occupational Occupational
--

Material name: KLONDIKE SAE 50 CF-2 Heavy Duty Engine Oil SDS CAD Version #: 01 Issue date: 10-11-2019 3 / 14



Date of the latest revision of the safety data sheet: 11-10-2019

Supercedes: 06-10-2019

	Exposure Limits - TWAs	Exposure Limits - STELs	Exposure Limits -
No data available	IWAS	SIELS	Ceiling
Canada – Newfoundland & La	brador – Occupational Exposure L	imits:	
	Occupational	Occupational	Occupational
Chemical Name	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			
Canada – Northwest Territori	es – Occupational Exposure Limits	:	
	Occupational	Occupational	Occupational
Chemical Name	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			
Canada – Nova Scotia – Occup	pational Exposure Limits:		
	Occupational	Occupational	Occupational
Chemical Name	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			
Canada – Nunavut – Occupati	onal Exposure Limits:		
	Occupational	Occupational	Occupational
Chemical Name	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			
Canada – Ontario – Occupatio	onal Exposure Limits:		
	Occupational	Occupational	Occupational
Chemical Name	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			
Canada – Prince Edward Islan	d – Occupational Exposure Limits:		
	Occupational	Occupational	Occupational
Chemical Name	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			
Canada – Quebec – Occupatio	onal Exposure Limits:		
	Occupational	Occupational	Occupational
Chemical Name	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAEVs	STEVs	Ceiling

Material name: KLONDIKE SAE 50 CF-2 Heavy Duty Engine Oil

Version #: 01 | Issue date: 10-11-2019 | 4 / 1



Date of the latest revision of the safety data sheet: 11-10-2019

Supercedes: 06-10-2019

I No data available		
l No data available		

Canada – Saskatchewan – Occupational Exposure Limits:

	Occupational	Occupational	Occupational
Chemical Name	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			

Canada - Yukon - Occupational Exposure Limits:

	Occupational	Occupational	Occupational
Chemical Name	Exposure Limits - TWAs	Exposure Limits - STELs	Exposure Limits - Ceiling
No data available			

Chemical Name	OSHA PEL	ACGIH TLV-TWA	ACGIH STEL	IDLH
No data available				

Appropriate engineering controls:

Respirator Type(s):

Use local exhaust ventilation or other engineering controls to minimize

exposures and maintain operator comfort.

Individual protection measures, such as personal protective equipment:

Respiratory Protection: Respiratory protection may be required to avoid overexposure when

handling this product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms. None required where adequate ventilation is provided. If airborne

concentrations are above the applicable exposure limits, use

NIOSH/MSHA approved respiratory protection.

Eye and face protection: Wear safety glasses when handling this product if there is a likelihood of

contact with eyes.

Skin Protection: Where use can result in skin contact, practice good personal hygiene and

wear impervious gloves. Wash hands and other exposed areas with mild

soap and water before eating, drinking, and when leaving work.

Hand protection: Neoprene, Nitrile
General hygiene conditions: No data available

9 Physical and chemical properties

Physical state: Liquid
Colour: Brown
Odour: Mild

Odour threshold: Not determined

Material name: KLONDIKE SAE 50 CF-2 Heavy Duty Engine Oil

Version #: 01 Issue date: 10-11-2019 5 /



Date of the latest revision of the safety data sheet: 11-10-2019

Supercedes: 06-10-2019

pH: No data available

Melting point (°C): No data available No data available Freezing point (°C): No data available

Initial boiling point and boiling range

(°C):

Flash point (°C): 240

Evaporation rate: No data available Flammability, in the case of solids and No data available

gases:

Upper flammable or explosive limit, %

in air:

Lower flammable or explosive limit, %

in air:

No data available Vapour pressure: Vapour density: No data available

0.88 Relative density:

Solubility: Negligible; 0-1% Partition coefficient — n-No data available

octanol/water:

Auto-ignition temperature (°C): No data available Decomposition temperature (°C): Not determined

Viscosity: 187.4

10 Stability and reactivity

Reactivity: There are no known reactivity hazards associated with this product.

Chemical stability: Stable under normal conditions.

Possibility of hazardous reactions: None expected under standard conditions of storage.

Not established

Not established

Conditions to avoid, including static Temperatures above the high flash point of this combustible material in combination with sparks, open flames, or other sources of ignition. discharge, shock or vibration:

Moisture (will lead to product performance degradation).

Incompatible materials: Strong oxidizing agents

Hazardous decomposition products: Carbon monoxide Sulfur containing gases Nitrogen containing gases

oxides of phosphorus Hydrogen sulfide

11 Toxicological information

Information on the likely routes of exposure (inhalation, ingestion, skin

and eye contact):

Symptoms related to the physical,

chemical and toxicological

Eye contact, Ingestion, Inhalation, Skin contact

None known.

Material name: KLONDIKE SAE 50 CF-2 Heavy Duty Engine Oil



Date of the latest revision of the safety data sheet: 11-10-2019

Supercedes: 06-10-2019

characteristics:

Immediate effects from short term exposure:

Inhalation: No hazard in normal industrial use.

Skin Contact: This material is likely to be slightly irritating to skin based on animal data.

Can cause minor skin irritation, defatting, and dermatitis.

This material is likely to be non-irritating to eyes based on animal data. **Eye Contact:**

Ingestion: Estimated to be > 5.0 g/kg. No hazard in normal industrial use.

Delayed and chronic effects from long term exposure:

Carcinogenicity: Not expected to cause cancer. This product meets the IP-346 criteria of

<3% PAH's and is not considered a carcinogen by the International

Agency for Research on Cancer.

Reproductive and Developmental

Toxicity:

Mutagenicity:

Not known or reported to cause reproductive or developmental toxicity.

No data available to indicate product or any components present at

greater than 0.1% is mutagenic or genotoxic.

Skin Contact: Upon prolonged or repeated contact, can cause minor skin irritation,

defatting, and dermatitis.

Skin Absorption: Upon prolonged or repeated exposure, no hazard in normal industrial

STOT-single exposure: Based on available data, the classification criteria are not met. STOT-repeated exposure: Based on available data, the classification criteria are not met. **Aspiration hazard:** Based on available data, the classification criteria are not met.

Numerical measures of toxicity, including ATEs Based on available data, the classification criteria are not met.

12 Ecological information

Ecotoxicity (aquatic and terrestrial, if

available):

Moderate ecological hazard. This product may be dangerous to plants

and/or wildlife.

Ecological Toxicity Data:

Chemical Name	CAS registry number and any unique identifiers	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
Petroleum distillates, solvent dewaxed heavy paraffinic	64742-65-0	Aquatic EC50 (48h) Daphnia > 1000 mg/L	No data available	Aquatic LC50 (96h) Rainbow Trout > 5000 mg/L
Petroleum distillates, solvent-refined heavy paraffinic	64741-88-4	Aquatic EC50 (48h) Daphnia > 1000 mg/L	No data available	Aquatic LC50 (96h) > 5000 mg/L

Material name: KLONDIKE SAE 50 CF-2 Heavy Duty Engine Oil



Date of the latest revision of the safety data sheet: 11-10-2019

Supercedes: 06-10-2019

Residual oils (petroleum), solvent dewaxed	64742-62-7	Aquatic EC50 (48h) Daphnia > 1000 mg/L	No data available	Aquatic LC50 (96h) Rainbow Trout > 5000 mg/L
Petroleum distillates, hydrotreated heavy	64742-54-7	Aquatic EC50 (48h) Daphnia > 1000	No data available	Aquatic LC50 (96h) Rainbow Trout >
paraffinic		mg/L		5000 mg/L

Persistence and degradability: Biodegrades slowly.

Bioaccumulative potential: Bioconcentration may occur.

Mobility in soil: This material is expected to have essentially no mobility in soil. It absorbs

strongly to most soil types.

Other adverse effects: None known.

13 Disposal considerations

Information on safe handling for

Spent or discarded material is non-hazardous according to environmental regulations.

disposal and methods of disposal,

including any contaminated packaging:

14 Transport information

Transportation of Dangerous Goods by land (TDG):

UN number: Not regulated for road transport

UN Proper shipping name: Not applicable Transport hazard class(es): Not applicable Packing group: Not applicable

International carriage of dangerous goods by sea (IMDG/IMO):

UN number: Not regulated by IMDG

UN Proper shipping name: Not applicable Transport hazard class(es): Not applicable Packing group: Not applicable International carriage of dangerous goods by air (IATA):

UN number: Not regulated by IATA

UN Proper shipping name: Not applicable Transport hazard class(es): Not applicable Packing group: Not applicable

Environmental hazards according to the No

International Maritime Dangerous Goods Code and the United Nations

Model Regulations:

Transport in bulk (according to Annex II No data available

Material name: KLONDIKE SAE 50 CF-2 Heavy Duty Engine Oil



Date of the latest revision of the safety data sheet: 11-10-2019

Supercedes: 06-10-2019

of the International Convention for the Prevention of Pollution From Ships, 1973, as modified by the Protocol of 1978 (MARPOL 73/78) and the International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk (IBC Code)):

Special precautions in connection with transport or conveyance either within or outside the premises:

No data available

15 Regulatory information

Safety, health and environmental regulations, made within or outside Canada, specific to the product in question: Canada - Domestic Substances List (DSL):

Chemical Name	CAS No	Canada - Domestic Substances List (DSL)
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	Yes
Residual oils (petroleum), solvent dewaxed	64742-62-7	Yes
Petroleum distillates, solvent-refined heavy paraffinic	64741-88-4	Yes
Petroleum distillates, solvent dewaxed heavy paraffinic	64742-65-0	Yes

Canada - Non-Domestic Substances List (NDSL):

Chemical Name	CAS No	Canada - Non-Domestic Substances List (NDSL)
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
Residual oils (petroleum), solvent dewaxed	64742-62-7	No
Petroleum distillates, solvent-refined heavy paraffinic	64741-88-4	No
Petroleum distillates, solvent dewaxed heavy paraffinic	64742-65-0	No

Material name: KLONDIKE SAE 50 CF-2 Heavy Duty Engine Oil



 $\textbf{Date of the latest revision of the safety data sheet:} \quad 11\text{-}10\text{-}2019$

Supercedes: 06-10-2019

Canada - Controlled Drugs and Substances:

Chemical Name	CAS No	Schedule I	Schedule II	Schedule III	Schedule IV	Schedule V	Schedule VII	Schedule VIII
Petroleum distillates,								
hydrotreated heavy	64742-54-7	No	No	No	No	No	No	No
paraffinic								
Residual oils (petroleum),	64742-62-7	No	No	No	No	No	No	No
solvent dewaxed	04742-02-7	INO	140	INO	INO	INO	INO	INO
Petroleum distillates,								
solvent-refined heavy	64741-88-4	No	No	No	No	No	No	No
paraffinic								
Petroleum distillates,								
solvent dewaxed heavy	64742-65-0	No	No	No	No	No	No	No
paraffinic								

Chemical Name	CAS No	Class A Precursors	Class B Precursors	Exempt Precursors	Class 1 Targeted Substances	Class 2 Targeted Substances
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No	No	No	No	No
Residual oils (petroleum), solvent dewaxed	64742-62-7	No	No	No	No	No
Petroleum distillates, solvent-refined heavy paraffinic	64741-88-4	No	No	No	No	No
Petroleum distillates, solvent dewaxed heavy paraffinic	64742-65-0	No	No	No	No	No

Canada - CEPA - Schedule III Export Control List:

SDS CAD



Date of the latest revision of the safety data sheet: 11-10-2019

Supercedes: 06-10-2019

Chemical Name	CAS No	Part 1 Prohibited Substances	Part 2 Substances Subject to Notification or Consent	Part 3 Restricted Substances	Export Control List
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No	No	No	No
Residual oils (petroleum), solvent dewaxed	64742-62-7	No	No	No	No
Petroleum distillates, solvent-refined heavy paraffinic	64741-88-4	No	No	No	No
Petroleum distillates, solvent dewaxed heavy paraffinic	64742-65-0	No	No	No	No

Canada CEPA - 2015 Greenhouse Gases (GHG) Subject to Mandatory Reporting:

Chemical Name	CAS No	Canada CEPA - 2015 Greenhouse Gases (GHG) Subject to Mandatory Reporting
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
Residual oils (petroleum), solvent dewaxed	64742-62-7	No
Petroleum distillates, solvent-refined heavy paraffinic	64741-88-4	No
Petroleum distillates, solvent dewaxed heavy paraffinic	64742-65-0	No

Canada - Narcotic Control Regulations (C.R.C., c. 1041):

Chemical Name	CAS No	Canada - Narcotic Control Regulations (C.R.C., c. 1041)
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
Residual oils (petroleum), solvent	64742-62-7	No

Material name: KLONDIKE SAE 50 CF-2 Heavy Duty Engine Oil



Date of the latest revision of the safety data sheet: 11-10-2019

Supercedes: 06-10-2019

dewaxed		
Petroleum distillates, solvent-refined heavy paraffinic	64741-88-4	No
Petroleum distillates, solvent dewaxed heavy paraffinic	64742-65-0	No

Canada - Ontario - Toxics Reduction - List of Priority Toxics:

Chemical Name	CAS No	Canada - Ontario - Toxics Reduction - List of Priority Toxics
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
Residual oils (petroleum), solvent dewaxed	64742-62-7	No
Petroleum distillates, solvent-refined heavy paraffinic	64741-88-4	No
Petroleum distillates, solvent dewaxed heavy paraffinic	64742-65-0	No

Stockholm Convention on Persistent Organic Pollutants:

Chemical Name	CAS No	Stockholm Convention on Persistent Organic Pollutants
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
Residual oils (petroleum), solvent dewaxed	64742-62-7	No
Petroleum distillates, solvent-refined heavy paraffinic	64741-88-4	No
Petroleum distillates, solvent dewaxed heavy paraffinic	64742-65-0	No

Rotterdam Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in International Trade:

Chemical Name	CAS No	Rotterdam Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in International Trade.
Petroleum distillates, hydrotreated	64742-54-7	No



Date of the latest revision of the safety data sheet: 11-10-2019

Supercedes: 06-10-2019

heavy paraffinic		
Residual oils (petroleum), solvent	64742-62-7	No
dewaxed	04/42-02-7	NO
Petroleum distillates, solvent-refined	64741-88-4	No
heavy paraffinic	04/41-08-4	NO
Petroleum distillates, solvent dewaxed	64742-65-0	No
heavy paraffinic	04/42-05-0	INO

(United Nations) - Kyoto Protocol - Convention on Climate Change - Greenhouse Gases (GHGs):

Chemical Name	CAS No	(United Nations) - Kyoto Protocol - Convention on Climate Change - Greenhouse Gases (GHGs)
Petroleum distillates, hydrotreated	64742-54-7	No
heavy paraffinic		
Residual oils (petroleum), solvent	64742-62-7	No
dewaxed		
Petroleum distillates, solvent-refined	64741-88-4	No
heavy paraffinic		
Petroleum distillates, solvent dewaxed	64742-65-0	No
heavy paraffinic		

Montreal Protocol on Substances that Deplete the Ozone Layer:

Chemical Name	CAS No	Montreal Protocol on Substances that Deplete the Ozone Layer
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
Residual oils (petroleum), solvent dewaxed	64742-62-7	No
Petroleum distillates, solvent-refined heavy paraffinic	64741-88-4	No
Petroleum distillates, solvent dewaxed heavy paraffinic	64742-65-0	No

Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and their Disposal.:

Chemical Name	CAS No	Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and their Disposal.
Petroleum distillates, hydrotreated	64742-54-7	No

Material name: KLONDIKE SAE 50 CF-2 Heavy Duty Engine Oil



Date of the latest revision of the safety data sheet: 11-10-2019

Supercedes: 06-10-2019

heavy paraffinic		
Residual oils (petroleum), solvent	64742-62-7	No
dewaxed	04/42-02-/	NO
Petroleum distillates, solvent-refined	64741-88-4	No
heavy paraffinic	64741-88-4	NO
Petroleum distillates, solvent dewaxed	64742-65-0	No
heavy paraffinic	04/42-05-0	NO

16 Other information

Date of the latest revision of the safety

data sheet:

Disclaimer:

Revision Number: 15

Reason for revision:

11-10-2019

Activated by Document Formulation Generation

This safety data sheet and the information it contains is offered to you in good faith as accurate. We have reviewed any information contained in the data sheet which we have received from outside sources and we believe the information to be correct, but cannot guarantee its accuracy or completeness. Health and safety precautions in this data sheet may not be adequate for all individuals and/or situations. It is the user's obligation to evaluate and use this product in a safe manner and to comply with all applicable laws and regulations. No statement made in this data sheet shall be construed as permission or recommendation for the use of any product in a manner that might infringe existing patents.

No warranty is made, either expressed or implied.

Material name: KLONDIKE SAE 50 CF-2 Heavy Duty Engine Oil