

Date of the latest revision of the safety data sheet: 08-08-2019

**Supercedes:** 08-08-2019

# KLONDIKE SAE 75W-140 Full Synthetic Gear Lubricant

1 Identification

**Product Identifier:** KLONDIKE SAE 75W-140 Full Synthetic Gear Lubricant

**Stock Number:** 

Other means of identification: No data available

Synonyms:

Recommended use and restrictions on use: Gear Oil

Recommended use: Uses other than those described above KLONDIKE

Restrictions on use: **Lubricants Corporation Initial Supplier Identifier:** 3078 275th Street Langley, BC, V4W 3L4

Canada

General information 1-877-293-4691

info@klondikelubricants.com Tel No.:

Email: Chemtrec (Within US) 1-800-424-9300 Chemtrec

**Emergency telephone number and any** 

restrictions on the use of that number,

if applicable:

(International) 1-703-527-3887

#### 2 Hazard identification

#### Classification of the hazardous product:

Not classified under GHS

**Hazard statements:** Not applicable

Other hazards known to the supplier with respect to the hazardous product:

Physical hazards not otherwise

None known.

classified

Health hazards not otherwise classified None known.

## 3 Composition/information on ingredients

Chemical Name	Common name and synonyms	CAS registry number and any unique identifiers	Concentration
Petroleum distillates, solvent-refined heavy paraffinic	No data available		0.1 - 1
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	No data available	72623-87-1	30 - 60



Date of the latest revision of the safety data sheet: 08-08-2019

**Supercedes:** 08-08-2019

4 First-aid measures

**Inhalation:** This material does not present a hazard if inhaled. Remove individual to

fresh air after an airborne exposure if any symptoms develop, as a

precautionary measure.

**Eye contact:**No data available
Skin Contact:
No data available

**Ingestion:** No hazard in normal industrial use. Do not induce vomiting. Seek medical

attention if symptoms develop. Provide medical care provider with this

SDS.

The most important symptoms and effects, whether acute or delayed:

None known.

An indication of immediate medical attention and special treatment

attention and special treat

needed, if necessary:

No additional first aid information available.

5 Fire-fighting measures

**Suitable extinguishing media:** Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting

fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the

fire. Do not direct a stream of water into the hot burning liquid.

Unsuitable extinguishing media: No data available

Specific hazards arising from the

hazardous product, such as the nature

of any hazardous combustion:

**Hazardous Combustion Products:** 

Special protective equipment and precautions for firefighters:

Material may be ignited only if preheated to temperatures above the

high flash point, for example in a fire.

Carbon dioxide, Carbon monoxide

Do not enter fire area without proper protection including self- contained

breathing apparatus and full protective equipment. Use methods for the

surrounding fire.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures:

No health affects expected from the clean up of this material if contact can be avoided. Follow personal protective equipment recommendations

found in Section 8 of this SDS.

Methods and materials for containment

and cleaning up:

Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a

minimum. Dike with suitable absorbent material like granulated clay.



Date of the latest revision of the safety data sheet: 08-08-2019

**Supercedes:** 08-08-2019

Dispose of according to Federal, State, Local, or Provincial regulations. Used fluid should be disposed of at a recycling center.

7 Handling and storage

**Precautions for safe handling:** 

No special handling instructions due to toxicity.

Conditions for safe storage:

Store in a cool dry place. Isolate from incompatible materials.

**Materials to Avoid/Chemical** 

Strong oxidizing agents

Incompatibility:

#### 8 Exposure controls/personal protection

Control parameters, including occupational exposure limit values or biological limit values and the source of those values:

#### Canada – Alberta – Occupational Exposure Limits:

	Occupational	Occupational	Occupational
Chemical Name	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			

#### Canada – British Columbia – Occupational Exposure Limits:

	Occupational	Occupational	Occupational
Chemical Name	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			

## Canada – Manitoba – Occupational Exposure Limits:

Chemical Name	Occupational	Occupational	Occupational
	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			

#### **Canada – New Brunswick – Occupational Exposure Limits:**

Chemical Name	Occupational	Occupational	Occupational
	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			

#### Canada – Newfoundland & Labrador – Occupational Exposure Limits:

Chemical Name	Occupational	Occupational	Occupational
	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			

Material name: KLONDIKE SAE 75W-140 Full Synthetic Gear Lubricant



Date of the latest revision of the safety data sheet: 08-08-2019

**Supercedes:** 08-08-2019

Canada - Northwest	Territories - Occur	pational Exposure	Limits:
--------------------	---------------------	-------------------	---------

Chemical Name	Occupational	Occupational	Occupational
	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			

## **Canada – Nova Scotia – Occupational Exposure Limits:**

	Occupational	Occupational	Occupational
Chemical Name	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			

## **Canada – Nunavut – Occupational Exposure Limits:**

Chemical Name	Occupational Exposure Limits -	Occupational Exposure Limits -	Occupational Exposure Limits -
	TWAs	STELs	Ceiling
No data available			

## **Canada – Ontario – Occupational Exposure Limits:**

Chemical Name	Occupational	Occupational	Occupational
	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			

## Canada – Prince Edward Island – Occupational Exposure Limits:

	Occupational	Occupational	Occupational
Chemical Name	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			

## Canada – Quebec – Occupational Exposure Limits:

	Occupational	Occupational	Occupational
Chemical Name	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAEVs	STEVs	Ceiling
No data available			

## Canada – Saskatchewan – Occupational Exposure Limits:

Chemical Name	Occupational	Occupational	Occupational
	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			

#### **Canada - Yukon – Occupational Exposure Limits:**

Chemical Name	Occupational	Occupational	Occupational

Material name: KLONDIKE SAE 75W-140 Full Synthetic Gear Lubricant



Date of the latest revision of the safety data sheet: 08-08-2019

**Supercedes:** 08-08-2019

	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			

Chemical Name	OSHA PEL	ACGIH TLV-TWA	<b>ACGIH STEL</b>	IDLH
No data available				

**Appropriate engineering controls:** No engineering controls are likely to be required to maintain operator

comfort under normal conditions of use.

Individual protection measures, such as personal protective equipment:

**Respiratory Protection:** No respiratory protection required under normal conditions of use. **Respirator Type(s):** None required where adequate ventilation is provided. If airborne

concentrations are above the applicable exposure limits, use

NIOSH/MSHA approved respiratory protection.

**Eye and face protection:**No data available

**Skin Protection:** Not normally considered a skin hazard. Where use can result in skin

contact, practice good personal hygiene. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving

work.

Hand protection: Nitrile

**General hygiene conditions:** No data available

## 9 Physical and chemical properties

Physical state:LiquidColour:BeigeOdour:Mild

Odour threshold:

PH:

No data available

Melting point (°C):

No data available

(°C):

Flash point (°C): 232

**Evaporation rate:**No data available **Flammability, in the case of solids and**No data available

gases:

Upper flammable or explosive limit, %

in air:

osive limit, % Not established

Lower flammable or explosive limit, % Not established

Material name: KLONDIKE SAE 75W-140 Full Synthetic Gear Lubricant



Date of the latest revision of the safety data sheet: 08-08-2019

**Supercedes:** 08-08-2019

in air:

Vapour pressure:No data availableVapour density:No data available

Relative density: 0.85

Solubility: Negligible; 0-1%

Partition coefficient — n- 3.9

octanol/water:

Auto-ignition temperature (°C): No data available Decomposition temperature (°C): Not determined

Viscosity: 171.8

10 Stability and reactivity

**Reactivity:** There are no known reactivity hazards associated with this product.

**Chemical stability:** Stable under normal conditions.

**Possibility of hazardous reactions:** None expected under standard conditions of storage.

Conditions to avoid, including static

Temperatures above the high flash point of this combustible material in

**discharge, shock or vibration:** combination with sparks, open flames, or other sources of ignition.

**Incompatible materials:** Strong oxidizing agents

Hazardous decomposition products: No data available

11 Toxicological information

Information on the likely routes of

exposure (inhalation, ingestion, skin

and eye contact):

Symptoms related to the physical,

chemical and toxicological

characteristics:

Eye contact, Inhalation, Ingestion, Skin contact

None known.

Immediate effects from short term exposure:

**Inhalation:** No hazard in normal industrial use.

**Skin Contact:** Likely to be non-irritating to skin based on animal data.

**Eye Contact:** This material is likely to be non-irritating to eyes based on animal data.

**Ingestion:** Estimated to be > 5.0 g/kg. No hazard in normal industrial use.

Delayed and chronic effects from long term exposure:

Carcinogenicity: Not expected to cause cancer. This product meets the IP-346 criteria of

<3% PAH's and is not considered a carcinogen by the International

Agency for Research on Cancer.

**Reproductive and Developmental** 

**Toxicity:** 

Not known or reported to cause reproductive or developmental toxicity.

Mutagenicity: No data available to indicate product or any components present at



Date of the latest revision of the safety data sheet: 08-08-2019

**Supercedes:** 08-08-2019

greater than 0.1% is mutagenic or genotoxic.

**Skin Contact:** Unlikely to cause irritation even on repeated contact.

**Skin Absorption:** Upon prolonged or repeated exposure, no hazard in normal industrial

use.

STOT-single exposure:

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Aspiration hazard:

Based on available data, the classification criteria are not met.

Numerical measures of toxicity, including ATEs Based on available data, the classification criteria are not met.

## 12 Ecological information

Ecotoxicity (aquatic and terrestrial, if

available):

Slight ecological hazard. In high concentrations, this product may be

dangerous to plants and/or wildlife.

## **Ecological Toxicity Data:**

Chemical Name	CAS registry	Aquatic EC50	Aquatic ERC50	Aquatic LC50 Fish
	number and any	Crustacea	Algae	
	unique identifiers			
Lubricating oils	72623-87-1	Aquatic EC50 (48h)	No data available	Aquatic LC50 (96h)
(petroleum), C20-50,		Daphnia > 1000		> 5000 mg/L
hydrotreated neutral oil-		mg/L		
based				

Persistence and degradability: No data available

**Bioaccumulative potential:** Bioconcentration is not expected to occur.

**Mobility in soil:** This material is expected to have essentially no mobility in soil. It absorbs

strongly to most soil types.

Other adverse effects: None known.

#### 13 Disposal considerations

Information on safe handling for disposal and methods of disposal, including any contaminated packaging:

Spent or discarded material is non-hazardous according to environmental

regulations.

# 14 Transport information

#### **Transportation of Dangerous Goods by land (TDG):**

**UN number:** Not regulated for road transport

UN Proper shipping name:

Transport hazard class(es):

Packing group:

Not applicable

Not applicable



Date of the latest revision of the safety data sheet: 08-08-2019

**Supercedes:** 08-08-2019

#### International carriage of dangerous goods by sea (IMDG/IMO):

**UN number:** Not regulated by IMDG

**UN Proper shipping name:** Not applicable Transport hazard class(es): Not applicable Packing group: Not applicable

International carriage of dangerous goods by air (IATA):

**UN number:** Not regulated by IATA

**UN Proper shipping name:** Not applicable Transport hazard class(es): Not applicable Packing group: Not applicable

Environmental hazards according to the No

**International Maritime Dangerous Goods Code and the United Nations** 

**Model Regulations:** 

Transport in bulk (according to Annex II No data available

of the International Convention for the Prevention of Pollution From Ships, 1973, as modified by the Protocol of

1978 (MARPOL 73/78) and the

**International Code for the Construction** 

and Equipment of Ships carrying

**Dangerous Chemicals in Bulk (IBC** 

Code)):

Special precautions in connection with

transport or conveyance either within

or outside the premises:

No data available

#### 15 Regulatory information

Safety, health and environmental regulations, made within or outside Canada, specific to the product in question: Canada - Domestic Substances List (DSL):

Chemical Name	CAS No	Canada - Domestic Substances List (DSL)
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	72623-87-1	Yes

#### Canada - Non-Domestic Substances List (NDSL):



**Date of the latest revision of the safety data sheet:** 08-08-2019

**Supercedes:** 08-08-2019

Chemical Name	CAS No	Canada - Non-Domestic Substances List (NDSL)
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	72623-87-1	No

## **Canada - Controlled Drugs and Substances:**

Chemical Name	CAS No	Schedule	Schedule II	Schedule III	Schedule IV	Schedule V	Schedule VII	Schedule VIII
Lubricating oils		'	"	111	IV	V	VII	VIII
(petroleum), C20-50,	72623-87-1	No	No	No	No	No	No	No
hydrotreated neutral oil-								
based								

Chemical Name	CAS No	Class A Precursors	Class B Precursors	Exempt Precursors	Class 1 Targeted Substances	Class 2 Targeted Substances
Lubricating oils (petroleum), C20-50, hydrotreated neutral oilbased	72623-87-1	No	No	No	No	No

## Canada - CEPA - Schedule III Export Control List:

Chemical Name	CAS No	Part 1 Prohibited Substances	Part 2 Substances Subject to Notification or Consent	Part 3 Restricted Substances	Export Control List
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil- based	72623-87-1	No	No	No	No

# Canada CEPA - 2015 Greenhouse Gases (GHG) Subject to Mandatory Reporting:

Chemical Name	CAS No	Canada CEPA - 2015 Greenhouse Gases (GHG) Subject to Mandatory Reporting
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	72623-87-1	No



Date of the latest revision of the safety data sheet: 08-08-2019

**Supercedes:** 08-08-2019

## Canada - Narcotic Control Regulations (C.R.C., c. 1041):

Chemical Name	CAS No	Canada - Narcotic Control Regulations (C.R.C., c. 1041)
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	72623-87-1	No

#### **Canada - Ontario - Toxics Reduction - List of Priority Toxics:**

Chemical Name	CAS No	Canada - Ontario - Toxics Reduction - List of Priority Toxics
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	72623-87-1	No

## **Stockholm Convention on Persistent Organic Pollutants:**

Chemical Name	CAS No	Stockholm Convention on Persistent Organic Pollutants
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	72623-87-1	No

# Rotterdam Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in International Trade:

Chemical Name	CAS No	Rotterdam Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in International Trade.
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	72623-87-1	No

#### (United Nations) - Kyoto Protocol - Convention on Climate Change - Greenhouse Gases (GHGs):

Chemical Name	CAS No	(United Nations) - Kyoto Protocol - Convention on Climate Change - Greenhouse Gases (GHGs)
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	72623-87-1	No

## Montreal Protocol on Substances that Deplete the Ozone Layer:

Chemical Name	CAS No	Montreal Protocol on Substances that Deplete the Ozone Layer
Lubricating oils (petroleum), C20-50,	72623-87-1	No

Material name: KLONDIKE SAE 75W-140 Full Synthetic Gear Lubricant Version #: 01 | Issue date: 08-08-2019



Date of the latest revision of the safety data sheet: 08-08-2019

**Supercedes:** 08-08-2019

hydrotreated neutral oil-based	

#### Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and their Disposal.:

Chemical Name	CAS No	Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and their Disposal.
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	72623-87-1	No

#### 16 Other information

Date of the latest revision of the safety

data sheet:

Revision Number:

Reason for revision:

Disclaimer:

08-08-2019

32

Activated by Document Formulation Generation

This safety data sheet and the information it contains is offered to you in good faith as accurate. We have reviewed any information contained in the data sheet which we have received from outside sources and we believe the information to be correct, but cannot guarantee its accuracy or completeness. Health and safety precautions in this data sheet may not be adequate for all individuals and/or situations. It is the user's obligation to evaluate and use this product in a safe manner and to comply with all applicable laws and regulations. No statement made in this data sheet shall be construed as permission or recommendation for the use of any product in a manner that might infringe existing patents.

No warranty is made, either expressed or implied.

Material name: KLONDIKE SAE 75W-140 Full Synthetic Gear Lubricant