







# EZE-KEG

# EASY ON YOUR WALLET. EASY ON YOUR BACK. Save EHC fees with KLONDIKE EZE-KEG.

KLONDIKE EZE-KEG is a new 52L keg which allows for cost savings from EHC fees.

Lighter than the competitive keg products, it is also easier to move around.

With an easy-to-pour valve and a convenient handle,

EZE-KEG makes an oil change fast and efficient.

# Purchase 6 EZE-KEGS (minimum of 3 synthetic) and get 1 stand and 2 jugs free.

Effective, maneuverable and space-saving design

Zero product contamination

Efficient and inventory optimizing size

KLONDIKE EZE-KEG PRODUCT	PART #
• 15W-40 CK-4 Heavy Duty Engine Oil EZE-KEG	KL-HD0584
• 5W-20 Synthetic Blend Engine Oil EZE-KEG	KL-LD1084
• 5W-30 Synthetic Blend Engine Oil EZE-KEG	KL-LD1284
OW-20 dexos1® Full Synthetic Engine Oil EZE-KEG	KL-LD3084
• 5W-20 Full Synthetic Engine Oil EZE-KEG	KL-LD3284
• 5W-30 dexos1® Full Synthetic Engine Oil EZE-KEG	KL-LD3484
• 5W-40 Euro Full Synthetic Engine Oil EZE-KEG	KL-LD5084
ATF Universal Full Synthetic EZE-KEG	KL-TF3084



## SAVE WITH KLONDIKE'S NEW **COMMERCIAL FORMULA RANGE**



#### **SAE 15W-40 CK-4 COMMERCIAL FORMULA HEAVY DUTY ENGINE OIL**

SAE 15W-40 CK-4 Commercial Formula Heavy Duty Engine Oil is a mixed fleet engine oil recommended for naturally aspirated and turbocharged diesel and gasoline engines in which SAE 15W-40 viscosity grade and API CK-4 or previous service categories are specified.


SAE 15W-40 CK-4 Commercial Formula Heavy Duty Engine Oil is a premium engine oil engineered to deliver outstanding wear protection and performance in heavy duty diesel engines. Formulated with virgin base oils and carefully balanced additive technology, this advanced engine oil delivers outstanding longterm performance for on and off-highway heavy duty engine applications operating under high-load, high-stress conditions in all climates.



#### **COMMERCIAL FORMULA AW HYDRAULIC FLUIDS:** ISO 22, 32, 46, 68

Commercial Formula Anti-Wear Hydraulic Fluids are designed for commercial and industrial hydraulic systems.

Commercial Formula Anti-Wear Hydraulic Fluids are formulated using refined base oils and high performance additive technology. This shear stable fluid resists viscosity breakdown in the presence of heavy mechanical stress, high temperature, and high pressure. Premium AW additive technology uses anti-wear and friction modifying chemistry to achieve outstanding results in all key hydraulic component wear tests as well as demulsifier, rust inhibitor, and anti-foam agents for reliable performance.











KL-HD0799



# **EUROPEAN FULL SYNTHETIC ENGINE OILS**





#### SAE OW-20 EURO FULL SYNTHETIC ENGINE OIL

SAE 0W-20 Euro Full Synthetic **Engine Oil** is formulated and specifically recommended for the lubrication of modern European gasoline and diesel engines including TDI and common rail turbo diesel designs. Specifications where KLONDIKE SAE 0W-20 Euro Full Synthetic Engine Oil is recommended for use includes (but not limited to):

- ACEA A1/B1
- Porsche C20
- VW 508.00/509.00
- VW TL 52577

#### **SAE 5W-30 EURO LOW SAPS FULL SYNTHETIC ENGINE OIL**

SAE 5W-30 Euro Low SAPS Full Synthetic Engine Oil is recommended for use in (but not limited to):

- ACEA C3, C2
- BMW Longlife-04
- Fiat 9.55535-S1
- MB 229.51
- Porsche C30
- VW 504.00/507.00 (VW Longlife III)

#### **SAE 5W-30 EURO MID SAPS FULL SYNTHETIC ENGINE OIL**

SAE 5W-30 Euro Mid SAPS Full Synthetic Engine Oil is recommended for use in (but not limited to):

- ACEA: C3
- API: SN
- BMW: LONGLIFE-04
- MB: 229.52; MB: 229.51 (supersedes 229.31)
- GM dexos2™
- VW: 505.00; VW: 505.01 (supersedes VW 502.00)

#### **SAE 5W-40 EURO MID SAPS FULL SYNTHETIC ENGINE OIL**

SAE 5W-40 Euro Mid SAPS Full Synthetic Engine Oil is recommended for use in (but not limited to):

- ACEA: C3
- API: SN/CF
- BMW: LONGLIFE-04
- FORD: WSS-M2C917-A
- MB: 226.5
- MB: 229.31
- MB: 229.51
- GM dexos2™
- PORSCHE: A40
- RENAULT: RN 0700
- RENAULT: RN 0710
- VW: 502 00
- VW: 505 00
- VW: 505 01
- FIAT: 9.55535-S2



1 L BOTTLE



KL-LD4660

















KL-LD5290

KL-LD4840 KL-LD4860 KL-LD4890 KL-LD5240







KL-LD4640

KL-LD4695



KL-LD4699





KL-LD4895 KL-LD4899





# **2020 NEW PRODUCTS**



#### **SAE 10W-30 FA-4 SYNTHETIC BLEND HEAVY DUTY ENGINE OIL**

SAE 10W-30 FA-4 Synthetic Blend is recommended for use in GHG-17 compliant engines where the use of FA-4 engine oils is specified. It is now being factory filled in some of the latest model on-highway trucks.

Great option for On-Highway Fleets with newer model trucks that specify 10W-30 FA-4.



#### ISO 220 FULL SYNTHETIC CIRCULATING COMPRESSOR **TURBINE OIL**

ISO 220 Full Synthetic Circulating Oil is a full synthetic multi-functional industrial oil. Excels as a high performance, long life lubricant in circulating, compressor, and turbine applications in the appropriate viscosity grade.

This product is used in some vac trucks, blowers, rotary screw, rotary vane, reciprocating, and other heavy-duty compressors, and can also be used as a premium turbine oil.



#### **ISO 460 FULL SYNTHETIC CIRCULATING COMPRESSOR TURBINE OIL**

ISO 460 Full Synthetic Circulating Oil is a full synthetic multi-functional industrial oil. Excels as a high performance, long life lubricant in circulating, compressor, and turbine applications in the appropriate viscosity grade.

This product is used in some vac trucks, blowers, rotary screw, rotary vane, reciprocating, and other heavy-duty compressors, and can also be used as a premium turbine oil.



#### **TYPE F AUTOMATIC** TRANSMISSION FLUID

**TYPE-F Automatic Transmission** Fluid is a non-friction modified fluid designed for use in older Ford vehicles. TYPE-F Transmission Fluid has other industrial uses including transfer cases, gear boxes, power steering pumps, and industrial hydraulic and hydrostatic systems.

Great target market for this product is winter resorts with equipment that run Type F in the hydrostatic equipment, for example the Snowcats.















KL-HF9295 KL-HF9280 KL-HF9290



KL-HF9495







KL-TF0880 KL-TF0890 KL-TF0895







### **2020 NEW PRODUCTS**



#### **SAE 40 EXTENDED SERVICE FULL SYNTHETIC** TRANSMISSION FLUID

SAE 40 Full Synthetic Extended **Service Transmission Lubricant** is a heavy duty transmission fluid specially formulated for extended drain applications and severe operating conditions.

New truck fleets will start to see the new SAE 40 Extended Service Full Synthetic product recommended for their trucks.



#### **2-CYCLE FULL SYNTHETIC** SNOWMOBILE ENGINE OIL

2-Cycle Full Synthetic Snowmobile Éngine Oil is a is a premium lubricant formulated for use in modern snowmobiles (Arctic-Cat, Polaris, Yamaha, Ski-Doo), motorcycles, scooters, ATV's, and other powersport engines.

The target market for this high performance forumation is all powersport rental fleets, service garages or single machine owners.



#### nano CALCIUM SULFONATE **EP-2 GREASE**

#### KLONDIKE nano Calcium Sulfonate EP-2 Grease

offers outstanding extreme pressure properties, corrosion and oxidation protection, and stable performance in applications exposed to high levels of moisture. Proprietary IF-WS, nanotechnology creates an unparalleled protective nanoparticle layer on load bearing surfaces for reduced friction, heat, and metallic wear while increasing operating efficiency.

This high performance grease is great for mixed fleets operating in wet conditions or looking for a grease that can cover multiple applications.



nKL-GR4830 nKL-GR4880



#### **RUST BLAST** PENETRATING LUBRICANT

Rust Blast is a professional strength, fast acting, penetrating lubricant. Powerful penetrating action blasts through rust and corrosion to loosen and lubricate stuck parts.

All shops can benefit from having a can or two of KLONDIKE Rust Blast around the shop!







KL-TF3980 KL-TF3990 KL-TF3995



KL-TF3999



KL-106240 KI -106260





KL-CH4030



### **2020 NEW PRODUCTS**



### ENVIRO AW 22, 32, 46, 68 INHERENTLY BIODEGRADABLE HYDRAULIC FLUIDS

ENVIRO AW 22, 32, 46, 68 Inherently Biodegradable Hydraulic Fluids are inherently biodegradable, non-toxic, environmentally friendly, with high dielectric strength. These fluids are recommended for vane, piston, or gear-type hydraulic pumps in heavy duty and industrial service where ISO 22, 32, 46, 68 viscosity are specified. They can be used in place of (and mixed with) standard AW hydraulic oils.

**KLONDIKE ENVIRO AW** is a great opportunity for construction companies or other mixed fleets working in environmentally sensitive areas or service companies working on other property owners land looking for an economical biodegradable option. Labels are provided with these products for the fleet to use on their vehicles to demonstrate they are using a biodegrable oil.





### ENVIRO MV 32, 46 INHERENTLY BIODEGRADABLE HYDRAULIC FLUIDS

**ENVIRO MV 32 and 46 Inherently Biodegradable Hydraulic Fluids** are zinc free, inherently biodegradable, environmentally friendly, long life hydraulic fluids designed for high performance applications in mobile and stationary specified. The ENVIRO MV Hydraulics are specifically good for all season usage and where high viscosity indexes are recommended.

**KLONDIKE ENVIRO MV** products are great for all season use in mixed fleets working near environmentally sensitive areas or for equipment recommending Zinc-Free hydraulic oils.





### **2020 NEW PRODUCTS**



### BIO AW 32, 46 / BIO AW 46 SYNTHETIC BLEND READILY BIODEGRADABLE HYDRAULIC FLUIDS

BIO AW 32 and 46 Readily Biodegradable Hydraulic Fluids are non-toxic, ashless fluids designed for high performance hydraulic systems in mobile and stationary equipment where ISO 32 and 46 viscosity are specified. These vegetable-based non-toxic fluids effectively replace conventional hydraulic oils in any application where possible oil leakage may lead to undesirable, negative environmental impact.

This is a great option for those required to use a readily biodegradle hydraulic oil because of work in an environmentally sensitive area.

KLONDIKE BIO AW 46 Synthetic Blend Hydraulic Fluid is readily biodegradable, non-toxic, high performance hydraulic oils that meet industry requirements for environmentally acceptable lubricants (EAL). These advanced fluids are designed to give maximum protection and performance in hydraulic equipment used in environmentally sensitive areas.


This is a great option for those required to use a readily biodegradle hydraulic oil because of work in an environmentally sensitive area but also requires performance at lower temperatures.





#### BIO ROCK DRILL AW 100, 150 READILY BIODEGRADABLE FLUIDS

BIO Rock Drill Readily Biodegradable Oil is specially formulated to lubricate and cool the internal mechanisms and moving parts of pneumatic drilling equipment. This advanced fluid provides reliable and efficient performance in extreme conditions for increased productivity and long equipment life. This also is suitable for use in environmetally sensitive areas.

Great target users would be drilling companies working on public projects or in environmentally sesnitive areas.









# 2020 NEW PRODUCTS / PACKAGE SIZES



#### SAE OW-16 FULL SYNTHETIC ENGINE OIL

#### **KLONDIKE SAE 0W-16 Full Synthetic Engine**

Oil is a state-of-the-art, advanced technology. 100% synthetic engine oil which provides the highest level of engine protection available, even under the most severe operating conditions.

Select newer models of Toyota's and Honda's are now requiring this grade of engine oil.



#### 2-CYCLE UNIVERSAL **ENGINE OIL**

2-Cycle Universal Engine Oil is a premium low ash formula that promotes internal engine cleanliness and prolongs spark plug life in outdoor power equipment such as chain saws, trimmers, blowers and other machinery. It is available in the conveinent 236mL and 473mL package sizes with the mix ratios for premix gas on the back of the bottle.

Landscaping companies or home owners find these new package sizes conveinent and more user friendly.



#### **ULTRA TAC EP-2 GREASE**

Ultra-Tac EP-2 is designed for extreme duty use in a wide variety of industrial, on- and off-road vehicle, and heavy equipment applications where NLGI 2 is specified. NLGI GC-LB certified. It is now available in a 4 pound tub which easier to move and takes up less space than full size pails.

This is a great package size for mobile mechanics, shops maunally greasing bearings or any smaller users looking for a easy re-sealable container size.




#### **GREASE BLAST** CLEANER/DEGREASER

Grease Blast is a versatile, nonflammable, powerpacked, highly effective degreaser for professional use and it is certified biodegradable. The new ready-to-use premixed spray bottle is re-fillable so the user can purchase the concentrate and re-fill the sprayer for continual use.

All shops can benefit from having a great degreaser and general cleaner like KLONDIKE's Grease Blast around the shop!

















### **2020 NEW PACKAGE SIZES**



### 15W-40 CK-4 HEAVY DUTY ENGINE OIL

KLONDIKE's OEM Certified SAE 15W-40 CK-4 is now in stock in a convenient 9.46L jug. This makes the product available in 10 different package sizes!

This is a great product to target the agriculture market due to the increasing mid-size tractor market. With its sealable lid and easier to maneuver size, it is also a great option for top-ups onsite across all industries.



#### AW 32 Hydraulic fluid

AW 32 Advanced Formula Hydraulic Fluid is a long life formula with a 8000 hour oxidation hour rating! It is now available in the new convenient 9.46L jug.

This is a great product to target the industrial forklift and machinery market due to some of the smaller reservoirs. It is also a great option for top-ups onsite across all industries due to the sealable lid and easier to maneuver size.



### UNIVERSAL TRACTOR HYDRAULIC FLUID

**Universal Tractor Fluid is** the one single fluid that may be used to lubricate all conventional points on an agricultural or industrial tractor or piece of mobile equipment with a common sump. It is no available in the new 9.46L jug size.

This is a great product to target the agriculture market with due to the increasing mid-size tractor market. It is also a great option for top-ups onsite across all industries due to the sealable lid and easier to maneuver size.









15 Million Litres in Stock throughout All 13 Provinces and Territories

#### **KLONDIKE** Lubricants Corporation

1-877-293-4691 • info@klondikelubricants.com • www.klondikelubricants.com

