



KLONDIKE®

100 NEW PERFORMANCE-DRIVEN LUBRICANTS

# DRIVING YOUR BUSINESS GROWTH 2021





## 2021 NEW PRODUCTS



### DOT 3 AND DOT 5.1 UNIVERSAL SYNTHETIC BRAKE FLUID

**DOT 3 Synthetic Brake Fluid** is designed for hydraulically actuated brake and clutch systems in passenger cars, light trucks and other motor vehicles where the use of brake fluid meeting DOT 3 is specified.

**DOT 5.1 Universal Synthetic Brake Fluid** is designed for hydraulically actuated brake and clutch systems where the use of DOT 3, DOT 4, DOT 4 LV, DOT 5.1, DOT 5.1 LV, or DOT 5 EHV is specified.

Target users include the latest generation full electric and electric hybrid vehicles where low conductivity is essential, as well as high performance European vehicles.



500 mL Bottle  
KL-CH1034



1 L Bottle  
KL-CH1040



500 mL Bottle  
KL-CH1434



1 L Bottle  
KL-CH1440



### POWER STEERING FLUID

**KLONDIKE Power Steering Fluid** is used in the protection of power steering systems in automobiles, trucks, and heavy equipment using a fluid of this type.

It is specially formulated for many foreign and domestic vehicles.



473 mL Bottle  
KL-CH2032



QUART  
KL-CH2040



### KLONDIKE SAE 75W-80 GL-4 SYNCHROMESH FULL SYNTHETIC MANUAL TRANSMISSION FLUID

**KLONDIKE SAE 75W-80 GL-4 Synchronmesh Full Synthetic Manual Transmission Fluid** is a high-performance synthetic lubricant designed for smooth shift performance and the protection of synchronizers and other yellow metal components found in manual transmissions, transaxles, and gearboxes.

It meets OEM specifications and the performance requirements of API GL-4. Specially engineered to exceed the demands of cars and light trucks and will ensure smooth, precise shifting and advanced anti-wear protection for extended transmission performance and long service life.



1 L BOTTLE  
KL-TF1640



### DUAL CLUTCH TRANSMISSION FLUID

**KLONDIKE Full Synthetic Dual Clutch (DCT) Transmission Fluid** is designed for passenger cars using dual clutch transmissions. The technically advanced synthetic chemistry is optimized for precise shift quality, anti-wear protection, and long service life.

This is a truly universal DCT fluid ideal for global application.



1 L BOTTLE  
KL-TF3540





# EUROPEAN FULL SYNTHETIC ENGINE OILS



## SAE 0W-20 EURO FULL SYNTHETIC ENGINE OIL

SAE 0W-20 Euro Full Synthetic Engine Oil is formulated and specifically recommended for the lubrication of modern European gasoline and diesel engines including TDI and common rail turbo diesel designs. Specifications where KLONDIKE SAE 0W-20 Euro Full Synthetic Engine Oil is recommended for use includes (but not limited to):

- ACEA A1/B1
- Porsche C20
- VW 508.00/509.00
- VW TL 52577

## SAE 5W-30 EURO LOW SAPS FULL SYNTHETIC ENGINE OIL

SAE 5W-30 Euro Low SAPS Full Synthetic Engine Oil is recommended for use in (but not limited to):

- ACEA C3, C2
- BMW Longlife-04
- Fiat 9.55535-S1
- MB 229.51
- Porsche C30
- VW 504.00/507.00 (VW Longlife III)

## SAE 5W-30 EURO MID SAPS FULL SYNTHETIC ENGINE OIL

SAE 5W-30 Euro Mid SAPS Full Synthetic Engine Oil is recommended for use in (but not limited to):

- ACEA: C3
- API: SN
- BMW: LONGLIFE-04
- MB: 229.52; MB: 229.51 (supersedes 229.31)
- GM dexos2™
- VW: 505.00; VW: 505.01 (supersedes VW 502.00)

## SAE 5W-40 EURO MID SAPS FULL SYNTHETIC ENGINE OIL

SAE 5W-40 Euro Mid SAPS Full Synthetic Engine Oil is recommended for use in (but not limited to):

- ACEA: C3
- API: SN/CF
- BMW: LONGLIFE-04
- FORD: WSS-M2C917-A
- MB: 226.5
- MB: 229.31
- MB: 229.51
- GM dexos2™
- PORSCHE: A40
- RENAULT: RN 0700
- RENAULT: RN 0710
- VW: 502 00
- VW: 505 00
- VW: 505 01
- FIAT: 9.55535-S2



1 L BOTTLE KL-LD4640  
5 L BOTTLE KL-LD4660  
DRUM KL-LD4690



TOTE KL-LD4695  
BULK KL-LD4699



1 L BOTTLE KL-LD4840  
5 L BOTTLE KL-LD4860  
DRUM KL-LD4890



TOTE KL-LD4895  
BULK KL-LD4899



1 L BOTTLE KL-LD5240  
5 L BOTTLE KL-LD5260  
DRUM KL-LD5290



TOTE KL-LD5295  
BULK KL-LD5299



1 L BOTTLE  
KL-LD4240



# 100 NEW PERFORMANCE-DRIVEN LUBRICANTS





# EZE-KEG

**EASY ON YOUR WALLET. EASY ON YOUR BACK.  
Save EHC fees with KLONDIKE EZE-KEG.**

KLONDIKE EZE-KEG is a new 52L keg which allows for cost savings from EHC fees. Lighter than the competitive keg products, it is also easier to move around. With an easy-to-pour valve and a convenient handle, EZE-KEG makes an oil change fast and efficient.

**Purchase 6 EZE-KEGS (minimum of 3 synthetic)  
and get 1 stand and 2 jugs free.**

**E**ffective, maneuverable and space-saving design

**Z**ero product contamination

**E**fficient and inventory optimizing size

#### KLONDIKE EZE-KEG PRODUCT

	PART #
• 15W-40 CK-4 Heavy Duty Engine Oil	KL-HD0584
• 5W-40 CK-4 Full Synthetic Heavy Duty Engine Oil	KL-HD3084
• 5W-20 Synthetic Blend Engine Oil	KL-LD1084
• 5W-30 Synthetic Blend Engine Oil	KL-LD1284
• 0W-20 dexos1® Full Synthetic Engine Oil	KL-LD3084
• 5W-20 Full Synthetic Engine Oil	KL-LD3284
• 5W-30 dexos1® Full Synthetic Engine Oil	KL-LD3484
• 5W-40 Euro Full Synthetic Engine Oil	KL-LD5084
• ATF Universal Full Synthetic	KL-TF3084
• Universal Tractor Fluid	KL-HF8084



## SAVE WITH KLONDIKE'S NEW COMMERCIAL FORMULA RANGE



### SAE 15W-40 CK-4 COMMERCIAL FORMULA HEAVY DUTY ENGINE OIL

SAE 15W-40 CK-4 Commercial Formula Heavy Duty Engine Oil is a mixed fleet engine oil recommended for naturally aspirated and turbocharged diesel and gasoline engines in which SAE 15W-40 viscosity grade and API CK-4 or previous service categories are specified.

SAE 15W-40 CK-4 Commercial Formula Heavy Duty Engine Oil is a premium engine oil engineered to deliver outstanding wear protection and performance in heavy duty diesel engines. Formulated with virgin base oils and carefully balanced additive technology, this advanced engine oil delivers outstanding long-term performance for on and off-highway heavy duty engine applications operating under high-load, high-stress conditions in all climates.



### COMMERCIAL FORMULA AW HYDRAULIC FLUIDS: ISO 22, 32, 46, 68

Commercial Formula Anti-Wear Hydraulic Fluids are designed for commercial and industrial hydraulic systems.

Commercial Formula Anti-Wear Hydraulic Fluids are formulated using refined base oils and high performance additive technology. This shear stable fluid resists viscosity breakdown in the presence of heavy mechanical stress, high temperature, and high pressure. Premium AW additive technology uses anti-wear and friction modifying chemistry to achieve outstanding results in all key hydraulic component wear tests as well as demulsifier, rust inhibitor, and anti-foam agents for reliable performance.



PAIL

KL-HF0080



DRUM

KL-HF0090



TOTE

KL-HF0095



BULK

KL-HF0099



PAIL

KL-HF0280



DRUM

KL-HF0290



TOTE

KL-HF0295



BULK

KL-HF0299



PAIL

KL-HF0480



DRUM

KL-HF0490



TOTE

KL-HF0495



BULK

KL-HF0499



PAIL

KL-HF0680



DRUM

KL-HF0690



TOTE

KL-HF0695



BULK

KL-HF0699



PAIL

KL-HD0780



DRUM

KL-HD0790



TOTE

KL-HD0795



BULK

KL-HD0799



# 2021 NEW PRODUCTS



## 10W-40 LOW ASH NATURAL GAS SYNTHETIC BLEND

SAE 10W-40 Synthetic Blend Low Ash Natural Gas Engine Oil is recommended for use in stationary natural gas engine applications where straight grade SAE 40 oils are typically specified but where operators demand multi-grade performance.

Target users would be on-road low emission heavy duty natural gas and LP gas engine designs and off-highway, stationary, heavy duty natural gas engines such as pipeline pumping stations and generators.



## ISO 32, 220, 460, 680 FULL SYNTHETIC CIRCULATING COMPRESSOR TURBINE OILS

Full Synthetic Circulating Compressor Turbine Oils are designed for industrial systems where the highest quality oxidation inhibited lubricants are required.

These products are used in circulation systems, rotary screw, rotary vane, reciprocating, and other heavy-duty compressors, and can also be used as a premium turbine oil.



## MULTI-USE INDUSTRIAL CATTLE / RIDING ARENA / DE-DUSTING OIL

KLONDIKE Multi-Use Industrial Cattle Oil is an agricultural liquid for cattle oiling systems and is an effective dust suppressant for riding arenas, grain handling systems and gravel roads. It may also be used as a carrier for medications such as insecticides used in animal coat treatments.

This is a great product for the agricultural and industrial market due to its multi-purpose formula.



TOTE  
KL-HF8795



BULK  
KL-HF8799



9.46 L JUG  
KL-HD7250



TOTE  
KL-HD7295



BULK  
KL-HD7299



PAIL  
KL-HF9280



BULK  
KL-HF9299



TOTE  
KL-HF9495



BULK  
KL-HF9499



KEG  
KL-HF9690



BULK  
KL-HF9699



PAIL  
KL-IO9580



BULK  
KL-IO9599





## INHERENTLY BIODEGRADABLE



### ENVIRO AW 22, 32, 46, 68 INHERENTLY BIODEGRADABLE HYDRAULIC FLUIDS

ENVIRO AW 22, 32, 46, 68 Inherently Biodegradable Hydraulic Fluids are inherently biodegradable, non-toxic, environmentally friendly, with high dielectric strength. These fluids are recommended for vane, piston, or gear-type hydraulic pumps in heavy duty and industrial service where ISO 22, 32, 46, 68 viscosity are specified. They can be used in place of (and mixed with) standard AW hydraulic oils.













KLONDIKE ENVIRO AW is a great opportunity for construction companies or other mixed fleets working in environmentally sensitive areas or service companies working on other property owners land looking for an economical biodegradable option. Labels are provided with these products for the fleet to use on their vehicles to demonstrate they are using a biodegradable oil.



### ENVIRO MV 32, 46 INHERENTLY BIODEGRADABLE HYDRAULIC FLUIDS

ENVIRO MV 32 and 46 Inherently Biodegradable Hydraulic Fluids are zinc free, inherently biodegradable, environmentally friendly, long life hydraulic fluids designed for high performance applications in mobile and stationary specified. The ENVIRO MV Hydraulics are specifically good for all season usage and where high viscosity indexes are recommended.

KLONDIKE ENVIRO MV products are great for all season use in mixed fleets working near environmentally sensitive areas or for equipment recommending Zinc-Free hydraulic oils.

- |   |  |  |
|---|--|--|
| <br>PAIL<br>KL-BL0180 | <br>DRUM<br>KL-BL0190 | <br>TOTE<br>KL-BL0195 |
| <br>PAIL<br>KL-BL0280 | <br>DRUM<br>KL-BL0290 | <br>TOTE<br>KL-BL0295 |
| <br>PAIL<br>KL-BL0380 | <br>DRUM<br>KL-BL0390 | <br>TOTE<br>KL-BL0395 |
| <br>PAIL<br>KL-BL0480 | <br>DRUM<br>KL-BL0490 | <br>TOTE<br>KL-BL0495 |

- |  |   |  |
|--|---|--|
| <br>PAIL<br>KL-BL1080 | <br>DRUM<br>KL-BL1090 | <br>TOTE<br>KL-BL1095 |
| <br>PAIL<br>KL-BL1180 | <br>DRUM<br>KL-BL1190 | <br>TOTE<br>KL-BL1195 |





# 2021 NEW PRODUCTS



## 2-CYCLE FULL SYNTHETIC SNOWMOBILE ENGINE OIL

2-Cycle Full Synthetic Snowmobile Engine Oil is a premium lubricant formulated for use in modern snowmobiles (Arctic-Cat, Polaris, Yamaha, Ski-Doo), motorcycles, scooters, ATV's, and other powersport engines.

The target market for this high performance formulation is all powersport rental fleets, service garages or single machine owners.



## nano CALCIUM SULFONATE EP-2 GREASE

KLONDIKE nano Calcium Sulfonate EP-2 Grease offers outstanding extreme pressure properties, corrosion and oxidation protection, and stable performance in applications exposed to high levels of moisture. Proprietary IF-WS<sub>2</sub> nanotechnology creates an unparalleled protective nanoparticle layer on load bearing surfaces for reduced friction, heat, and metallic wear while increasing operating efficiency.

This high performance grease is great for mixed fleets operating in wet conditions or looking for a grease that can cover multiple applications.



## RUST BLAST PENETRATING LUBRICANT

Rust Blast is a professional strength, fast acting, penetrating lubricant. Powerful penetrating action blasts through rust and corrosion to loosen and lubricate stuck parts.

All shops can benefit from having a can or two of KLONDIKE Rust Blast around the shop!





## 2021 NEW PRODUCTS / PACKAGE SIZES



### SAE 0W-16 API SP/GF-6B FULL SYNTHETIC ENGINE OIL

**KLONDIKE SAE 0W-16 API SP/GF-6B Full Synthetic Engine Oil** is a state-of-the-art, advanced technology. 100% synthetic engine oil which provides the highest level of engine protection available, even under the most severe operating conditions.

Select newer models of Toyota's and Honda's are now requiring this grade of engine oil.



### 2-CYCLE UNIVERSAL ENGINE OIL

**2-Cycle Universal Engine Oil** is a premium low ash formula that promotes internal engine cleanliness and prolongs spark plug life in outdoor power equipment such as chain saws, trimmers, blowers and other machinery. It is available in the convenient 236mL and 473mL package sizes with the mix ratios for premix gas on the back of the bottle.

Landscaping companies or home owners find these new package sizes convenient and more user friendly.



### ULTRA TAC EP-2 GREASE

**Ultra-Tac EP-2** is designed for extreme duty use in a wide variety of industrial, on- and off-road vehicle, and heavy equipment applications where NLGI 2 is specified. NLGI GC-LB certified. It is now available in a 4 pound tub which easier to move and takes up less space than full size pails.


This is a great package size for mobile mechanics, shops manually greasing bearings or any smaller users looking for a easy re-sealable container size.




### GREASE BLAST CLEANER/DEGREASER

**Grease Blast** is a versatile, non-flammable, powerpacked, highly effective degreaser for professional use and it is certified biodegradable. The new ready-to-use premixed spray bottle is re-fillable so the user can purchase the concentrate and re-fill the sprayer for continual use.


All shops can benefit from having a great degreaser and general cleaner like KLONDIKE's Grease Blast around the shop!



QUART KL-LD2840  
DRUM KL-LD2895  
BULK KL-LD2899



236 mL Bottle KL-IO6029  
473 mL Bottle KL-IO6032



4 LB TUB KL-GR1848



SPRAY BOTTLE KL-CH6540



# 2021 NEW PRODUCTS



## 15W-40 CK-4 HEAVY DUTY ENGINE OIL

KLONDIKE's OEM Certified SAE 15W-40 CK-4 is now in stock in a convenient 9.46L jug. This makes the product available in 10 different package sizes!

This is a great product to target the agriculture market due to the increasing mid-size tractor market. With its sealable lid and easier to maneuver size, it is also a great option for top-ups onsite across all industries.



## AW 32 HYDRAULIC FLUID

AW 32 Advanced Formula Hydraulic Fluid is a long life formula with a 8000 hour oxidation hour rating! It is now available in the new convenient 9.46L jug.

This is a great product to target the industrial forklift and machinery market due to some of the smaller reservoirs. It is also a great option for top-ups onsite across all industries due to the sealable lid and easier to maneuver size.



## UNIVERSAL TRACTOR HYDRAULIC FLUID

Universal Tractor Fluid is the one single fluid that may be used to lubricate all conventional points on an agricultural or industrial tractor or piece of mobile equipment with a common sump. It is now available in the new 9.46L jug size.

This is a great product to target the agriculture market with due to the increasing mid-size tractor market. It is also a great option for top-ups onsite across all industries due to the sealable lid and easier to maneuver size.



9.46 L JUG  
KL-HD0575



9.46 L JUG  
KL-HF1275



9.46 L JUG  
KL-HF8075





Independent Canadian Corporation  
 530 Oils and Lubricants  
 15 Million Litres in Stock throughout All 13 Provinces and Territories



**KLONDIKE** Lubricants Corporation

1-877-293-4691 • info@klondikelubricants.com • www.klondikelubricants.com



**BRAVING THE FORCE OF MOVEMENT®**