Safety Data Sheet



Date of the latest revision of the safety data sheet: 08-06-2021

Supercedes: 08-06-2021

KLONDIKE AW 46 Advanced Formula Hydraulic Fluid

1 Identification

Product Identifier: KLONDIKE AW 46 Advanced Formula Hydraulic Fluid

Stock Number:

No data available

Other means of identification:

Synonyms:

Hydraulic Oil

Recommended use and restrictions on use:

Uses other than those described above

Recommended use: Restrictions on use:

KLONDIKE Lubricants Corporation

Initial Supplier Identifier:

3078 275th Street Langley, BC, V4W 3L4

Canada

General information 1-877-293-4691

Tel No.: Email:

info@klondikelubricants.com

Emergency telephone number and any restrictions on the use of that number,

Chemtrec (Within US) 1-800-424-9300 Chemtrec (International) 1-703-527-3887

if applicable:

2 Hazard identification

Classification of the hazardous product:

Not classified under GHS

Hazard statements: Not applicable

Other hazards known to the supplier with respect to the hazardous product:

Physical hazards not otherwise

classified

None known.

Health hazards not otherwise classified None known.

3 Composition/information on ingredients

Chemical Name	Common name and synonyms	CAS registry number and any unique identifiers	Concentration
Petroleum distillates, hydrotreated heavy paraffinic	No data available	64742-54-7	80 - 100

4 First-aid measures

Inhalation: Remove to fresh air. If breathing is difficult, have a trained individual

administer oxygen.

Eye contact: No data available

Skin Contact: Wash with soap and water. Get medical attention if irritation develops or

persists.

Ingestion: No hazard in normal industrial use. Do not induce vomiting. Seek medical

attention if symptoms develop. Provide medical care provider with this

SDS.

The most important symptoms and effects, whether acute or delayed:

None known.

An indication of immediate medical attention and special treatment

No additional first aid information available.

needed, if necessary:

5 Fire-fighting measures

Suitable extinguishing media: Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting

> fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the

Unsuitable extinguishing media:

Specific hazards arising from the

hazardous product, such as the nature

of any hazardous combustion:

Hazardous Combustion Products:

Special protective equipment and

precautions for firefighters:

fire. Do not direct a stream of water into the hot burning liquid. No data available

Material may be ignited only if preheated to temperatures above the

high flash point, for example in a fire.

Carbon dioxide, Carbon monoxide

Do not enter fire area without proper protection including self- contained breathing apparatus and full protective equipment. Use methods for the

surrounding fire.

6 Accidental release measures

Personal precautions, protective

equipment and emergency procedures:

No health affects expected from the clean up of this material if contact can be avoided. Follow personal protective equipment recommendations

found in Section 8 of this SDS.

Methods and materials for containment and cleaning up:

Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Dispose of according to Federal, State, Local, or Provincial regulations.

Used fluid should be disposed of at a recycling center.

7 Handling and storage

Precautions for safe handling: No special handling instructions due to toxicity. Conditions for safe storage: Materials to Avoid/Chemical Incompatibility: Store in a cool dry place. Isolate from incompatible materials.

Strong oxidizing agents

8 Exposure controls/personal protection

Control parameters, including occupational exposure limit values or biological limit values and the source of those values:

Canada – Alberta – Occupational Exposure Limits:

Chemical Name	Occupational	Occupational	Occupational
	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m3 TWA	10 mg/m3 STEL	No data available

Canada – British Columbia – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Petroleum distillates,	0.2 mg/m3 TWA	No data available	No data available
hydrotreated heavy paraffinic	(mildly refined); 1		
	mg/m3 TWA (severely		
	refined)		

Canada – Manitoba – Occupational Exposure Limits:

Chemical Name	Occupational	Occupational	Occupational
	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m3 TWA	No data available	No data available

Canada – New Brunswick – Occupational Exposure Limits:

Chemical Name	Occupational	Occupational	Occupational
	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m3 TWA	10 mg/m3 STEL	No data available

Canada – Newfoundland & Labrador – Occupational Exposure Limits:

Chemical Name	Occupational	Occupational	Occupational
	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m3 TWA	No data available	No data available

Material name: KLONDIKE AW 46 Advanced Formula Hydraulic Fluid

Chemical Name	Occupational	Occupational	Occupational
	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m3 TWA	10 mg/m3 STEL	No data available

Canada – Nova Scotia – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Petroleum distillates,	5 mg/m3 TWA	No data available	No data available
hydrotreated heavy paraffinic			

Canada – Nunavut – Occupational Exposure Limits:

Chemical Name	Occupational	Occupational	Occupational
	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m3 TWA	10 mg/m3 STEL	No data available

Canada – Ontario – Occupational Exposure Limits:

Chemical Name	Occupational	Occupational	Occupational
	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m3 TWA	No data available	No data available

Canada – Prince Edward Island – Occupational Exposure Limits:

Chemical Name	Occupational	Occupational	Occupational
	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m3 TWA	No data available	No data available

Canada – Quebec – Occupational Exposure Limits:

Chemical Name	Occupational	Occupational	Occupational
	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAEVs	STEVs	Ceiling
Petroleum distillates, hydrotreated heavy paraffinic	No data available	No data available	No data available

Canada – Saskatchewan – Occupational Exposure Limits:

Chemical Name	Occupational	Occupational	Occupational	
Chemical Name	Exposure Limits -	Exposure Limits -	Exposure Limits -	

	TWAs	STELs	Ceiling
Petroleum distillates,	5 mg/m3 TWA	10 mg/m3 STEL	No data available
hydrotreated heavy paraffinic			

Canada - Yukon - Occupational Exposure Limits:

Chemical Name	Occupational	Occupational	Occupational
	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m3 TWA	10 mg/m3 STEL	No data available

Chemical Name	OSHA PEL	ACGIH TLV-TWA	ACGIH STEL	IDLH
Petroleum distillates, hydrotreated	5 mg/m3 TWA	5 mg/m3 TWA	10 mg/m3 STEL	No data available
heavy paraffinic	_	_	_	

Appropriate engineering controls:

Use local exhaust ventilation or other engineering controls to minimize

exposures and maintain operator comfort.

Individual protection measures, such as personal protective equipment:

Respiratory Protection: Respiratory protection may be required to avoid overexposure when

handling this product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms.

Respirator Type(s): None required where adequate ventilation is provided. If airborne

concentrations are above the applicable exposure limits, use

NIOSH/MSHA approved respiratory protection.

Eye and face protection: Wear safety glasses when handling this product if there is a likelihood of

contact with eyes.

Skin Protection: Not normally considered a skin hazard. Where use can result in skin

contact, practice good personal hygiene. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving

work.

Hand protection: Neoprene, Nitrile
General hygiene conditions: No data available

9 Physical and chemical properties

Physical state:LiquidColour:AmberOdour:Mild

Petroleum

Odour threshold:

PH:

No data available

Melting point (°C):

No data available

No data available

Material name: KLONDIKE AW 46 Advanced Formula Hydraulic Fluid

Initial boiling point and boiling range

(°C):

No data available

Flash point (°C):

210

Evaporation rate:

No data available

Flammability, in the case of solids and

No data available

gases:

Upper flammable or explosive limit, %

Not established

in air:

Lower flammable or explosive limit, %

in air:

Not established

Vapour pressure: No data available Vapour density: No data available

Relative density: 0.86

Solubility: Negligible; 0-1% Partition coefficient — n-octanol/water: No data available

Auto-ignition temperature (°C): No data available Decomposition temperature (°C): Not determined

Viscosity: 32.11

10 Stability and reactivity

There are no known reactivity hazards associated with this product. Reactivity:

Chemical stability: Stable under normal conditions.

Possibility of hazardous reactions: None expected under standard conditions of storage.

Conditions to avoid, including static Temperatures above the high flash point of this combustible material in

combination with sparks, open flames, or other sources of ignition. discharge, shock or vibration:

Moisture (will lead to product performance degradation).

Strong oxidizing agents Incompatible materials:

Hazardous decomposition products: No data available

11 Toxicological information

Information on the likely routes of exposure (inhalation, ingestion, skin

and eye contact):

Eye contact, Ingestion, Inhalation, Skin contact

Symptoms related to the physical,

chemical and toxicological

None known.

characteristics:

Immediate effects from short term exposure:

Inhalation: Likely to be practically non-toxic based on animal data. No hazard in

normal industrial use.

Skin Contact: Likely to be non-irritating to skin based on animal data.

This material is likely to be non-irritating to eyes based on animal data. **Eye Contact:**

Material name: KLONDIKE AW 46 Advanced Formula Hydraulic Fluid

Ingestion: Estimated to be > 5.0 g/kg. No hazard in normal industrial use.

Delayed and chronic effects from long term exposure:

Carcinogenicity: Not expected to cause cancer. This product meets the IP-346 criteria of

<3% PAH's and is not considered a carcinogen by the International

Agency for Research on Cancer.

Reproductive and Developmental

Toxicity:

Mutagenicity:

Not known or reported to cause reproductive or developmental toxicity.

No data available to indicate product or any components present at

greater than 0.1% is mutagenic or genotoxic.

Skin Absorption: Upon prolonged or repeated exposure, no hazard in normal industrial

use.

STOT-single exposure:

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Aspiration hazard:

Based on available data, the classification criteria are not met.

Numerical measures of toxicity, including ATEs Based on available data, the classification criteria are not met.

12 Ecological information

Ecotoxicity (aquatic and terrestrial, if

available):

Slight ecological hazard. In high concentrations, this product may be

dangerous to plants and/or wildlife.

Ecological Toxicity Data:

Chemical Name	CAS registry number and any unique identifiers	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
2,6-Di-tert-butylphenol	128-39-2	EC50 (48h) Daphnia magna 0.45 mg/L	No data available	No data available
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	EC50 (48h) Daphnia magna > 1000 mg/L	No data available	LC50 (96h) Rainbow Trout > 5000 mg/L

Persistence and degradability:Biodegrades slowly.

Bioaccumulative potential: Bioconcentration may occur.

Mobility in soil: This material is expected to have essentially no mobility in soil. It absorbs

strongly to most soil types.

Other adverse effects: None known.

13 Disposal considerations

Information on safe handling for disposal and methods of disposal, including any contaminated packaging:

Spent or discarded material is non-hazardous according to environmental

regulations.

Material name: KLONDIKE AW 46 Advanced Formula Hydraulic Fluid

14 Transport information

Transportation of Dangerous Goods by land (TDG):

UN number: Not regulated for road transport

UN Proper shipping name:Not applicableTransport hazard class(es):Not applicablePacking group:Not applicable

International carriage of dangerous goods by sea (IMDG/IMO):

UN number: Not regulated by IMDG

UN Proper shipping name:Not applicableTransport hazard class(es):Not applicablePacking group:Not applicable

International carriage of dangerous goods by air (IATA):

UN number: Not regulated by IATA

No

UN Proper shipping name:Not applicableTransport hazard class(es):Not applicablePacking group:Not applicable

Environmental hazards according to the

International Maritime Dangerous Goods Code and the United Nations

Model Regulations:

Transport in bulk (according to Annex II

of the International Convention for the Prevention of Pollution From Ships, 1973, as modified by the Protocol of

1978 (MARPOL 73/78) and the

International Code for the Construction

and Equipment of Ships carrying

Dangerous Chemicals in Bulk (IBC

Code)):

Special precautions in connection with

transport or conveyance either within

or outside the premises:

No data available

No data available

15 Regulatory information

Safety, health and environmental regulations, made within or outside Canada, specific to the product in question: Canada - Domestic Substances List (DSL):

Chemical Name	CAS No	Canada - Domestic Substances List (DSL)
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	Yes

Material name: KLONDIKE AW 46 Advanced Formula Hydraulic Fluid

Canada - Non-Domestic Substances List (NDSL):

Chemical Name	CAS No	Canada - Non-Domestic Substances List (NDSL)
Petroleum distillates, hydrotreated	64742-54-7	No
heavy paraffinic	04742-34-7	140

Canada - Controlled Drugs and Substances:

Chemical Name	CAS No	Schedule I	Schedule II	Schedule III	Schedule IV	Schedule V	Schedule VII	Schedule VIII
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No	No	No	No	No	No	No

Chemical Name	CAS No	Class A Precursors	Class B Precursors	Exempt Precursors	Class 1 Targeted Substances	Class 2 Targeted Substances
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No	No	No	No	No

Canada - CEPA - Schedule III Export Control List:

Chemical Name	CAS No	Part 1 Prohibited Substances	Part 2 Substances Subject to Notification or Consent	Part 3 Restricted Substances	Export Control List
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No	No	No	No

Canada CEPA - 2015 Greenhouse Gases (GHG) Subject to Mandatory Reporting:

Chemical Name	CAS No	Canada CEPA - 2015 Greenhouse Gases (GHG) Subject to Mandatory Reporting
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No

Canada - Narcotic Control Regulations (C.R.C., c. 1041):

Chemical Name	CAS No	Canada - Narcotic Control Regulations (C.R.C., c. 1041)
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No

Canada - Ontario - Toxics Reduction - List of Priority Toxics:

Chemical Name	CAS No	Canada - Ontario - Toxics Reduction - List of Priority Toxics
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No

Stockholm Convention on Persistent Organic Pollutants:

Chemical Name	CAS No	Stockholm Convention on Persistent Organic Pollutants
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No

Rotterdam Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in International Trade:

Chemical Name	CAS No	Rotterdam Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in International Trade
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No

(United Nations) - Kyoto Protocol - Convention on Climate Change - Greenhouse Gases (GHGs):

Chemical Name	CAS No	(United Nations) - Kyoto Protocol - Convention on Climate Change - Greenhouse Gases (GHGs)
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No

Montreal Protocol on Substances that Deplete the Ozone Layer:

Chemical Name	CAS No	Montreal Protocol on Substances that Deplete the Ozone Layer
Petroleum distillates, hydrotreated	64742-54-7	No
heavy paraffinic	04742-34-7	INO

Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and their Disposal:

Material name: KLONDIKE AW 46 Advanced Formula Hydraulic Fluid

Chemical Name	CAS No	Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and their Disposal
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No

16 Other information

Date of the latest revision of the safety

data sheet:

Revision Number:

Reason for revision:

Disclaimer:

08-06-2021

Activated by Document Formulation Generation
This safety data sheet and the information it contains is offered to you in good faith as accurate. We have reviewed any information contained in the data sheet which we have received from outside sources and we believe the information to be correct, but cannot guarantee its accuracy or completeness. Health and safety precautions in this data sheet may not be adequate for all individuals and/or situations. It is the user's obligation to evaluate and use this product in a safe manner and to comply with all applicable laws and regulations. No statement made in this data sheet shall be construed as permission or recommendation for the use of any product in a manner that might infringe existing patents. No warranty is made, either expressed or implied.

Material name: KLONDIKE AW 46 Advanced Formula Hydraulic Fluid