Safety Data Sheet



Date of the latest revision of the safety data sheet: 19-08-2021

Supercedes: 12-08-2021

KLONDIKE SAE 10W-30 API SP/GF-6 Synthetic Blend Engine Oil

1 Identification

Product Identifier: KLONDIKE SAE 10W-30 API SP/GF-6 Synthetic Blend Engine Oil

Stock Number:

Other means of identification:

Synonyms: No data available

Recommended use and restrictions on use:

Recommended use: Motor Oil

Restrictions on use: Uses other than those described above Initial Supplier Identifier: KLONDIKE Lubricants Corporation

3078 275th Street Langley, BC, V4W 3L4

Tel No.: Canada

Email: General information 1-877-293-4691

Emergency telephone number and any

info@klondikelubricants.com

restrictions on the use of that number,

Chemtrec (Within US) 1-800-424-9300 Chemtrec

if applicable: (International) 1-703-527-3887

2 Hazard identification

Classification of the hazardous product:

Not classified under GHS

Hazard statements: Not applicable

Other hazards known to the supplier with respect to the hazardous product:

Physical hazards not otherwise

classified

None known.

Health hazards not otherwise classified None known.

3 Composition/information on ingredients

Chemical Name	Common name and synonyms	CAS registry number and any unique identifiers	Concentration
Distillates, petroleum, solvent-dewaxed heavy paraffinic	No data available	64742-65-0	0.1 - 1
Amines, polyethylenepoly-, reaction products with succinic anhydride	No data available	EPA-ACC-17799	0.5 - 1.5

polyisobutenyl derivs., borated			
Petroleum distillates, hydrotreated heavy paraffinic	No data available	64742-54-7	60 - 80

4 First-aid measures

Inhalation: Remove to fresh air. If breathing is difficult, have a trained individual

administer oxygen.

Eye contact:None expected to be needed, however, use an eye wash to remove a

chemical from your eye regardless of the level of hazard.

Skin Contact: Wash with soap and water. Get medical attention if irritation develops or

persists.

Ingestion: No hazard in normal industrial use. Do not induce vomiting. Seek medical

attention if symptoms develop. Provide medical care provider with this

SDS.

The most important symptoms and effects, whether acute or delayed:

An indication of immediate medical attention and special treatment

needed, if necessary:

None known.

No additional first aid information available.

5 Fire-fighting measures

Suitable extinguishing media: Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting

fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the

fire. Do not direct a stream of water into the hot burning liquid.

Unsuitable extinguishing media: No data available

Specific hazards arising from the

hazardous product, such as the nature of any hazardous combustion:

Hazardous Combustion Products:

Material may be ignited only if preheated to temperatures above the

high flash point, for example in a fire.

Carbon monoxide, Sulfur containing gases, Nitrogen containing gases,

oxides of phosphorus, Hydrogen sulfide

Special protective equipment and

precautions for firefighters:

Do not enter fire area without proper protection including self- contained breathing apparatus and full protective equipment. Use methods for the

surrounding fire.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures:

No health affects expected from the clean up of this material if contact can be avoided. Follow personal protective equipment recommendations

found in Section 8 of this SDS.

Methods and materials for containment Prevent the spread of any spill to minimize harm to human health and

and cleaning up:

the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Dispose of according to Federal, State, Local, or Provincial regulations. Used fluid should be disposed of at a recycling center.

7 Handling and storage

Precautions for safe handling:

Conditions for safe storage: Materials to Avoid/Chemical

Incompatibility:

Mildly irritating material. Avoid unnecessary exposure.

Store in a cool dry place. Isolate from incompatible materials.

Strong oxidizing agents

8 Exposure controls/personal protection

Control parameters, including occupational exposure limit values or biological limit values and the source of those values:

Canada – Alberta – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m3 TWA	10 mg/m3 STEL	No data available
Distillates, petroleum, solvent- dewaxed heavy paraffinic	5 mg/m3 TWA	10 mg/m3 STEL	No data available

Canada – British Columbia – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Petroleum distillates, hydrotreated heavy paraffinic	0.2 mg/m3 TWA (mildly refined); 1 mg/m3 TWA (severely refined)	No data available	No data available
Distillates, petroleum, solvent- dewaxed heavy paraffinic	No data available	No data available	No data available

Canada – Manitoba – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m3 TWA	No data available	No data available
Distillates, petroleum, solvent-	5 mg/m3 TWA	No data available	No data available

dewaxed heavy paraffinic			
Canada – New Brunswick – Occupat	ional Exposure Limits:		1
Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m3 TWA	10 mg/m3 STEL	No data available
Distillates, petroleum, solvent- dewaxed heavy paraffinic	5 mg/m3 TWA	10 mg/m3 STEL	No data available
Canada – Newfoundland & Labrador	r – Occupational Exposure L	imits:	
Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m3 TWA	No data available	No data available
Distillates, petroleum, solvent- dewaxed heavy paraffinic	5 mg/m3 TWA	No data available	No data available
Canada – Northwest Territories – Oc	cupational Exposure Limits	:	
Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m3 TWA	10 mg/m3 STEL	No data available
Distillates, petroleum, solvent- dewaxed heavy paraffinic	5 mg/m3 TWA	10 mg/m3 STEL	No data available
	al Exposure Limits:		
Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m3 TWA	No data available	No data available
Distillates, petroleum, solvent- dewaxed heavy paraffinic	5 mg/m3 TWA	No data available	No data available
Canada – Nunavut – Occupational E	xposure Limits:		
Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m3 TWA	10 mg/m3 STEL	No data available
Distillates, petroleum, solvent-	5 mg/m3 TWA	10 mg/m3 STEL	No data available

dayyayad baayy paraffinia			I
dewaxed heavy paraffinic Canada – Ontario – Occupational Ex	nosure Limits:		
Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m3 TWA	No data available	No data available
Distillates, petroleum, solvent- dewaxed heavy paraffinic	5 mg/m3 TWA	No data available	No data available
Canada – Prince Edward Island – Oc	cupational Exposure Limits:		
Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m3 TWA	No data available	No data available
Distillates, petroleum, solvent- dewaxed heavy paraffinic	5 mg/m3 TWA	No data available	No data available
Canada – Quebec – Occupational Ex	posure Limits:		
Chemical Name	Occupational Exposure Limits - TWAEVs	Occupational Exposure Limits - STEVs	Occupational Exposure Limits - Ceiling
Petroleum distillates, hydrotreated heavy paraffinic	No data available	No data available	No data available
Distillates, petroleum, solvent- dewaxed heavy paraffinic	No data available	No data available	No data available
Canada – Saskatchewan – Occupatio	onal Exposure Limits:		
Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m3 TWA	10 mg/m3 STEL	No data available
Distillates, petroleum, solvent- dewaxed heavy paraffinic	5 mg/m3 TWA	10 mg/m3 STEL	No data available
Canada - Yukon – Occupational Expo	osure Limits:		
Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m3 TWA	10 mg/m3 STEL	No data available
Distillates, petroleum, solvent-	5 mg/m3 TWA	10 mg/m3 STEL	No data available

Material name: KLONDIKE SAE 10W-30 API SP/GF-6 Synthetic Blend Engine Oil 00020 Version #: 01 Issue date: 08-19-2021

dewaxed heavy paraffinic		

Chemical Name	OSHA PEL	ACGIH TLV-TWA	ACGIH STEL	IDLH
Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m3 TWA	5 mg/m3 TWA	10 mg/m3 STEL	No data available
Distillates, petroleum, solvent- dewaxed heavy paraffinic	5 mg/m3 TWA	5 mg/m3 TWA	10 mg/m3 STEL	No data available

Appropriate engineering controls: Use local exhaust ventilation or other engineering controls to minimize

exposures and maintain operator comfort.

Individual protection measures, such as personal protective equipment:

Respiratory Protection: Respiratory protection may be required to avoid overexposure when

handling this product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms.

None required where adequate ventilation is provided. If airborne

Respirator Type(s): None required where adequate ventilation is provided. If airborne

concentrations are above the applicable exposure limits, use

NIOSH/MSHA approved respiratory protection.

Eye and face protection: No special requirements under normal industrial use.

Skin Protection: Where use can result in skin contact, practice good personal hygiene and

wear impervious gloves. Wash hands and other exposed areas with mild

soap and water before eating, drinking, and when leaving work.

Hand protection: Neoprene, Nitrile **General hygiene conditions:** No data available

9 Physical and chemical properties

Physical state:LiquidColour:BrownOdour:Mild

Petroleum

Odour threshold:

PH:

No data available

Melting point (°C):

No data available

(°C):

Flash point (°C): 220

Evaporation rate:No data available **Flammability, in the case of solids and**No data available

gases:

Upper flammable or explosive limit, %Not established

in air:

Lower flammable or explosive limit, %

in air:

Not established

Vapour pressure: No data available Vapour density: No data available

Relative density: 0.87

Solubility: Negligible; 0-1% Partition coefficient — n-octanol/water: No data available

Auto-ignition temperature (°C): No data available **Decomposition temperature (°C):** Not determined

Viscosity: 68.37

10 Stability and reactivity

There are no known reactivity hazards associated with this product. Reactivity:

Chemical stability: Stable under normal conditions.

Possibility of hazardous reactions: None expected under standard conditions of storage.

Conditions to avoid, including static Temperatures above the high flash point of this combustible material in discharge, shock or vibration:

combination with sparks, open flames, or other sources of ignition.

Moisture (will lead to product performance degradation).

Strong oxidizing agents Incompatible materials:

Carbon monoxide Sulfur containing gases Nitrogen containing gases Hazardous decomposition products:

oxides of phosphorus Hydrogen sulfide

11 Toxicological information

Information on the likely routes of exposure (inhalation, ingestion, skin

and eye contact):

Symptoms related to the physical,

chemical and toxicological

characteristics:

Eye contact, Ingestion, Inhalation, Skin contact

None known.

Immediate effects from short term exposure:

Likely to be practically non-toxic based on animal data. No hazard in Inhalation:

normal industrial use.

This material is likely to be slightly irritating to skin based on animal data. Skin Contact:

Can cause minor skin irritation, defatting, and dermatitis.

Eye Contact: This material is likely to be non-irritating to eyes based on animal data.

Ingestion: Estimated to be > 5.0 g/kg. No hazard in normal industrial use. Delayed and chronic effects from long term exposure:

Carcinogenicity: Not expected to cause cancer. This product meets the IP-346 criteria of

<3% PAH's and is not considered a carcinogen by the International

Agency for Research on Cancer.

Reproductive and Developmental

Toxicity:

Not known or reported to cause reproductive or developmental toxicity.

Mutagenicity:No data available to indicate product or any components present at

greater than 0.1% is mutagenic or genotoxic.

Skin Absorption: Upon prolonged or repeated exposure, no hazard in normal industrial

use.

STOT-single exposure:

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Aspiration hazard:

Based on available data, the classification criteria are not met.

Numerical measures of toxicity, including ATEs Based on available data, the classification criteria are not met.

12 Ecological information

Ecotoxicity (aquatic and terrestrial, if

available):

Slight ecological hazard. In high concentrations, this product may be

dangerous to plants and/or wildlife.

Ecological Toxicity Data:

Chemical Name	CAS registry number and any unique identifiers	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
Distillates, petroleum, solvent-dewaxed heavy paraffinic	64742-65-0	EC50 (48h) Daphnia magna > 1000 mg/L	No data available	LC50 (96h) Rainbow Trout > 5000 mg/L
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	EC50 (48h) Daphnia magna > 1000 mg/L	No data available	LC50 (96h) Rainbow Trout > 5000 mg/L

Persistence and degradability: Biodegrades slowly.

Bioaccumulative potential: Bioconcentration may occur.

Mobility in soil: This material is expected to have essentially no mobility in soil. It absorbs

strongly to most soil types.

Other adverse effects: None known.

13 Disposal considerations

Information on safe handling for disposal and methods of disposal, including any contaminated packaging:

Spent or discarded material is non-hazardous according to environmental

regulations.

14 Transport information

Transportation of Dangerous Goods by land (TDG):

UN number:Not regulated for road transport

UN Proper shipping name:Not applicableTransport hazard class(es):Not applicablePacking group:Not applicable

International carriage of dangerous goods by sea (IMDG/IMO):

UN number: Not regulated by IMDG

UN Proper shipping name:

Transport hazard class(es):

Packing group:

Not applicable

Not applicable

International carriage of dangerous goods by air (IATA):

UN number: Not regulated by IATA

UN Proper shipping name:Not applicableTransport hazard class(es):Not applicablePacking group:Not applicable

Environmental hazards according to the

International Maritime Dangerous
Goods Code and the United Nations

Model Regulations:

Transport in bulk (according to Annex II No data available

of the International Convention for the Prevention of Pollution From Ships, 1973, as modified by the Protocol of 1978 (MARPOL 73/78) and the International Code for the Construction

International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk (IBC

Code)):

Special precautions in connection with

transport or conveyance either within

or outside the premises:

No data available

15 Regulatory information

Safety, health and environmental regulations, made within or outside Canada, specific to the product in question: Canada - Domestic Substances List (DSL):

Chemical Name	CAS No	Canada - Domestic Substances List (DSL)
Petroleum distillates, hydrotreated	64742-54-7	Yes

heavy paraffinic		
Distillates, petroleum, solvent-dewaxed	64742-65-0	Yes
heavy paraffinic	04/42-00-0	res

Canada - Non-Domestic Substances List (NDSL):

Chemical Name	CAS No	Canada - Non-Domestic Substances List (NDSL)
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
Distillates, petroleum, solvent-dewaxed heavy paraffinic	64742-65-0	No

Canada - Controlled Drugs and Substances:

Chemical Name	CAS No	Schedule I	Schedule	Schedule	Schedule	Schedule	Schedule	Schedule
Onomical Hamo	0710110		II	III	IV	V	VII	VIII
Petroleum distillates,								
hydrotreated heavy	64742-54-7	No	No	No	No	No	No	No
paraffinic								
Distillates, petroleum,								
solvent-dewaxed heavy	64742-65-0	No	No	No	No	No	No	No
paraffinic								

Chemical Name	CAS No	Class A Precursors	Class B Precursors	Exempt Precursors	Class 1 Targeted Substances	Class 2 Targeted Substances
Petroleum distillates,						
hydrotreated heavy	64742-54-7	No	No	No	No	No
paraffinic						
Distillates, petroleum,						
solvent-dewaxed heavy	64742-65-0	No	No	No	No	No
paraffinic						

Canada - CEPA - Schedule III Export Control List:

Chemical Name	CAS No	Part 1 Prohibited Substances	Part 2 Substances Subject to Notification or Consent	Part 3 Restricted Substances	Export Control List
Petroleum distillates,	64742-54-7	No	No	No	No

hydrotreated heavy					
paraffinic					
Distillates, petroleum,					
solvent-dewaxed heavy	64742-65-0	No	No	No	No
paraffinic					

Canada CEPA - 2015 Greenhouse Gases (GHG) Subject to Mandatory Reporting:

Chemical Name	CAS No	Canada CEPA - 2015 Greenhouse Gases (GHG) Subject to Mandatory Reporting
Petroleum distillates, hydrotreated	64742-54-7	No
heavy paraffinic	04742-34-7	INO
Distillates, petroleum, solvent-	64742-65-0	No
dewaxed heavy paraffinic	04742-00-0	NO

Canada - Narcotic Control Regulations (C.R.C., c. 1041):

Chemical Name	CAS No	Canada - Narcotic Control Regulations (C.R.C., c. 1041)
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
Distillates, petroleum, solvent- dewaxed heavy paraffinic	64742-65-0	No

Canada - Ontario - Toxics Reduction - List of Priority Toxics:

Chemical Name	CAS No	Canada - Ontario - Toxics Reduction - List of Priority Toxics
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
Distillates, petroleum, solvent- dewaxed heavy paraffinic	64742-65-0	No

Stockholm Convention on Persistent Organic Pollutants:

Chemical Name	CAS No	Stockholm Convention on Persistent Organic Pollutants
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
Distillates, petroleum, solvent- dewaxed heavy paraffinic	64742-65-0	No

Rotterdam Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in International Trade:

Chemical Name	CAS No	Rotterdam Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in International Trade
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
Distillates, petroleum, solvent- dewaxed heavy paraffinic	64742-65-0	No

(United Nations) - Kyoto Protocol - Convention on Climate Change - Greenhouse Gases (GHGs):

Chemical Name	CAS No	(United Nations) - Kyoto Protocol - Convention on Climate Change - Greenhouse Gases (GHGs)
Petroleum distillates, hydrotreated	64742-54-7	No
heavy paraffinic	04742-34-7	INO
Distillates, petroleum, solvent-	64742.45.0	No
dewaxed heavy paraffinic	64742-65-0	No

Montreal Protocol on Substances that Deplete the Ozone Layer:

Chemical Name	CAS No	Montreal Protocol on Substances that Deplete the Ozone Layer
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
Distillates, petroleum, solvent- dewaxed heavy paraffinic	64742-65-0	No

Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and their Disposal:

Chemical Name	CAS No	Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and their Disposal
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
Distillates, petroleum, solvent- dewaxed heavy paraffinic	64742-65-0	No

16 Other information

Date of the latest revision of the safety

data sheet:

Revision Number:

Reason for revision:

Disclaimer:

11-12-2020

17

Activated by Document Formulation Generation

This safety data sheet and the information it contains is offered to you in good faith as accurate. We have reviewed any information contained in the data sheet which we have received from outside sources and we believe the information to be correct, but cannot guarantee its accuracy or completeness. Health and safety precautions in this data sheet may not be adequate for all individuals and/or situations. It is the user's obligation to evaluate and use this product in a safe manner and to comply with all applicable laws and regulations. No statement made in this data sheet shall be construed as permission or recommendation for the use of any product in a manner that might infringe existing patents.

No warranty is made, either expressed or implied.

Material name: KLONDIKE SAE 10W-30 API SP/GF-6 Synthetic Blend Engine Oil 00020 Version #: 01 Issue date: 08-19-2021