Safety Data Sheet



Date of the latest revision of the safety data sheet: 11-08-2021

Supercedes: 11-08-2021

KLONDIKE SAE 80W-90 Commercial Gear Lubricant

1 Identification

Product Identifier: KLONDIKE SAE 80W-90 Commercial Gear Lubricant

Stock Number:

Other means of identification: No data available

Synonyms:

Recommended use and restrictions on use: Gear Oil

Recommended use: Uses other than those described above KLONDIKE

Restrictions on use: Lubricants Corporation Initial Supplier Identifier: 3078 275th Street Langley, BC, V4W 3L4

Canada

General information 1-877-293-4691

info@klondikelubricants.com Tel No.:

Email: Chemtrec (Within US) 1-800-424-9300 Chemtrec

Emergency telephone number and any

restrictions on the use of that number,

if applicable:

(International) 1-703-527-3887

2 Hazard identification

Classification of the hazardous product:

Not classified under GHS

Hazard statements: Not applicable

Other hazards known to the supplier with respect to the hazardous product:

Physical hazards not otherwise

None known.

classified

Health hazards not otherwise classified None known.

3 Composition/information on ingredients

Chemical Name	Common name and synonyms	CAS registry number and any unique identifiers	Concentration
Petroleum distillates, solvent dewaxed heavy paraffinic	No data available	64742-65-0	0.1 - 1
Petroleum distillates, solvent-refined heavy paraffinic	No data available	64741-88-4	0.1 - 1

Residual oils (petroleum), solvent dewaxed	No data available	64742-62-7	10 - 30
Petroleum distillates, hydrotreated heavy paraffinic	No data available	64742-54-7	60 - 80

4 First-aid measures

Inhalation: Remove to fresh air. If breathing is difficult, have a trained individual

administer oxygen.

Eye contact: Use eye wash to remove a chemical from the eye. Flush the affected eye

for at least fifteen minutes. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Seek medical attention if

irritation persists.

Skin Contact: Wash with soap and water. Get medical attention if irritation develops or

persists.

Ingestion: No hazard in normal industrial use. Do not induce vomiting. Seek medical

attention if symptoms develop. Provide medical care provider with this

SDS.

The most important symptoms and effects, whether acute or delayed:

An indication of immediate medical

attention and special treatment

needed, if necessary:

None known.

No additional first aid information available.

5 Fire-fighting measures

Suitable extinguishing media: Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting

fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the

fire. Do not direct a stream of water into the hot burning liquid.

Unsuitable extinguishing media: No data available

Specific hazards arising from the hazardous product, such as the nature

of any hazardous combustion:

Hazardous Combustion Products:

Material may be ignited only if preheated to temperatures above the

high flash point, for example in a fire.

tion Products: Carbon monoxide, Sulfur containing gases, Nitrogen containing gases,

Aldehydes, oxides of phosphorus, Hydrogen sulfide, Smoke

Special protective equipment and

precautions for firefighters:

Do not enter fire area without proper protection including self- contained breathing apparatus and full protective equipment. Use methods for the

surrounding fire.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures:

No health affects expected from the clean up of this material if contact can be avoided. Follow personal protective equipment recommendations found in Section 8 of this SDS.

Methods and materials for containment and cleaning up:

Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Dispose of according to Federal, State, Local, or Provincial regulations. Used fluid should be disposed of at a recycling center.

7 Handling and storage

Precautions for safe handling: Conditions for safe storage: Materials to Avoid/Chemical Incompatibility: Mildly irritating material. Avoid unnecessary exposure. Store in a cool dry place. Isolate from incompatible materials.

Strong oxidizing agents

8 Exposure controls/personal protection

Control parameters, including occupational exposure limit values or biological limit values and the source of those values:

Canada – Alberta – Occupational Exposure Limits:

Chemical Name	Occupational	Occupational	Occupational
	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			

Canada – British Columbia – Occupational Exposure Limits:

Chemical Name	Occupational	Occupational	Occupational
	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			

Canada - Manitoba - Occupational Exposure Limits:

Chemical Name	Occupational	Occupational	Occupational
	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			

Canada – New Brunswick – Occupational Exposure Limits:

Chaminal Name	Occupational	Occupational	Occupational
Chemical Name	Exposure Limits -	Exposure Limits -	Exposure Limits -

Material name: KLONDIKE SAE 80W-90 Commercial Gear Lubricant

	TWAs	STELs	Ceiling
No data available			_
Canada – Newfoundland & Lab	rador – Occupational Exposure L	imits:	
	Occupational	Occupational	Occupational
Chemical Name	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			
Canada – Northwest Territories	- Occupational Exposure Limits	:	
	Occupational	Occupational	Occupational
Chemical Name	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			
Canada – Nova Scotia – Occupa	tional Exposure Limits:		
	Occupational	Occupational	Occupational
Chemical Name	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			
Canada – Nunavut – Occupatio	nal Exposure Limits:		
	Occupational	Occupational	Occupational
Chemical Name	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			
Canada – Ontario – Occupation	al Exposure Limits:		
	Occupational	Occupational	Occupational
Chemical Name	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			
Canada – Prince Edward Island	- Occupational Exposure Limits:		
	Occupational	Occupational	Occupational
Chemical Name	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			
Canada – Quebec – Occupation	al Exposure Limits:		
	Occupational	Occupational	Occupational
Chemical Name	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAEVs	STEVs	Ceiling
No data available			-

Material name: KLONDIKE SAE 80W-90 Commercial Gear Lubricant

Canada – Saskatchewan – Occupational Exposure Limits:

	Occupational	Occupational	Occupational
Chemical Name	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			

Canada - Yukon - Occupational Exposure Limits:

Chemical Name	Occupational	Occupational	Occupational
	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			

Chemical Name	OSHA PEL	ACGIH TLV-TWA	ACGIH STEL	IDLH
No data available				

Appropriate engineering controls: Use local exhaust ventilation or other engineering controls to minimize

exposures and maintain operator comfort.

Individual protection measures, such as personal protective equipment:

Respiratory Protection: Respiratory protection may be required to avoid overexposure when

handling this product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms. None required where adequate ventilation is provided. If airborne

concentrations are above the applicable exposure limits, use

NIOSH/MSHA approved respiratory protection.

Eye and face protection:No data available

Skin Protection: Where use can result in skin contact, practice good personal hygiene and

wear impervious gloves. Wash hands and other exposed areas with mild

soap and water before eating, drinking, and when leaving work.

Hand protection: Neoprene, Nitrile
General hygiene conditions: No data available

9 Physical and chemical properties

Respirator Type(s):

Physical state: Liquid
Colour: Brown
Odour: Mild

Odour threshold:

PH:

No data available

Melting point (°C):

No data available

Material name: KLONDIKE SAE 80W-90 Commercial Gear Lubricant

Freezing point (°C):

No data available

Initial boiling point and boiling range

No data available

(°C):

Flash point (°C):

218

Evaporation rate:

No data available

Flammability, in the case of solids and

No data available

gases:

Upper flammable or explosive limit, %

Not established

in air:

Lower flammable or explosive limit, %

Not established

in air:

No data available

Vapour pressure: Vapour density: No data available

Relative density: 0.89

Solubility:

Negligible; 0-1%

Partition coefficient — n-

No data available

octanol/water:

No data available

Auto-ignition temperature (°C): **Decomposition temperature (°C):**

Not determined

Viscosity:

130.8

10 Stability and reactivity

Reactivity:

There are no known reactivity hazards associated with this product.

Chemical stability:

Stable under normal conditions.

Possibility of hazardous reactions:

None expected under standard conditions of storage.

Conditions to avoid, including static

discharge, shock or vibration:

Temperatures above the high flash point of this combustible material in combination with sparks, open flames, or other sources of ignition.

Moisture (will lead to product performance degradation).

Incompatible materials:

Strong oxidizing agents

Hazardous decomposition products:

Carbon monoxide Sulfur containing gases Nitrogen containing gases

Aldehydes oxides of phosphorus Hydrogen sulfide Smoke

11 Toxicological information

Information on the likely routes of exposure (inhalation, ingestion, skin Eye contact, Ingestion, Inhalation, Skin contact

and eye contact):

Symptoms related to the physical,

None known.

chemical and toxicological

characteristics:

Immediate effects from short term exposure:

Inhalation: No hazard in normal industrial use.

Skin Contact: This material is likely to be slightly irritating to skin based on animal data.

Can cause minor skin irritation, defatting, and dermatitis.

Eye Contact: This material is likely to be non-irritating to eyes based on animal data.

Ingestion: Estimated to be > 5.0 g/kg. No hazard in normal industrial use.

Delayed and chronic effects from long term exposure:

Carcinogenicity: Not expected to cause cancer. This product meets the IP-346 criteria of

<3% PAH's and is not considered a carcinogen by the International

Agency for Research on Cancer.

Reproductive and Developmental

Toxicity:

Mutagenicity:

Not known or reported to cause reproductive or developmental toxicity.

No data available to indicate product or any components present at

greater than 0.1% is mutagenic or genotoxic.

Skin Contact: Upon prolonged or repeated contact, can cause minor skin irritation,

defatting, and dermatitis.

Skin Absorption: Upon prolonged or repeated exposure, no hazard in normal industrial

STOT-single exposure: Based on available data, the classification criteria are not met. STOT-repeated exposure: Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. **Aspiration hazard:**

Numerical measures of toxicity, including ATEs Based on available data, the classification criteria are not met.

12 Ecological information

Ecotoxicity (aquatic and terrestrial, if available):

Moderate ecological hazard. This product may be dangerous to plants

and/or wildlife.

Ecological Toxicity Data:

Chemical Name	CAS registry number and any unique identifiers	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
Petroleum distillates, solvent dewaxed heavy paraffinic	64742-65-0	Aquatic LC50 (48h) > 1000 mg/L	No data available	Aquatic LC50 (96h) Rainbow Trout > 5000 mg/L
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	Aquatic LC50 (48h) > 1000 mg/L	No data available	Aquatic LC50 (96h) Rainbow Trout > 5000 mg/L

Persistence and degradability: Biodegrades slowly.

Material name: KLONDIKE SAE 80W-90 Commercial Gear Lubricant

Bioaccumulative potential: Bioconcentration may occur.

Mobility in soil: This material is expected to have essentially no mobility in soil. It absorbs

strongly to most soil types.

Other adverse effects: None known.

13 Disposal considerations

Information on safe handling for

disposal and methods of disposal,

including any contaminated packaging:

Spent or discarded material is non-hazardous according to environmental

regulations.

No data available

14 Transport information

Transportation of Dangerous Goods by land (TDG):

UN number: Not regulated for road transport

UN Proper shipping name:

Transport hazard class(es):

Packing group:

Not applicable

Not applicable

International carriage of dangerous goods by sea (IMDG/IMO):

UN number: Not regulated by IMDG

UN Proper shipping name:

Transport hazard class(es):

Packing group:

Not applicable

Not applicable

Not applicable

International carriage of dangerous goods by air (IATA):

UN number: Not regulated by IATA

UN Proper shipping name:

Transport hazard class(es):

Packing group:

Not applicable

Not applicable

Environmental hazards according to the No

International Maritime Dangerous
Goods Code and the United Nations

Model Regulations:

Transport in bulk (according to Annex II of the International Convention for the Prevention of Pollution From Ships, 1973, as modified by the Protocol of 1978 (MARPOL 73/78) and the International Code for the Construction

and Equipment of Ships carrying

Dangerous Chemicals in Bulk (IBC

Code)):

Material name: KLONDIKE SAE 80W-90 Commercial Gear Lubricant

Special precautions in connection with transport or conveyance either within or outside the premises:

No data available

15 Regulatory information

Safety, health and environmental regulations, made within or outside Canada, specific to the product in question: Canada - Domestic Substances List (DSL):

Chemical Name	CAS No	Canada - Domestic Substances List (DSL)	
Petroleum distillates, hydrotreated	64742-54-7	Vos	
heavy paraffinic	04/42-34-/	Yes	
Residual oils (petroleum), solvent	64742-62-7	Yes	
dewaxed	04742-02-7	ies	
Petroleum distillates, solvent dewaxed	64742-65-0	Yes	
heavy paraffinic	04/42-05-0	ies	

Canada - Non-Domestic Substances List (NDSL):

Chemical Name	CAS No	Canada - Non-Domestic Substances List (NDSL)
Petroleum distillates, hydrotreated	64742-54-7	No
heavy paraffinic	04/42-54-/	INO
Residual oils (petroleum), solvent	64742.62.7	No
dewaxed	64742-62-7	INO INO
Petroleum distillates, solvent dewaxed	64742-65-0	No
heavy paraffinic	04/42-05-0	INO INO

Canada - Controlled Drugs and Substances:

Chemical Name	CAS No	Schedule						
Chemical Name	CAS NO	1	II	III	IV	V	VII	VIII
Petroleum distillates,								
hydrotreated heavy	64742-54-7	No						
paraffinic								
Residual oils (petroleum),	64742-62-7	No						
solvent dewaxed	04/42-02-/	No						
Petroleum distillates,								
solvent dewaxed heavy	64742-65-0	No						
paraffinic								

Material name: KLONDIKE SAE 80W-90 Commercial Gear Lubricant

Chemical Name	CAS No	Class A Precursors	Class B Precursors	Exempt Precursors	Class 1 Targeted Substances	Class 2 Targeted Substances
Petroleum distillates,						
hydrotreated heavy	64742-54-7	No	No	No	No	No
paraffinic						
Residual oils (petroleum),	64742-62-7	No	No	No	No	No
solvent dewaxed	04/42-02-7	NO	INO	NO	INO	INO
Petroleum distillates,						
solvent dewaxed heavy	64742-65-0	No	No	No	No	No
paraffinic						

Canada - CEPA - Schedule III Export Control List:

Chemical Name	CAS No	Part 1 Prohibited Substances	Part 2 Substances Subject to Notification or Consent	Part 3 Restricted Substances	Export Control List
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No	No	No	No
Residual oils (petroleum), solvent dewaxed	64742-62-7	No	No	No	No
Petroleum distillates, solvent dewaxed heavy paraffinic	64742-65-0	No	No	No	No

Canada CEPA - 2015 Greenhouse Gases (GHG) Subject to Mandatory Reporting:

Chemical Name	CAS No	Canada CEPA - 2015 Greenhouse Gases (GHG) Subject to Mandatory Reporting
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
Residual oils (petroleum), solvent dewaxed	64742-62-7	No
Petroleum distillates, solvent dewaxed	64742-65-0	No

Material name: KLONDIKE SAE 80W-90 Commercial Gear Lubricant

heavy paraffinic	

Canada - Narcotic Control Regulations (C.R.C., c. 1041):

Chemical Name	CAS No	Canada - Narcotic Control Regulations (C.R.C., c. 1041)	
Petroleum distillates, hydrotreated	64742-54-7	No	
heavy paraffinic	04/42-34-7	NO	
Residual oils (petroleum), solvent	64742-62-7	No	
dewaxed	04/42-02-7	NO	
Petroleum distillates, solvent dewaxed	64742-65-0	No	
heavy paraffinic	04/42-05-0	No	

Canada - Ontario - Toxics Reduction - List of Priority Toxics:

Chemical Name	CAS No	Canada - Ontario - Toxics Reduction - List of Priority Toxics
Petroleum distillates, hydrotreated	64742-54-7	No
heavy paraffinic	64/42-54-/	NO
Residual oils (petroleum), solvent	64742-62-7	No
dewaxed	04/42-02-7	NO
Petroleum distillates, solvent dewaxed	64742-65-0	No
heavy paraffinic	04/42-05-0	NO

Stockholm Convention on Persistent Organic Pollutants:

Chemical Name	CAS No	Stockholm Convention on Persistent Organic Pollutants	
Petroleum distillates, hydrotreated	64742-54-7	No	
heavy paraffinic	04/42-34-7	NO	
Residual oils (petroleum), solvent	64742-62-7	No	
dewaxed	04/42-02-7	NO	
Petroleum distillates, solvent dewaxed	64742-65-0	No	
heavy paraffinic	04/42-05-0	NO	

Rotterdam Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in **International Trade:**

Material name: KLONDIKE SAE 80W-90 Commercial Gear Lubricant

Chemical Name	CAS No	Rotterdam Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in International Trade.
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
Residual oils (petroleum), solvent dewaxed	64742-62-7	No
Petroleum distillates, solvent dewaxed heavy paraffinic	64742-65-0	No

(United Nations) - Kyoto Protocol - Convention on Climate Change - Greenhouse Gases (GHGs):

Chemical Name	CAS No	(United Nations) - Kyoto Protocol - Convention on Climate Change - Greenhouse Gases (GHGs)
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
Residual oils (petroleum), solvent dewaxed	64742-62-7	No
Petroleum distillates, solvent dewaxed heavy paraffinic	64742-65-0	No

Montreal Protocol on Substances that Deplete the Ozone Layer:

Chemical Name	CAS No	Montreal Protocol on Substances that Deplete the Ozone Layer
Petroleum distillates, hydrotreated	64742-54-7	No
heavy paraffinic	64/42-54-7	NO
Residual oils (petroleum), solvent	64742-62-7	No
dewaxed	04/42-02-7	NO
Petroleum distillates, solvent dewaxed	64742-65-0	No
heavy paraffinic	04/42-03-0	INO

Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and their Disposal.:

Chemical Name	CAS No	Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and their Disposal.
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No

Material name: KLONDIKE SAE 80W-90 Commercial Gear Lubricant

Residual oils (petroleum), solvent dewaxed	64742-62-7	No
Petroleum distillates, solvent dewaxed heavy paraffinic	64742-65-0	No

16 Other information

Reason for revision:

Date of the latest revision of the safety

11-08-2021

15

data sheet:

Revision Number:

Activated by Document Formulation Generation

Disclaimer:

This safety data sheet and the information it contains is offered to you in good faith as accurate. We have reviewed any information contained in the data sheet which we have received from outside sources and we believe the information to be correct, but cannot guarantee its accuracy or completeness. Health and safety precautions in this data sheet may not be adequate for all individuals and/or situations. It is the user's obligation to evaluate and use this product in a safe manner and to comply with all applicable laws and regulations. No statement made in this data sheet shall be construed as permission or recommendation for the use of any product in a manner that might infringe existing patents.

No warranty is made, either expressed or implied.

Material name: KLONDIKE SAE 80W-90 Commercial Gear Lubricant