# **Safety Data Sheet**



Date of the latest revision of the safety data sheet: 9-30-2021

**Supercedes:** 9-30-2021

# **KLONDIKE ISO 32 Long Life Turbine Oil**

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

**Product identifier** 

**Product name** KLONDIKE ISO 32 Long Life Turbine Oil

Other means of identification

Product Code(s) No information available

**Synonyms** 

Recommended use of the chemical and restrictions on use

**Recommended Use** Lubricant.

Uses advised against No information available

Details of the supplier of the safety data shee

**Manufacturer Address** 

**KLONDIKE Lubricants Corporation** 

3078 275th Street Langley, BC, V4W 3L4

Canada

General information 1-877-293-4691

info@klondikelubricants.com

**Emergency Contact:** 

Chemtrec (Within US) 1-800-424-9300 Chemtrec

# 2. HAZARDS IDENTIFICATION

### Classification

#### **OSHA Regulatory Status**

This material is not hazardous under the criteria of the Federal OSHA Hazard Communication Standard 29CFR 1910.1200.

### Label elements

#### **EMERGENCY OVERVIEW**

Appearance Amber colored liquid Physical state Viscous Liquid Odor Mild petroleum odor light yellow

Hazards not otherwise classified (HNOC)

Other information

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Common Name** Petroleum based lubricating fluid. Petroleum hydrocarbon mixture. **Chemical Family** 

Chemical name	CAS-No	Weight %	Trade secret
Residual Oils (petroleum), solvent-dewaxed	64742-62-7	0-96	*

Version #: 01 Issue date: 9-30-2021 1/7

SDS CAD

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. FIRST AID MEASURES

First aid measures

General advice No hazards which require special first aid measures.

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If irritation persists, call a physician.

Skin contact Wash skin with soap and water. If skin irritation persists, call a physician.

Move victim to fresh air. If symptoms persist, call a physician. Inhalation

Do NOT induce vomiting. If symptoms persist, call a physician. Ingestion

Most important symptoms and effects, both acute and delayed

No information available. **Symptoms** 

Indication of any immediate medical attention and special treatment needed

**Notes to Physician** Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Carbon dioxide (CO<sub>2</sub>). Dry chemical. Foam. Water can be used to keep surrounding materials cool.

Contact emergency personnel. **Large Fires** 

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire.

### Specific hazards arising from the chemical

Combustible material.

Hazardous combustion products Carbon monoxide. Carbon dioxide (CO2).

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal protection Wear protective gloves/clothing and eye/face protection.

**Environmental precautions** 

**Environmental precautions** See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Material name: KLONDIKE ISO 32 Long Life Turbine Oil SDS CAD 2/7 Methods for containment Absorb with earth, sand or other non-combustible material and transfer to containers for

later disposal.

Methods for cleaning up Soak up with inert absorbent material. Prevent product from entering drains.

### 7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Keep away from open flames, hot surfaces and sources of ignition.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep in a dry, cool and well-ventilated place. Keep out of the reach of children.

Incompatible Products Strong oxidizing agents.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Petroleum distillates, hydrotreated	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	IDLH: 2500 mg/m <sup>3</sup>
heavy paraffinic	-	_	TWA: 5 mg/m <sup>3</sup>
64742-54-7			STEL: 10 mg/m <sup>3</sup>

### **Appropriate engineering controls**

Engineering Controls Showers

Eyewash stations Ventilation systems.

### Individual protection measures, such as personal protective equipment

**Eye/face Protection** Goggles. Safety glasses.

**Skin and body protection** Long sleeved clothing. Protective gloves.

**Respiratory protection** In case of inadequate ventilation wear respiratory protection.

General Hygiene Considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and

immediately after handling the product.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Physical state Viscous Liquid

AppearanceAmber colored liquidOdorMild petroleum odor

light yellow

ColoramberOdor thresholdNo information available

Property Values Remarks • Method

pH No information available
 Melting point/freezing point
 Boiling Point/Range
 No information available
 No information available

Flash point  $> 148.8 \, ^{\circ}\text{C} \, / > 300 \, ^{\circ}\text{F}$  (based on components)

**Evaporation rate** No information available

Flammability (solid, gas) No information available

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor density

No information available
No information available
No information available

Specific gravity 0.87-0.89

Water solubilityNo information availableSolubility in other solventsNo information availablePartition coefficientNo information available

Autoignition temperature

Decomposition temperatureNo information availableKinematic viscosity20-460 @ 40C mm2/sDynamic viscosityNo information availableExplosive propertiesNo information availableOxidizing propertiesNo information available

Other information

Softening point
VOC Content
Density
No information available

# 10. STABILITY AND REACTIVITY

#### Reactivity

No data available

#### **Chemical stability**

Stable under normal conditions.

#### Possibility of Hazardous Reactions

None under normal processing.

**Hazardous polymerization** Hazardous polymerization does not occur.

#### Conditions to avoid

Excessive heat.

### **Incompatible materials**

Strong oxidizing agents.

#### **Hazardous decomposition products**

None known based on information supplied.

# 11. TOXICOLOGICAL INFORMATION

# Information on likely routes of exposure

Product Information No data available

**Inhalation** Inhalation of vapors in high concentration may cause irritation of respiratory system.

**Eye contact** Avoid contact with eyes. May cause irritation.

**Skin contact** Repeated exposure may cause skin dryness or cracking. Substance may cause slight skin

irritation.

**Ingestion** Do NOT taste or swallow.

Material name: KLONDIKE ISO 32 Long Life Turbine Oil

Version #: 01 Issue date: 9-30-2021

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Residual Oils (petroleum), solvent-dewaxed 64742-62-7	> 5000 mg/kg (Rat)	> 2000 mg/kg(Rabbit)	= 2.18 mg/L (Rat) 4 h
Petroleum distillates, hydrotreated heavy paraffinic 64742-54-7	> 15 g/kg(Rat)> 24 g/kg(Rat)	> 5000 mg/kg(Rabbit)	= 2062 ppm (Rat) 4 h

### Information on toxicological effects

**Symptoms** No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization Germ cell mutagenicity**No information available.
No information available.

Carcinogenicity Mineral oils are known to cause cancer because of carcinogenic components (e.g.

benzene). The mineral oil in this product is highly refined and should not be considered a

carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Residual Oils (petroleum), solvent-dewaxed 64742-62-7	-	Group 1	Known	X
Petroleum distillates, hydrotreated heavy paraffinic 64742-54-7	-	Group 1	Known	Х

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration hazard
No information available.
No information available.
No information available.

# Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

# 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

Chemical name	Algae/aquatic plants	Fish	Crustacea
Residual Oils (petroleum), solvent-dewaxed	-	5000: 96 h Oncorhynchus mykiss	1000: 48 h Daphnia magna mg/L
64742-62-7		mg/L LC50	EC50
Petroleum distillates, hydrotreated heavy	-	5000: 96 h Oncorhynchus mykiss	1000: 48 h Daphnia magna mg/L
paraffinic		mg/L LC50	EC50
64742-54-7		_	

# Persistence and degradability

No information available.

### **Bioaccumulation**

No information available.

Other adverse effects No information available

# 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste Disposal Method Disposal should be in accordance with applicable regional, national and local laws and

regulations.

**Contaminated packaging** Do not reuse container.

### 14. TRANSPORT INFORMATION

**DOT** Not regulated

# 15. REGULATORY INFORMATION

International Inventories

**TSCA** Complies **DSL/NDSL** Complies **EINECS/ELINCS** Does not comply **ENCS** Does not comply **IECSC** Complies **KECL** Does not comply **PICCS** Complies Complies **AICS** 

### Legend:

All components in this product are listed on the US Toxic Substances Control Act (TSCA) inventory of chemicals.

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

# U.S. Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

# SARA 311/312 Hazard Categories

Acute health hazard No
Chronic Health Hazard No
Fire hazard No
Sudden release of pressure hazard No
Reactive Hazard No

### **Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

# **U.S. State Regulations**

### **California Proposition 65**

This product does not contain any Proposition 65 chemicals

# U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Petroleum distillates, hydrotreated	X	-	X
heavy paraffinic			
64742-54-7			

#### U.S. EPA Label Information

EPA Pesticide registration number Not Applicable

NFPA	Health hazards 0	Flammability 1	Instability 0	Physical and Chemical Hazards -

HMIS Health hazards 0 Flammability 1 Physical hazards 0 Personal protection X

9-30-2021 **Issuing Date Revision Date** 9-30-2021 **Revision Note** 

SDS sections updated 1 2 3 4 5 6 7 8 9 10 11 16

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of MSDS** 

Material name: KLONDIKE ISO 32 Long Life Turbine Oil