

Date of the latest revision of the safety data sheet: 08.09.2022

Supercedes: 08.09.2022

KLONDIKE Clear Bar & Chain Oil

1 Identification

Product Identifier: KLONDIKE Clear Bar and Chain Oil

Stock Number:

Other means of identification: No data available

Synonyms:

Recommended use and restrictions on use: Clear Bar & Chain Oil

Recommended use: Uses other than those described above **Restrictions on use: KLONDIKE Lubricants Corporation**

Initial Supplier Identifier: 3078 275th Street

Langley, BC, V4W 3L4

Canada

General information 1-877-293-4691

info@klondikelubricants.com Tel No.:

Email: Chemtrec (Within US) 1-800-424-9300 **Emergency telephone number and any** Chemtrec (International) 1-703-527-3887

restrictions on the use of that number,

if applicable:

2 Hazard identification

Classification of the hazardous product:

Not classified under GHS

Hazard statements: Not applicable

Other hazards known to the supplier with respect to the hazardous product:

Physical hazards not otherwise

None known.

classified

Health hazards not otherwise classified None known.

3 Composition/information on ingredients

| Chemical Name | Common name and synonyms | CAS registry number and any unique identifiers | Concentration |
|---|--------------------------|--|---------------|
| Petroleum distillates, solvent dewaxed heavy paraffinic | No data available | 64742-65-0 | 0.1 - 1 |
| Petroleum distillates, solvent-refined heavy paraffinic | No data available | 64741-88-4 | 0.1 - 1 |

Material name: KLONDIKE Clear Bar and Chain Oil



| Residual oils (petroleum), solvent dewaxed | No data available | 64742-62-7 | 30 - 60 |
|--|-------------------|------------|---------|
| Petroleum distillates, hydrotreated heavy paraffinic | No data available | 64742-54-7 | 30 - 60 |

4 First-aid measures

Inhalation: Remove to fresh air. If breathing is difficult, have a trained individual

administer oxygen.

Eye contact: Use eye wash to remove a chemical from the eye. Flush the affected eye

for at least fifteen minutes. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Seek medical attention if

irritation persists.

Skin Contact: Wash with soap and water. Get medical attention if irritation develops or

persists.

Ingestion: No hazard in normal industrial use. Do not induce vomiting. Seek medical

attention if symptoms develop. Provide medical care provider with this

SDS.

The most important symptoms and effects, whether acute or delayed:

An indication of immediate medical

attention and special treatment

needed, if necessary:

None known.

No additional first aid information available.

5 Fire-fighting measures

Suitable extinguishing media: Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting

No data available

fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the

fire. Do not direct a stream of water into the hot burning liquid.

Unsuitable extinguishing media:

Specific hazards arising from the

hazardous product, such as the nature of any hazardous combustion:

Hazardous Combustion Products:

Material may be ignited only if preheated to temperatures above the

high flash point, for example in a fire.

Carbon monoxide, Sulfur containing gases, Nitrogen containing gases,

oxides of phosphorus, Hydrogen sulfide

Special protective equipment and

precautions for firefighters:

Do not enter fire area without proper protection including self- contained breathing apparatus and full protective equipment. Use methods for the

Material name: KLONDIKE Clear Bar and Chain Oil



surrounding fire.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures:

No health affects expected from the clean up of this material if contact can be avoided. Follow personal protective equipment recommendations

found in Section 8 of this SDS.

Methods and materials for containment and cleaning up:

Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Dispose of according to Federal, State, Local, or Provincial regulations.

Used fluid should be disposed of at a recycling center.

7 Handling and storage

Precautions for safe handling: Conditions for safe storage:

Mildly irritating material. Avoid unnecessary exposure. Store in a cool dry place. Isolate from incompatible materials.

Strong oxidizing agents

Materials to Avoid/Chemical

Incompatibility:

8 Exposure controls/personal protection

Control parameters, including occupational exposure limit values or biological limit values and the source of those values:

Canada – Alberta – Occupational Exposure Limits:

| Chemical Name | Occupational | Occupational | Occupational |
|-------------------|-------------------|-------------------|-------------------|
| | Exposure Limits - | Exposure Limits - | Exposure Limits - |
| | TWAs | STELs | Ceiling |
| No data available | | | |

Canada – British Columbia – Occupational Exposure Limits:

| Chemical Name | Occupational | Occupational | Occupational |
|-------------------|-------------------|-------------------|-------------------|
| | Exposure Limits - | Exposure Limits - | Exposure Limits - |
| | TWAs | STELs | Ceiling |
| No data available | | | |

Canada – Manitoba – Occupational Exposure Limits:

| Chemical Name | Occupational | Occupational | Occupational |
|-------------------|-------------------|-------------------|-------------------|
| | Exposure Limits - | Exposure Limits - | Exposure Limits - |
| | TWAs | STELs | Ceiling |
| No data available | 1 222 12 | 0.122 | |

Material name: KLONDIKE Clear Bar and Chain Oil



| | Occupational | Occupational | Occupational |
|-------------------------------|-----------------------------------|-------------------|-------------------|
| Chemical Name | Exposure Limits - | Exposure Limits - | Exposure Limits - |
| | TWAs | STELs | Ceiling |
| No data available | | | |
| Canada – Newfoundland & La | brador – Occupational Exposure L | imits: | |
| | Occupational | Occupational | Occupational |
| Chemical Name | Exposure Limits - | Exposure Limits - | Exposure Limits - |
| | TWAs | STELs | Ceiling |
| No data available | | | |
| Canada – Northwest Territorio | es – Occupational Exposure Limits | : | |
| | Occupational | Occupational | Occupational |
| Chemical Name | Exposure Limits - | Exposure Limits - | Exposure Limits |
| | TWAs | STELs | Ceiling |
| No data available | | | |
| Canada – Nova Scotia – Occup | oational Exposure Limits: | | |
| | Occupational | Occupational | Occupational |
| Chemical Name | Exposure Limits - | Exposure Limits - | Exposure Limits - |
| | TWAs | STELs | Ceiling |
| No data available | | | |
| Canada – Nunavut – Occupati | onal Exposure Limits: | | |
| | Occupational | Occupational | Occupational |
| Chemical Name | Exposure Limits - | Exposure Limits - | Exposure Limits - |
| | TWAs | STELs | Ceiling |
| No data available | | | |
| Canada – Ontario – Occupatio | onal Exposure Limits: | | |
| | Occupational | Occupational | Occupational |
| Chemical Name | Exposure Limits - | Exposure Limits - | Exposure Limits - |
| | TWAs | STELs | Ceiling |
| No data available | | | |
| Canada – Prince Edward Island | d – Occupational Exposure Limits: | | |
| | Occupational | Occupational | Occupational |
| Chemical Name | Exposure Limits - | Exposure Limits - | Exposure Limits - |
| | TWAs | STELs | Ceiling |
| No data available | | | |

Occupational

Occupational

Material name: KLONDIKE Clear Bar and Chain Oil Version #: 01 | Issue date: 08-09-2022

Chemical Name

Canada – Quebec – Occupational Exposure Limits:

Occupational



| | Exposure Limits - TWAEVs | Exposure Limits - STEVs | Exposure Limits - Ceiling | | | |
|---|-----------------------------|----------------------------|------------------------------|--|--|--|
| No data available | | | | | | |
| Canada – Saskatchewan – Occupational Exposure Limits: | | | | | | |

| Chemical Name | Occupational | Occupational | Occupational |
|-------------------|-------------------|-------------------|-------------------|
| | Exposure Limits - | Exposure Limits - | Exposure Limits - |
| | TWAs | STELs | Ceiling |
| No data available | | | |

Canada - Yukon - Occupational Exposure Limits:

| Chemical Name | Occupational | Occupational | Occupational |
|-------------------|-------------------|-------------------|-------------------|
| | Exposure Limits - | Exposure Limits - | Exposure Limits - |
| | TWAs | STELs | Ceiling |
| No data available | | | |

| Chemical Name | OSHA PEL | ACGIH TLV-TWA | ACGIH STEL | IDLH |
|-------------------|----------|---------------|------------|------|
| No data available | | | | |
| | | | | |

Appropriate engineering controls:

Respirator Type(s):

Use local exhaust ventilation or other engineering controls to minimize

exposures and maintain operator comfort.

Individual protection measures, such as personal protective equipment:

Respiratory Protection: Respiratory protection may be required to avoid overexposure when

> handling this product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms. None required where adequate ventilation is provided. If airborne

concentrations are above the applicable exposure limits, use

NIOSH/MSHA approved respiratory protection.

Eye and face protection: Wear safety glasses when handling this product if there is a likelihood of

contact with eyes.

Skin Protection: Where use can result in skin contact, practice good personal hygiene and

wear impervious gloves. Wash hands and other exposed areas with mild

soap and water before eating, drinking, and when leaving work.

Hand protection: Neoprene, Nitrile **General hygiene conditions:** No data available

9 Physical and chemical properties

Physical state: Liquid

Colour:



Odour: Mild

Odour threshold: Not determined pH: No data available Melting point (°C): No data available Freezing point (°C): No data available Initial boiling point and boiling range No data available

(°C):

Flash point (°C): 230

No data available **Evaporation rate:** Flammability, in the case of solids and No data available

gases:

Upper flammable or explosive limit, %

in air:

Lower flammable or explosive limit, %

in air:

No data available Vapour pressure: Vapour density: No data available

Relative density: 0.88

Solubility: Negligible; 0-1% Partition coefficient — n-No data available

octanol/water:

Auto-ignition temperature (°C): No data available **Decomposition temperature (°C):** Not determined

150.0 Viscosity:

10 Stability and reactivity

There are no known reactivity hazards associated with this product. Reactivity:

Chemical stability: Stable under normal conditions.

Possibility of hazardous reactions: None expected under standard conditions of storage.

Not established

Not established

Conditions to avoid, including static Temperatures above the high flash point of this combustible material in

discharge, shock or vibration: combination with sparks, open flames, or other sources of ignition.

Moisture (will lead to product performance degradation).

Incompatible materials: Strong oxidizing agents

Hazardous decomposition products: Carbon monoxide Sulfur containing gases Nitrogen containing gases

oxides of phosphorus Hydrogen sulfide

11 Toxicological information

Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact):

Eye contact, Ingestion, Inhalation, Skin contact

Material name: KLONDIKE Clear Bar and Chain Oil



Symptoms related to the physical,

chemical and toxicological

characteristics:

None known.

Immediate effects from short term exposure:

Inhalation: No hazard in normal industrial use.

Skin Contact: This material is likely to be slightly irritating to skin based on animal data.

Can cause minor skin irritation, defatting, and dermatitis.

Eye Contact: This material is likely to be non-irritating to eyes based on animal data.

Ingestion: Estimated to be > 5.0 g/kg. No hazard in normal industrial use.

Delayed and chronic effects from long term exposure:

Carcinogenicity: Not expected to cause cancer. This product meets the IP-346 criteria of

<3% PAH's and is not considered a carcinogen by the International

Agency for Research on Cancer.

Reproductive and Developmental

Toxicity:

Mutagenicity:

Not known or reported to cause reproductive or developmental toxicity.

No data available to indicate product or any components present at

greater than 0.1% is mutagenic or genotoxic.

Skin Contact: Upon prolonged or repeated contact, can cause minor skin irritation,

defatting, and dermatitis.

Skin Absorption: Upon prolonged or repeated exposure, no hazard in normal industrial

use.

STOT-single exposure:Based on available data, the classification criteria are not met. **STOT-repeated exposure:**Based on available data, the classification criteria are not met. **Aspiration hazard:**Based on available data, the classification criteria are not met.

Numerical measures of toxicity, including ATEs Based on available data, the classification criteria are not met.

12 Ecological information

Ecotoxicity (aquatic and terrestrial, if

available):

Moderate ecological hazard. This product may be dangerous to plants and/or wildlife.

Ecological Toxicity Data:

| Chemical Name | CAS registry number and any unique identifiers | Aquatic EC50 Crustacea | Aquatic ERC50 Algae | Aquatic LC50 Fish |
|---|--|--|------------------------|--|
| Petroleum distillates, solvent dewaxed heavy paraffinic | 64742-65-0 | Aquatic EC50 (48h) Daphnia > 1000 mg/L | No data available | Aquatic LC50 (96h) Rainbow Trout > 5000 mg/L |
| Petroleum distillates, | 64741-88-4 | Aquatic EC50 (48h) | No data available | Aquatic LC50 (96h) |

Material name: KLONDIKE Clear Bar and Chain Oil



| solvent-refined heavy | | Daphnia > 1000 | | > 5000 mg/L |
|----------------------------|------------|--------------------|-------------------|--------------------|
| paraffinic | | mg/L | | |
| Residual oils (petroleum), | 64742-62-7 | Aquatic EC50 (48h) | No data available | Aquatic LC50 (96h) |
| solvent dewaxed | | Daphnia > 1000 | | Rainbow Trout > |
| | | mg/L | | 5000 mg/L |
| Petroleum distillates, | 64742-54-7 | Aquatic EC50 (48h) | No data available | Aquatic LC50 (96h) |
| hydrotreated heavy | | Daphnia > 1000 | | Rainbow Trout > |
| paraffinic | | mg/L | | 5000 mg/L |

Persistence and degradability: Biodegrades slowly.

Bioaccumulative potential: Bioconcentration may occur.

Mobility in soil: This material is expected to have essentially no mobility in soil. It absorbs

strongly to most soil types.

Other adverse effects: None known.

13 Disposal considerations

Information on safe handling for

disposal and methods of disposal,

including any contaminated packaging:

Spent or discarded material is non-hazardous according to environmental

regulations.

14 Transport information

Transportation of Dangerous Goods by land (TDG):

UN number: Not regulated for road transport

UN Proper shipping name:

Transport hazard class(es):

Packing group:

Not applicable

Not applicable

International carriage of dangerous goods by sea (IMDG/IMO):

UN number: Not regulated by IMDG

UN Proper shipping name:

Transport hazard class(es):

Packing group:

Not applicable

Not applicable

International carriage of dangerous goods by air (IATA):

UN number: Not regulated by IATA

No

UN Proper shipping name:

Transport hazard class(es):

Packing group:

Not applicable

Not applicable

Environmental hazards according to the

International Maritime Dangerous
Goods Code and the United Nations

Version #: 01 Issue date: 08-09-2022

Material name: KLONDIKE Clear Bar and Chain Oil SDS CAD



Model Regulations:

Transport in bulk (according to Annex II of the International Convention for the Prevention of Pollution From Ships, 1973, as modified by the Protocol of 1978 (MARPOL 73/78) and the International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk (IBC Code)):

No data available

Special precautions in connection with transport or conveyance either within or outside the premises:

No data available

15 Regulatory information

Safety, health and environmental regulations, made within or outside Canada, specific to the product in question: Canada - Domestic Substances List (DSL):

| Chemical Name | CAS No | Canada - Domestic Substances List (DSL) |
|---|------------|---|
| Petroleum distillates, hydrotreated heavy paraffinic | 64742-54-7 | Yes |
| Residual oils (petroleum), solvent dewaxed | 64742-62-7 | Yes |
| | | |
| Petroleum distillates, solvent-refined heavy paraffinic | 64741-88-4 | Yes |
| Petroleum distillates, solvent dewaxed heavy paraffinic | 64742-65-0 | Yes |

Canada - Non-Domestic Substances List (NDSL):

| Chemical Name | CAS No | Canada - Non-Domestic Substances List (NDSL) |
|--|------------|---|
| Petroleum distillates, hydrotreated heavy paraffinic | 64742-54-7 | No |
| Residual oils (petroleum), solvent dewaxed | 64742-62-7 | No |

Material name: KLONDIKE Clear Bar and Chain Oil



| Petroleum distillates, solvent-refined heavy paraffinic | 64741-88-4 | No |
|---|------------|----|
| Petroleum distillates, solvent dewaxed heavy paraffinic | 64742-65-0 | No |

Canada - Controlled Drugs and Substances:

| Chemical Name | CAS No | Schedule |
|----------------------------|------------|----------|----------|----------|----------|----------|----------|----------|
| Chemical Name | CAS NO | I | II | III | IV | V | VII | VIII |
| Petroleum distillates, | | | | | | | | |
| hydrotreated heavy | 64742-54-7 | No |
| paraffinic | | | | | | | | |
| Residual oils (petroleum), | 64742-62-7 | No |
| solvent dewaxed | 04/42-02-7 | NO | INO | INO | INO | INO | NO | NO |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| Petroleum distillates, | | | | | | | | |
| solvent-refined heavy | 64741-88-4 | No |
| paraffinic | | | | | | | | |
| Petroleum distillates, | | | | | | | | |
| solvent dewaxed heavy | 64742-65-0 | No |
| paraffinic | | | | | | | | |

| Chemical Name | CAS No | Class A Precursors | Class B Precursors | Exempt Precursors | Class 1 Targeted Substances | Class 2 Targeted Substances |
|----------------------------|------------|-----------------------|-----------------------|----------------------|-----------------------------|-----------------------------------|
| Petroleum distillates, | | | | | | |
| hydrotreated heavy | 64742-54-7 | No | No | No | No | No |
| paraffinic | | | | | | |
| Residual oils (petroleum), | 64742-62-7 | No | No | No | No | No |
| solvent dewaxed | 04/42-02-7 | NO | INO | INO | No | INO |
| | | | | | | |
| | | | | | | |
| | | | | | | |

Material name: KLONDIKE Clear Bar and Chain Oil



| Petroleum distillates, solvent-refined heavy paraffinic | 64741-88-4 | No | No | No | No | No |
|---|------------|----|----|----|----|----|
| Petroleum distillates, solvent dewaxed heavy paraffinic | 64742-65-0 | No | No | No | No | No |

Canada - CEPA - Schedule III Export Control List:

| Chemical Name | CAS No | Part 1 Prohibited Substances | Part 2 Substances Subject to Notification or Consent | Part 3 Restricted Substances | Export Control List |
|--|------------|------------------------------------|--|------------------------------------|------------------------|
| Petroleum distillates, | C4742 F4 7 | NI- | NI - | NI | NI |
| hydrotreated heavy paraffinic | 64742-54-7 | No | No | No | No |
| Residual oils (petroleum), solvent dewaxed | 64742-62-7 | No | No | No | No |
| | | | | | |
| Petroleum distillates, | | | | | |
| solvent-refined heavy | 64741-88-4 | No | No | No | No |
| paraffinic | | | | | |
| Petroleum distillates, | | | | | |
| solvent dewaxed heavy | 64742-65-0 | No | No | No | No |
| paraffinic | | | | | |

Canada CEPA - 2015 Greenhouse Gases (GHG) Subject to Mandatory Reporting:

| Chemical Name | CAS No | Canada CEPA - 2015 Greenhouse Gases (GHG) Subject to Mandatory Reporting |
|-------------------------------------|------------|--|
| Petroleum distillates, hydrotreated | 64742-54-7 | No |
| heavy paraffinic | 04742-34-7 | INO |
| Residual oils (petroleum), solvent | 64742-62-7 | No |
| dewaxed | 04/42-02-/ | NO |

Material name: KLONDIKE Clear Bar and Chain Oil



| Petroleum distillates, solvent-refined heavy paraffinic | 64741-88-4 | No |
|---|------------|----|
| Petroleum distillates, solvent dewaxed heavy paraffinic | 64742-65-0 | No |

Canada - Narcotic Control Regulations (C.R.C., c. 1041):

| Chemical Name | CAS No | Canada - Narcotic Control Regulations (C.R.C., c. 1041) |
|---|------------|---|
| Petroleum distillates, hydrotreated heavy paraffinic | 64742-54-7 | No |
| Residual oils (petroleum), solvent dewaxed | 64742-62-7 | No |
| | | |
| Petroleum distillates, solvent-refined heavy paraffinic | 64741-88-4 | No |
| Petroleum distillates, solvent dewaxed heavy paraffinic | 64742-65-0 | No |

Canada - Ontario - Toxics Reduction - List of Priority Toxics:

| Chemical Name | CAS No | Canada - Ontario - Toxics Reduction - List of Priority Toxics |
|---|------------|--|
| Petroleum distillates, hydrotreated heavy paraffinic | 64742-54-7 | No |
| Residual oils (petroleum), solvent dewaxed | 64742-62-7 | No |
| Petroleum distillates, solvent-refined heavy paraffinic | 64741-88-4 | No |
| Petroleum distillates, solvent dewaxed heavy paraffinic | 64742-65-0 | No |

Stockholm Convention on Persistent Organic Pollutants:



| Chemical Name | CAS No | Stockholm Convention on Persistent Organic Pollutants |
|---|------------|---|
| Petroleum distillates, hydrotreated heavy paraffinic | 64742-54-7 | No |
| Residual oils (petroleum), solvent dewaxed | 64742-62-7 | No |
| | | |
| Petroleum distillates, solvent-refined heavy paraffinic | 64741-88-4 | No |
| Petroleum distillates, solvent dewaxed heavy paraffinic | 64742-65-0 | No |

Rotterdam Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in International Trade:

| Chemical Name | CAS No | Rotterdam Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in International Trade. |
|---|------------|--|
| Petroleum distillates, hydrotreated heavy paraffinic | 64742-54-7 | No |
| Residual oils (petroleum), solvent dewaxed | 64742-62-7 | No |
| | | |
| Petroleum distillates, solvent-refined heavy paraffinic | 64741-88-4 | No |
| Petroleum distillates, solvent dewaxed heavy paraffinic | 64742-65-0 | No |

(United Nations) - Kyoto Protocol - Convention on Climate Change - Greenhouse Gases (GHGs):

| Chemical Name | CAS No | (United Nations) - Kyoto Protocol - Convention on Climate Change - Greenhouse Gases (GHGs) |
|--|------------|--|
| Petroleum distillates, hydrotreated heavy paraffinic | 64742-54-7 | No |
| Residual oils (petroleum), solvent | 64742-62-7 | No |

Material name: KLONDIKE Clear Bar and Chain Oil



| dewaxed | | |
|---|------------|----|
| | | |
| Petroleum distillates, solvent-refined heavy paraffinic | 64741-88-4 | No |
| Petroleum distillates, solvent dewaxed heavy paraffinic | 64742-65-0 | No |

Montreal Protocol on Substances that Deplete the Ozone Layer:

| Chemical Name | CAS No | Montreal Protocol on Substances that Deplete the Ozone Layer |
|---|------------|---|
| Petroleum distillates, hydrotreated heavy paraffinic | 64742-54-7 | No |
| Residual oils (petroleum), solvent dewaxed | 64742-62-7 | No |
| | | |
| Petroleum distillates, solvent-refined heavy paraffinic | 64741-88-4 | No |
| Petroleum distillates, solvent dewaxed heavy paraffinic | 64742-65-0 | No |

Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and their Disposal.:

| Chemical Name | CAS No | Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and their Disposal. |
|---|------------|--|
| Petroleum distillates, hydrotreated heavy paraffinic | 64742-54-7 | No |
| Residual oils (petroleum), solvent dewaxed | 64742-62-7 | No |
| | | |
| Petroleum distillates, solvent-refined heavy paraffinic | 64741-88-4 | No |
| Petroleum distillates, solvent dewaxed heavy paraffinic | 64742-65-0 | No |

Material name: KLONDIKE Clear Bar and Chain Oil Version #: 01 | Issue date: 08-09-2022



16 Other information

Date of the latest revision of the safety

data sheet:

Revision Number:

Reason for revision: Activated by Document Formulation Generation

08.09.2022

Disclaimer: This safety data sheet and the information it contains is offered to you in

good faith as accurate. We have reviewed any information contained in the data sheet which we have received from outside sources and we believe the information to be correct, but cannot guarantee its accuracy or completeness. Health and safety precautions in this data sheet may not be adequate for all individuals and/or situations. It is the user's obligation to evaluate and use this product in a safe manner and to comply with all applicable laws and regulations. No statement made in this data sheet shall be construed as permission or recommendation for the use of any product in a manner that might infringe existing patents.

No warranty is made, either expressed or implied.

Material name: KLONDIKE Clear Bar and Chain Oil Version #: 01 | Issue date: 08-09-2022