

Date of the latest revision of the safety data sheet:09-10-2019Supercedes:25-07-2019

### KLONDIKE 2-Cycle Universal Industrial Oil 236mL and 473mL

| 1 Identification  |   |  |  |
|---|---|--|--|
| Product Identifier:<br>Stock Number:                      | KLONDIKE 2-Cycle Universal Industrial Oil 236mL and 473mL |  |  |
| Other means of identification:                            |   |  |  |
| Synonyms:   | No data available   |  |  |
| Recommended use and restrictions on us                    | e:  |  |  |
| Recommended use:  | Two Cycle Engine Oil                                      |  |  |
| Restrictions on use:                                      | Uses other than those described above                     |  |  |
| Initial Supplier Identifier:                              | KLONDIKE Lubricants Corporation                           |  |  |
|   | 3078 275th Street   |  |  |
|   | Langley, BC, V4W 3L4                                      |  |  |
|   | Canada  |  |  |
| Tel No.:  | General information 1-877-293-4691                        |  |  |
| Email:  | info@klondikelubricants.com                               |  |  |
| Emergency telephone number and any                        | Chemtrec (Within US) 1-800-424-9300                       |  |  |
| restrictions on the use of that number,<br>if applicable: | Chemtrec (International) 1-703-527-3887                   |  |  |
|   |   |  |  |

#### 2 Hazard identification

**Classification of the hazardous product:** 

Germ Cell Mutagenicity Category 1B Carcinogenicity Category 1A Specific Target Organ Systemic Toxicity (STOT) - Repeated Exposure Category 1

GHS Hazard class symbols:

Signal word: Hazard statements:

Precautionary statements: Prevention:

**Response:** 



Danger May cause genetic defects. May cause cancer. Causes damage to organs through prolonged or repeated exposure.

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapours/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. IF exposed or concerned: Get medical advice/attention. Get medical advice/attention if you feel unwell.



Date of the latest revision of the safety data sheet:09-10-2019Supercedes:25-07-2019

| Storage:<br>Disposal:   | Store locked up.<br>Dispose of contents/container to a suitable disposal site in accordance<br>with local/national/international regulations. |
|---|---|
| Other hazards known to the supplier wit<br>Physical hazards not otherwise<br>classified | h respect to the hazardous product:<br>None known.  |
| Health hazards not otherwise classified   | None known.   |

### **3** Composition/information on ingredients

| Chemical Name  | Common name and<br>synonyms | CAS registry<br>number and any<br>unique identifiers | Concentration |
|--|-----------------------------|--|---------------|
| Naphthalene  | No data available           | 91-20-3  | 0.1 - 1       |
| Light hydrocracked distillate  | No data available           | 64741-77-1   | 1 - 5         |
| Kerosine, petroleum, hydrodesulfurized                               | No data available           | 64742-81-0   | 1 - 5         |
| Residual oils (petroleum), solvent dewaxed                           | No data available           | 64742-62-7   | 5 - 10        |
| Distillates, petroleum, hydrodesulfurized middle                     | No data available           | 64742-80-9   | 5 - 10        |
| Distillates, petroleum, hydrodesulfurized<br>light catalytic cracked | No data available           | 68333-25-5   | 5 - 10        |
| Kerosene   | No data available           | 8008-20-6  | 5 - 10        |
| Distillates, petroleum, straight-run<br>middle                       | No data available           | 64741-44-2   | 5 - 10        |
| Petroleum distillates, hydrotreated heavy paraffinic                 | No data available           | 64742-54-7   | 65 - 85       |

#### **4 First-aid measures**

| Inhalation:   | Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen. If not breathing, give artificial respiration and have a trained individual administer oxygen. Get medical attention immediately.                           |
|---------------|--|
| Eye contact:  | Flush immediately with large amounts of water for at least 15 minutes.<br>Eyelids should be held away from the eyeball to ensure thorough rinsing.<br>Get medical attention if irritation results. Thermal burns require<br>immediate medical attention. |
| Skin Contact: | Remove contaminated clothing immediately. Wash area of contact   |



Date of the latest revision of the safety data sheet:09-10-2019Supercedes:25-07-2019

| Ingestion:<br>The most important symptoms and   | thoroughly with soap and water. Get medical attention if irritation<br>persists. High pressure skin injections are serious medical emergencies.<br>Get immediate medical attention. Thermal burns require immediate<br>medical attention.<br>Seek medical attention immediately or call the Poison control center. Do<br>not induce vomiting. If patient is fully conscious, give up to two glasses<br>of water. Provide medical care provider with this SDS.<br>Severe pulmonary irritation. Drowsiness. Dizziness  |
|---|--|
| effects, whether acute or delayed:<br>An indication of immediate medical<br>attention and special treatment<br>needed, if necessary:          | Aspiration during swallowing or vomiting may severely damage the lungs.<br>In case of ingestion, gastric lavage with activated charcoal can be used<br>promptly to prevent absorption. Consideration should be given to the<br>use of an endotracheal tube, to prevent aspiration. Individuals<br>intoxicated by middle distillates should be hospitalized immediately, with<br>acute and continuing attention to neurologic and cardiopulmonary<br>function. Positive pressure ventilation may be necessary. After the initial<br>episode, individuals should be followed for changes in blood variables<br>and the delayed appearance of pulmonary edema and chemical<br>pneumonitis. Such patients should be followed for several days or weeks<br>for delayed effects, including bone marrow toxicity, hepatic, and renal<br>impairment. Individuals with chronic pulmonary disease will be more<br>seriously impaired, and recovery from inhalation exposure may be<br>complicated. Avoid emesis unless a large amount has been ingested or it<br>contains a toxic additive. Gastric lavage after endotracheal intubation<br>should be reserved for a patient who requires GI decontamination and is<br>lethargic or obtunded. Safe use of activated charcoal and cathartic<br>should be considered if ingested. Mineral oil cathartics should not be<br>given to patients. Saline cathartics or sorbatol is preferrable. In case of<br>skin injection, prompt debridement of the wound is necessary to<br>minimize necrosis and tissue loss. |
| 5 Fire-fighting measures  |  |
| Suitable extinguishing media:   | Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting<br>fires. Water or foam may cause frothing if liquid is burning but it still may<br>be a useful extinguishing agent if carefully applied to the surface of the<br>fire. Do not direct a stream of water into the hot burning liquid.   |
| Unsuitable extinguishing media:<br>Specific hazards arising from the<br>hazardous product, such as the nature<br>of any hazardous combustion: | No data available<br>Material may be ignited only if preheated to temperatures above the<br>high flash point, for example in a fire.   |



Date of the latest revision of the safety data sheet:09-10-2019Supercedes:25-07-2019

| Hazardous Combustion Products:<br>Special protective equipment and<br>precautions for firefighters: | Carbon dioxide, Carbon monoxide<br>Do not enter fire area without proper protection including self- contained<br>breathing apparatus and full protective equipment. Use methods for the<br>surrounding fire.   |
|---|--|
| 6 Accidental release measures   |  |
| Personal precautions, protective equipment and emergency procedures:                                | No health affects expected from the clean up of this material if contact can be avoided. Follow personal protective equipment recommendations found in Section 8 of this SDS.  |
| Methods and materials for containment<br>and cleaning up:   | Prevent the spread of any spill to minimize harm to human health and<br>the environment if safe to do so. Wear complete and proper personal<br>protective equipment following the recommendation of Section 8 at a<br>minimum. Dike with suitable absorbent material like granulated clay.<br>Dispose of according to Federal, State, Local, or Provincial regulations.<br>Used fluid should be disposed of at a recycling center. |

| 7 Handling and storage         |   |
|--------------------------------|---|
| Precautions for safe handling: | Mildly irritating material. Avoid unnecessary exposure.         |
| Conditions for safe storage:   | Store in a cool dry place. Isolate from incompatible materials. |
| Materials to Avoid/Chemical    | Strong oxidizing agents   |
| Incompatibility:               |   |

#### 8 Exposure controls/personal protection

Control parameters, including occupational exposure limit values or biological limit values and the source of those values:

### Canada – Alberta – Occupational Exposure Limits:

| Chemical Name                             | Occupational<br>Exposure Limits -<br>TWAs         | Occupational<br>Exposure Limits -<br>STELs | Occupational<br>Exposure Limits -<br>Ceiling |
|---|---|--|--|
| Kerosene                                  | 200 mg/m3 TWA (as<br>total Hydrocarbon<br>vapour) | No data available                          | No data available                            |
| Kerosine, petroleum,<br>hydrodesulfurized | 200 mg/m3 TWA (as<br>total Hydrocarbon<br>vapour) | No data available                          | No data available                            |
| Naphthalene                               | 10 ppm TWA; 52<br>mg/m3 TWA                       | 15 ppm STEL; 79<br>mg/m3 STEL              | No data available                            |

#### Canada – British Columbia– Occupational Exposure Limits:

| Chemical Name Occupational | Occupational | Occupational |
|----------------------------|--------------|--------------|
|----------------------------|--------------|--------------|



Date of the latest revision of the safety data sheet:09-10-2019Supercedes:25-07-2019

|   | Exposure Limits -<br>TWAs   | Exposure Limits -<br>STELs | Exposure Limits -<br>Ceiling |
|---|---|----------------------------|------------------------------|
| Kerosene                                  | 200 mg/m3 TWA<br>(application restricted<br>to conditions in which<br>there are negligible<br>aerosol exposures, as<br>total Hydrocarbon<br>vapour) | No data available          | No data available            |
| Kerosine, petroleum,<br>hydrodesulfurized | No data available   | No data available          | No data available            |
| Naphthalene                               | 10 ppm TWA  | 15 ppm STEL                | No data available            |

### Canada – Manitoba – Occupational Exposure Limits:

| Chemical Name        | Occupational<br>Exposure Limits - | Occupational<br>Exposure Limits - | Occupational<br>Exposure Limits - |
|----------------------|-----------------------------------|-----------------------------------|-----------------------------------|
|                      | TWAs                              | STELS                             | Ceiling                           |
| Kerosene             | 200 mg/m3 TWA                     | No data available                 | No data available                 |
|                      | (application restricted           |                                   |                                   |
|                      | to conditions in which            |                                   |                                   |
|                      | there are negligible              |                                   |                                   |
|                      | aerosol exposures,                |                                   |                                   |
|                      | total Hydrocarbon                 |                                   |                                   |
|                      | vapor)                            |                                   |                                   |
| Kerosine, petroleum, | 200 mg/m3 TWA                     | No data available                 | No data available                 |
| hydrodesulfurized    | (application restricted           |                                   |                                   |
|                      | to conditions in which            |                                   |                                   |
|                      | there are negligible              |                                   |                                   |
|                      | aerosol exposures,                |                                   |                                   |
|                      | total Hydrocarbon                 |                                   |                                   |
|                      | vapor)                            |                                   |                                   |
| Naphthalene          | 10 ppm TWA                        | No data available                 | No data available                 |

#### **Canada – New Brunswick – Occupational Exposure Limits:**

| Chemical Name                             | Occupational<br>Exposure Limits -<br>TWAs | Occupational<br>Exposure Limits -<br>STELs | Occupational<br>Exposure Limits -<br>Ceiling |
|---|---|--|--|
| Kerosene                                  | No data available                         | No data available                          | No data available                            |
| Kerosine, petroleum,<br>hydrodesulfurized | No data available                         | No data available                          | No data available                            |
| Naphthalene                               | 10 ppm TWA; 52<br>mg/m3 TWA               | 15 ppm STEL; 79<br>mg/m3 STEL              | No data available                            |



Date of the latest revision of the safety data sheet:09-10-2019Supercedes:25-07-2019

#### Canada – Newfoundland & Labrador – Occupational Exposure Limits:

|                      | Occupational              | Occupational               | Occupational                 |
|----------------------|---------------------------|----------------------------|------------------------------|
| Chemical Name        | Exposure Limits -<br>TWAs | Exposure Limits -<br>STELs | Exposure Limits -<br>Ceiling |
| Karasana             |                           | No data available          | No data available            |
| Kerosene             | 200 mg/m3 TWA             | NO GALA AVAIIADIE          | NO GALA AVAIIADIE            |
|                      | (application restricted   |                            |                              |
|                      | to conditions in which    |                            |                              |
|                      | there are negligible      |                            |                              |
|                      | aerosol exposures,        |                            |                              |
|                      | total Hydrocarbon         |                            |                              |
|                      | vapor)                    |                            |                              |
| Kerosine, petroleum, | 200 mg/m3 TWA             | No data available          | No data available            |
| hydrodesulfurized    | (application restricted   |                            |                              |
|                      | to conditions in which    |                            |                              |
|                      | there are negligible      |                            |                              |
|                      | aerosol exposures,        |                            |                              |
|                      | total Hydrocarbon         |                            |                              |
|                      | vapor)                    |                            |                              |
| Naphthalene          | 10 ppm TWA                | No data available          | No data available            |

#### Canada – Northwest Territories – Occupational Exposure Limits:

| Chemical Name        | Occupational<br>Exposure Limits - | Occupational<br>Exposure Limits - | Occupational<br>Exposure Limits - |
|----------------------|-----------------------------------|-----------------------------------|-----------------------------------|
|                      | TWAs                              | STELS                             | Ceiling                           |
| Kerosene             | 200 mg/m3 TWA (as                 | 250 mg/m3 STEL (as                | No data available                 |
|                      | total Hydrocarbon                 | total Hydrocarbon                 |                                   |
|                      | vapour, listed under              | vapour, listed under              |                                   |
|                      | Kerosene/Jet fuels)               | Kerosene/Jet fuels)               |                                   |
| Kerosine, petroleum, | 200 mg/m3 TWA (as                 | 250 mg/m3 STEL (as                | No data available                 |
| hydrodesulfurized    | total Hydrocarbon                 | total Hydrocarbon                 |                                   |
|                      | vapour, listed under              | vapour, listed under              |                                   |
|                      | Kerosene/Jet fuels)               | Kerosene/Jet fuels)               |                                   |
| Naphthalene          | 10 ppm TWA                        | 15 ppm STEL                       | No data available                 |

#### Canada – Nova Scotia – Occupational Exposure Limits:

| Chemical Name | Occupational<br>Exposure Limits -<br>TWAs | Occupational<br>Exposure Limits -<br>STELs | Occupational<br>Exposure Limits -<br>Ceiling |
|---------------|---|--|--|
| Kerosene      | 200 mg/m3 TWA                             | No data available                          | No data available                            |
|               | (application restricted                   |  |  |
|               | to conditions in which                    |  |  |
|               | there are negligible                      |  |  |



Date of the latest revision of the safety data sheet:09-10-2019Supercedes:25-07-2019

|   | aerosol exposures,<br>total Hydrocarbon<br>vapor)   |                   |                   |
|---|---|-------------------|-------------------|
| Kerosine, petroleum,<br>hydrodesulfurized | 200 mg/m3 TWA<br>(application restricted<br>to conditions in which<br>there are negligible<br>aerosol exposures,<br>total Hydrocarbon<br>vapor) | No data available | No data available |
| Naphthalene                               | 10 ppm TWA  | No data available | No data available |

### Canada – Nunavut – Occupational Exposure Limits:

|                      | Occupational         | Occupational         | Occupational      |
|----------------------|----------------------|----------------------|-------------------|
| Chemical Name        | Exposure Limits -    | Exposure Limits -    | Exposure Limits - |
|                      | TWAs                 | STELs                | Ceiling           |
| Kerosene             | 200 mg/m3 TWA (as    | 250 mg/m3 STEL (as   | No data available |
|                      | total Hydrocarbon    | total Hydrocarbon    |                   |
|                      | vapour, listed under | vapour, listed under |                   |
|                      | Kerosene/Jet fuels)  | Kerosene/Jet fuels)  |                   |
| Kerosine, petroleum, | 200 mg/m3 TWA (as    | 250 mg/m3 STEL (as   | No data available |
| hydrodesulfurized    | total Hydrocarbon    | total Hydrocarbon    |                   |
|                      | vapour, listed under | vapour, listed under |                   |
|                      | Kerosene/Jet fuels)  | Kerosene/Jet fuels)  |                   |
| Naphthalene          | 10 ppm TWA           | 15 ppm STEL          | No data available |

#### Canada – Ontario – Occupational Exposure Limits:

| Chemical Name                             | Occupational<br>Exposure Limits -<br>TWAs  | Occupational<br>Exposure Limits -<br>STELs | Occupational<br>Exposure Limits -<br>Ceiling |
|---|--|--|--|
| Kerosene                                  | 200 mg/m3 TWA<br>(restricted to<br>conditions where<br>there is negligible<br>aerosol exposure, as<br>total hydrocarbon<br>vapour, listed under<br>Kerosene/Jet fuels) | No data available                          | No data available                            |
| Kerosine, petroleum,<br>hydrodesulfurized | 200 mg/m3 TWA<br>(restricted to<br>conditions where<br>there is negligible   | No data available                          | No data available                            |



Date of the latest revision of the safety data sheet:09-10-2019Supercedes:25-07-2019

|             | aerosol exposure, as<br>total hydrocarbon<br>vapour, listed under<br>Kerosene/Jet fuels) |                   |                   |
|-------------|--|-------------------|-------------------|
| Naphthalene | 10 ppm TWA   | No data available | No data available |

#### Canada – Prince Edward Island – Occupational Exposure Limits:

|                      | Occupational            | Occupational      | Occupational      |
|----------------------|-------------------------|-------------------|-------------------|
| Chemical Name        | Exposure Limits -       | Exposure Limits - | Exposure Limits - |
|                      | TWAs                    | STELs             | Ceiling           |
| Kerosene             | 200 mg/m3 TWA           | No data available | No data available |
|                      | (application restricted |                   |                   |
|                      | to conditions in which  |                   |                   |
|                      | there are negligible    |                   |                   |
|                      | aerosol exposures,      |                   |                   |
|                      | total Hydrocarbon       |                   |                   |
|                      | vapor)                  |                   |                   |
| Kerosine, petroleum, | 200 mg/m3 TWA           | No data available | No data available |
| hydrodesulfurized    | (application restricted |                   |                   |
|                      | to conditions in which  |                   |                   |
|                      | there are negligible    |                   |                   |
|                      | aerosol exposures,      |                   |                   |
|                      | total Hydrocarbon       |                   |                   |
|                      | vapor)                  |                   |                   |
| Naphthalene          | 10 ppm TWA              | No data available | No data available |

#### Canada – Quebec – Occupational Exposure Limits:

| Chemical Name                             | Occupational<br>Exposure Limits -<br>TWAEVs | Occupational<br>Exposure Limits -<br>STEVs | Occupational<br>Exposure Limits -<br>Ceiling |
|---|---|--|--|
| Kerosene                                  | No data available                           | No data available                          | No data available                            |
| Kerosine, petroleum,<br>hydrodesulfurized | No data available                           | No data available                          | No data available                            |
| Naphthalene                               | 10 ppm TWAEV; 52<br>mg/m3 TWAEV             | 15 ppm STEV; 79<br>mg/m3 STEV              | No data available                            |

#### Canada – Saskatchewan – Occupational Exposure Limits:

| Chemical Name | Occupational                        | Occupational                         | Occupational      |
|---------------|-------------------------------------|--------------------------------------|-------------------|
|               | Exposure Limits -                   | Exposure Limits -                    | Exposure Limits - |
|               | TWAs                                | STELs                                | Ceiling           |
| Kerosene      | 200 mg/m3 TWA (as total hydrocarbon | 250 mg/m3 STEL (as total hydrocarbon | No data available |



Date of the latest revision of the safety data sheet:09-10-2019Supercedes:25-07-2019

|                      | vapour)              | vapour)              |                   |
|----------------------|----------------------|----------------------|-------------------|
| Kerosine, petroleum, | 200 mg/m3 TWA (as    | 250 mg/m3 STEL (as   | No data available |
| hydrodesulfurized    | total hydrocarbon    | total hydrocarbon    |                   |
|                      | vapour, listed under | vapour, listed under |                   |
|                      | Kerosene/Jet fuels)  | Kerosene/Jet fuels)  |                   |
| Naphthalene          | 10 ppm TWA           | 15 ppm STEL          | No data available |

#### Canada - Yukon – Occupational Exposure Limits:

| Chemical Name                             | Occupational<br>Exposure Limits -<br>TWAs | Occupational<br>Exposure Limits -<br>STELs | Occupational<br>Exposure Limits -<br>Ceiling |
|---|---|--|--|
| Kerosene                                  | No data available                         | No data available                          | No data available                            |
| Kerosine, petroleum,<br>hydrodesulfurized | No data available                         | No data available                          | No data available                            |
| Naphthalene                               | 10 ppm TWA; 50<br>mg/m3 TWA               | 15 ppm STEL; 75<br>mg/m3 STEL              | No data available                            |

| Chemical Name                             | OSHA PEL                    | ACGIH TLV-TWA   | ACGIH STEL | IDLH              |
|---|-----------------------------|---|------------|-------------------|
| Kerosene                                  | No PEL                      | 200 mg/m3 TWA<br>(application<br>restricted to<br>conditions in<br>which there are<br>negligible aerosol<br>exposures, total<br>hydrocarbon<br>vapor) | No STEL    | No data available |
| Kerosine, petroleum,<br>hydrodesulfurized | No PEL                      | 200 mg/m3 TWA<br>(application<br>restricted to<br>conditions in<br>which there are<br>negligible aerosol<br>exposures, total<br>hydrocarbon<br>vapor) | No STEL    | No data available |
| Naphthalene                               | 10 ppm TWA; 50<br>mg/m3 TWA | 10 ppm TWA  | No STEL    | 250 ppm IDLH      |

Appropriate engineering controls:

Local exhaust ventilation or other engineering controls are normally required when handling or using this product to avoid overexposure.

Individual protection measures, such as personal protective equipment:



Date of the latest revision of the safety data sheet:09-10-2019Supercedes:25-07-2019

| Respiratory Protection:     | Respiratory protection may be required to avoid overexposure when  |
|-----------------------------|--|
|                             | handling this product. General or local exhaust ventilation is the   |
|                             | preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms.                              |
| Respirator Type(s):         | If airborne concentrations are above the applicable exposure limits, use   |
|                             | NIOSH/MSHA approved respiratory protection. A respiratory protection   |
|                             | program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2   |
|                             | requirements must be followed whenever workplace conditions warrant  |
|                             | a respirator's use., None required where adequate ventilation is   |
|                             | provided. If airborne concentrations are above the applicable exposure   |
|                             | limits, use NIOSH/MSHA approved respiratory protection.  |
| Eye and face protection:    | Wear safety glasses when handling this product if there is a likelihood of contact with eyes.  |
| Skin Protection:            | Wear protective gloves. Inspect gloves for chemical break-through and  |
|                             | replace at regular intervals. Clean protective equipment regularly. Wash   |
|                             | hands and other exposed areas with mild soap and water before eating,<br>drinking, and when leaving work.  |
| Hand protection:            | Neoprene, Nitrile  |
| General hygiene conditions: | Wear protective gloves/protective clothing/eye protection/face protection. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. |

| 9 Physical and chemical properties             |                   |
|--|-------------------|
| Physical state:                                | Liquid            |
| Colour:  | Blue              |
| Odour:   | Mild              |
| Odour threshold:                               | Not determined    |
| pH:  | No data available |
| Melting point (°C):                            | No data available |
| Freezing point (°C):                           | No data available |
| Initial boiling point and boiling range        | No data available |
| (°C):  |                   |
| Flash point (°C):                              | 218               |
| Evaporation rate:                              | No data available |
| Flammability, in the case of solids and gases: | No data available |
| Upper flammable or explosive limit, % in air:  | 5                 |
| Lower flammable or explosive limit, %          | 0.7               |



Date of the latest revision of the safety data sheet:09-10-2019Supercedes:25-07-2019

| in air:   |   |
|---|---|
| Vapour pressure:  | > 3 MMHG  |
| Vapour density:   | 4.42  |
| Relative density:   | 0.86  |
| Solubility:   | Negligible; 0-1%  |
| Partition coefficient — n-  | 3.3   |
| octanol/water:  |   |
| Auto-ignition temperature (°C):   | No data available   |
| Decomposition temperature (°C):   | Not determined  |
| Viscosity:  | 48.8  |
| 10 Stability and reactivity   |   |
| Reactivity:   | There are no known reactivity hazards associated with this product.   |
| Chemical stability:   | Stable under normal conditions.   |
| Possibility of hazardous reactions:   | None expected under standard conditions of storage.   |
| Conditions to avoid, including static   | Temperatures above the high flash point of this combustible material in   |
| discharge, shock or vibration:  | combination with sparks, open flames, or other sources of ignition.   |
|   | Moisture (will lead to product performance degradation).  |
| Incompatible materials:   | Strong oxidizing agents   |
| Hazardous decomposition products:   | No data available   |
| 11 Tovice logical information   |   |
| 11 Toxicological information  |   |
| Information on the likely routes of   | Eye contact, Ingestion, Inhalation, Skin contact  |
|   |   |
| exposure (inhalation, ingestion, skin   |   |
| and eye contact):   |   |
| and eye contact):<br>Symptoms related to the physical,  | Severe pulmonary irritation. Drowsiness. Dizziness  |
| and eye contact):<br>Symptoms related to the physical,<br>chemical and toxicological  | Severe pulmonary irritation. Drowsiness. Dizziness  |
| and eye contact):<br>Symptoms related to the physical,<br>chemical and toxicological<br>characteristics:  |   |
| and eye contact):<br>Symptoms related to the physical,<br>chemical and toxicological  |   |
| and eye contact):<br>Symptoms related to the physical,<br>chemical and toxicological<br>characteristics:  |   |
| and eye contact):<br>Symptoms related to the physical,<br>chemical and toxicological<br>characteristics:<br>Immediate effects from short term expos   | sure:   |
| and eye contact):<br>Symptoms related to the physical,<br>chemical and toxicological<br>characteristics:<br>Immediate effects from short term expos<br>Inhalation:                                  | <b>sure:</b><br>No hazard in normal industrial use.   |
| and eye contact):<br>Symptoms related to the physical,<br>chemical and toxicological<br>characteristics:<br>Immediate effects from short term expos<br>Inhalation:                                  | sure:<br>No hazard in normal industrial use.<br>Contact may result in defatting, redness, itching, inflammation, cracking,  |
| and eye contact):<br>Symptoms related to the physical,<br>chemical and toxicological<br>characteristics:<br>Immediate effects from short term expos<br>Inhalation:                                  | sure:<br>No hazard in normal industrial use.<br>Contact may result in defatting, redness, itching, inflammation, cracking,<br>and possible secondary infection. High pressure skin injections are   |
| and eye contact):<br>Symptoms related to the physical,<br>chemical and toxicological<br>characteristics:<br>Immediate effects from short term expos<br>Inhalation:                                  | sure:<br>No hazard in normal industrial use.<br>Contact may result in defatting, redness, itching, inflammation, cracking,<br>and possible secondary infection. High pressure skin injections are<br>Serious Medical Emergencies. Injury may not appear serious at first;<br>within a few hours, tissue will become swollen, discolored and extremely<br>painful (see Notes to Doctor). Contact with heated material may cause  |
| and eye contact):<br>Symptoms related to the physical,<br>chemical and toxicological<br>characteristics:<br>Immediate effects from short term expos<br>Inhalation:                                  | sure:<br>No hazard in normal industrial use.<br>Contact may result in defatting, redness, itching, inflammation, cracking,<br>and possible secondary infection. High pressure skin injections are<br>Serious Medical Emergencies. Injury may not appear serious at first;<br>within a few hours, tissue will become swollen, discolored and extremely<br>painful (see Notes to Doctor). Contact with heated material may cause<br>thermal burns. This material is estimated to be moderately irritating   |
| and eye contact):<br>Symptoms related to the physical,<br>chemical and toxicological<br>characteristics:<br>Immediate effects from short term expos<br>Inhalation:<br>Skin Contact:                 | sure:<br>No hazard in normal industrial use.<br>Contact may result in defatting, redness, itching, inflammation, cracking,<br>and possible secondary infection. High pressure skin injections are<br>Serious Medical Emergencies. Injury may not appear serious at first;<br>within a few hours, tissue will become swollen, discolored and extremely<br>painful (see Notes to Doctor). Contact with heated material may cause<br>thermal burns. This material is estimated to be moderately irritating<br>(Primary Irritation Index is 3.0 - 5.0 [rabbits]).   |
| and eye contact):<br>Symptoms related to the physical,<br>chemical and toxicological<br>characteristics:<br>Immediate effects from short term expos<br>Inhalation:<br>Skin Contact:<br>Eye Contact: | sure:<br>No hazard in normal industrial use.<br>Contact may result in defatting, redness, itching, inflammation, cracking,<br>and possible secondary infection. High pressure skin injections are<br>Serious Medical Emergencies. Injury may not appear serious at first;<br>within a few hours, tissue will become swollen, discolored and extremely<br>painful (see Notes to Doctor). Contact with heated material may cause<br>thermal burns. This material is estimated to be moderately irritating<br>(Primary Irritation Index is 3.0 - 5.0 [rabbits]).<br>This material is likely to be non-irritating to eyes based on animal data. |
| and eye contact):<br>Symptoms related to the physical,<br>chemical and toxicological<br>characteristics:<br>Immediate effects from short term expos<br>Inhalation:<br>Skin Contact:                 | sure:<br>No hazard in normal industrial use.<br>Contact may result in defatting, redness, itching, inflammation, cracking,<br>and possible secondary infection. High pressure skin injections are<br>Serious Medical Emergencies. Injury may not appear serious at first;<br>within a few hours, tissue will become swollen, discolored and extremely<br>painful (see Notes to Doctor). Contact with heated material may cause<br>thermal burns. This material is estimated to be moderately irritating<br>(Primary Irritation Index is 3.0 - 5.0 [rabbits]).   |



Date of the latest revision of the safety data sheet:09-10-2019Supercedes:25-07-2019

#### Delayed and chronic effects from long term exposure:

| Carcinogenicity:               | Contains a substance that is a probable cancer hazard based on animal studies using doses likely to be encountered in the workplace.     |
|--------------------------------|--|
| Reproductive and Developmental | Not known or reported to cause reproductive or developmental toxicity.   |
| Toxicity:                      |  |
| Mutagenicity:                  | No data available to indicate product or any components present at greater than 0.1% is mutagenic or genotoxic.                          |
| Skin Contact:                  | Upon prolonged or repeated contact, can cause moderate skin irritation, defatting, and dermatitis. Not likely to cause permanent damage. |
| Skin Absorption:               | Upon prolonged or repeated exposure, no hazard in normal industrial use.   |
| STOT-single exposure:          | Based on available data, the classification criteria are not met.  |
| STOT-repeated exposure:        | Classification has been based on toxicological information of the  |
|                                | components in Section 3.   |
| Aspiration hazard:             | Based on available data, the classification criteria are not met.  |

Numerical measures of toxicity, including ATEs Based on available data, the classification criteria are not met.

#### **12** Ecological information

Ecotoxicity (aquatic and terrestrial, if<br/>available):Moderate ecological hazard. This product may be dangerous to plants<br/>and/or wildlife.

#### **Ecological Toxicity Data:**

| Chemical Name                 | CAS registry       | Aquatic EC50       | Aquatic ERC50     | Aquatic LC50 Fish  |
|-------------------------------|--------------------|--------------------|-------------------|--------------------|
|                               | number and any     | Crustacea          | Algae             |                    |
|                               | unique identifiers |                    |                   |                    |
| Naphthalene                   | 91-20-3            | Aquatic EC50 (48h) | No data available | Aquatic LC50 (96h) |
|                               |                    | Daphnia 2.16 mg/L  |                   | Rainbow Trout 1.6  |
|                               |                    |                    |                   | mg/L               |
| Light hydrocracked distillate | 64741-77-1         | No data available  | No data available | Aquatic LC50 (96h) |
|                               |                    |                    |                   | 7.3 mg/L           |
| Kerosine, petroleum,          | 64742-81-0         | Aquatic EC50 (48h) | No data available | Aquatic LC50 (96h) |
| hydrodesulfurized             |                    | 4720 mg/L          |                   | 45 mg/L            |
| Residual oils (petroleum),    | 64742-62-7         | Aquatic EC50 (48h) | No data available | Aquatic LC50 (96h) |
| solvent dewaxed               |                    | Daphnia > 1000     |                   | Rainbow Trout >    |
|                               |                    | mg/L               |                   | 5000 mg/L          |
| Distillates, petroleum,       | 68333-25-5         | No data available  | No data available | Aquatic LC50 (96h) |
| hydrodesulfurized light       |                    |                    |                   | 7.3 mg/L           |
| catalytic cracked             |                    |                    |                   |                    |
| Distillates, petroleum,       | 64742-80-9         | No data available  | No data available | Aquatic LC50 (96h) |



Date of the latest revision of the safety data sheet:09-10-2019Supercedes:25-07-2019

| hydrodesulfurized middle  |  |  |                     | 35 mg/L               |  |  |
|---|--|--|---------------------|-----------------------|--|--|
| Petroleum distillates,  | 64742-54-7   | Aquatic EC50 (48h)   | No data available   | Aquatic LC50 (96h)    |  |  |
| hydrotreated heavy  |  | Daphnia > 1000   |                     | Rainbow Trout >       |  |  |
| paraffinic  |  | mg/L   |                     | 5000 mg/L             |  |  |
| Persistence and degradability<br>Bioaccumulative potential:<br>Mobility in soil:<br>Other adverse effects:  | Bioco<br>This n<br>strong                          | Biodegrades slowly.<br>Bioconcentration may occur.<br>This material is expected to have essentially no mobility in soil. It absorbs<br>strongly to most soil types.<br>None known. |                     |                       |  |  |
| 13 Disposal considerations  |  |  |                     |                       |  |  |
| Information on safe handling  | for Spent  | or discarded material is   | non-hazardous accor | ding to environmental |  |  |
| disposal and methods of disp  | · · ·  | ations.  |                     |                       |  |  |
| including any contaminated p  | ackaging:  |  |                     |                       |  |  |
| 14 Transport information  |  |  |                     |                       |  |  |
| Transportation of Dangerous   | Goods by land (TDO                                 | 6):  |                     |                       |  |  |
| UN number:  | Not re   | egulated for road transpo  | ort                 |                       |  |  |
| UN Proper shipping name:  |  | pplicable  |                     |                       |  |  |
| Transport hazard class(es):   |  | pplicable  |                     |                       |  |  |
| Packing group:  | Not a  | pplicable  |                     |                       |  |  |
| International carriage of dang  | erous goods by sea                                 | (IMDG/IMO):  |                     |                       |  |  |
| UN number:  | Not re   | egulated by IMDG   |                     |                       |  |  |
| UN Proper shipping name:  |  | pplicable  |                     |                       |  |  |
| Transport hazard class(es):   |  | pplicable  |                     |                       |  |  |
| Packing group:  | Not a  | pplicable  |                     |                       |  |  |
| International carriage of dange   | erous goods by air                                 | (IATA):  |                     |                       |  |  |
| UN number:  | Not re   | egulated by IATA   |                     |                       |  |  |
| UN Proper shipping name:  | Not a  | pplicable  |                     |                       |  |  |
| Transport hazard class(es):   | Not a  | pplicable  |                     |                       |  |  |
| Packing group:  | Not a  | pplicable  |                     |                       |  |  |
| Environmental hazards accord<br>International Maritime Dange<br>Goods Code and the United N<br>Model Regulations:<br>Transport in bulk (according t<br>of the International Conventio<br>Prevention of Pollution From | erous<br>lations<br>o Annex II No da<br>on for the | II No data available   |                     |                       |  |  |



Date of the latest revision of the safety data sheet:09-10-2019Supercedes:25-07-2019

1973, as modified by the Protocol of 1978 (MARPOL 73/78) and the International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk (IBC Code)): Special precautions in connection with No data available transport or conveyance either within or outside the premises:

15 Regulatory information

Safety, health and environmental regulations, made within or outside Canada, specific to the product in question: Canada - Domestic Substances List (DSL):

| Chemical Name   | CAS No     | Canada - Domestic Substances List<br>(DSL) |
|---|------------|--|
| Petroleum distillates, hydrotreated<br>heavy paraffinic                 | 64742-54-7 | Yes  |
| Distillates, petroleum,<br>hydrodesulfurized middle                     | 64742-80-9 | Yes  |
| Distillates, petroleum,<br>hydrodesulfurized light catalytic<br>cracked | 68333-25-5 | Yes  |
| Kerosene  | 8008-20-6  | Yes  |
| Distillates, petroleum, straight-run<br>middle                          | 64741-44-2 | Yes  |
| Residual oils (petroleum), solvent dewaxed                              | 64742-62-7 | Yes  |
| Kerosine, petroleum, hydrodesulfurized                                  | 64742-81-0 | Yes  |
| Light hydrocracked distillate   | 64741-77-1 | Yes  |
| Naphthalene   | 91-20-3    | Yes  |

#### Canada - Non-Domestic Substances List (NDSL):

| Chemical Name  | CAS No     | Canada - Non-Domestic Substances<br>List (NDSL) |
|--|------------|---|
| Petroleum distillates, hydrotreated heavy paraffinic | 64742-54-7 | No  |
| Distillates, petroleum,                              | 64742-80-9 | No  |



Date of the latest revision of the safety data sheet:09-10-2019Supercedes:25-07-2019

| hydrodesulfurized middle  |            |    |
|---|------------|----|
| Distillates, petroleum,<br>hydrodesulfurized light catalytic<br>cracked | 68333-25-5 | No |
| Kerosene  | 8008-20-6  | No |
| Distillates, petroleum, straight-run<br>middle                          | 64741-44-2 | No |
| Residual oils (petroleum), solvent dewaxed                              | 64742-62-7 | No |
| Kerosine, petroleum, hydrodesulfurized                                  | 64742-81-0 | No |
| Light hydrocracked distillate   | 64741-77-1 | No |
| Naphthalene   | 91-20-3    | No |

### Canada - Controlled Drugs and Substances:

| Chemical Name   | CAS No     | Schedule<br>I | Schedule<br>II | Schedule<br>III | Schedule<br>IV | Schedule<br>V | Schedule<br>VII | Schedule<br>VIII |
|---|------------|---------------|----------------|-----------------|----------------|---------------|-----------------|------------------|
| Petroleum distillates,<br>hydrotreated heavy<br>paraffinic              | 64742-54-7 | No            | No             | No              | No             | No            | No              | No               |
| Distillates, petroleum,<br>hydrodesulfurized middle                     | 64742-80-9 | No            | No             | No              | No             | No            | No              | No               |
| Distillates, petroleum,<br>hydrodesulfurized light<br>catalytic cracked | 68333-25-5 | No            | No             | No              | No             | No            | No              | No               |
| Kerosene  | 8008-20-6  | No            | No             | No              | No             | No            | No              | No               |
| Distillates, petroleum,<br>straight-run middle                          | 64741-44-2 | No            | No             | No              | No             | No            | No              | No               |
| Residual oils (petroleum), solvent dewaxed                              | 64742-62-7 | No            | No             | No              | No             | No            | No              | No               |
| Kerosine, petroleum,<br>hydrodesulfurized                               | 64742-81-0 | No            | No             | No              | No             | No            | No              | No               |
| Light hydrocracked distillate   | 64741-77-1 | No            | No             | No              | No             | No            | No              | No               |
| Naphthalene   | 91-20-3    | No            | No             | No              | No             | No            | No              | No               |



Date of the latest revision of the safety data sheet:09-10-2019Supercedes:25-07-2019

| Chemical Name   | CAS No     | Class A<br>Precursors | Class B<br>Precursors | Exempt<br>Precursors | Class 1<br>Targeted<br>Substances | Class 2<br>Targeted<br>Substances |
|---|------------|-----------------------|-----------------------|----------------------|-----------------------------------|-----------------------------------|
| Petroleum distillates,<br>hydrotreated heavy<br>paraffinic              | 64742-54-7 | No                    | No                    | No                   | No                                | No                                |
| Distillates, petroleum,<br>hydrodesulfurized middle                     | 64742-80-9 | No                    | No                    | No                   | No                                | No                                |
| Distillates, petroleum,<br>hydrodesulfurized light<br>catalytic cracked | 68333-25-5 | No                    | No                    | No                   | No                                | No                                |
| Kerosene  | 8008-20-6  | No                    | No                    | No                   | No                                | No                                |
| Distillates, petroleum,<br>straight-run middle                          | 64741-44-2 | No                    | No                    | No                   | No                                | No                                |
| Residual oils (petroleum), solvent dewaxed                              | 64742-62-7 | No                    | No                    | No                   | No                                | No                                |
| Kerosine, petroleum,<br>hydrodesulfurized                               | 64742-81-0 | No                    | No                    | No                   | No                                | No                                |
| Light hydrocracked<br>distillate  | 64741-77-1 | No                    | No                    | No                   | No                                | No                                |
| Naphthalene   | 91-20-3    | No                    | No                    | No                   | No                                | No                                |

Canada - CEPA - Schedule III Export Control List:

| Chemical Name   | CAS No     | Part 1<br>Prohibited<br>Substances | Part 2<br>Substances<br>Subject to<br>Notification or<br>Consent | Part 3<br>Restricted<br>Substances | Export Control<br>List |
|---|------------|------------------------------------|--|------------------------------------|------------------------|
| Petroleum distillates,<br>hydrotreated heavy<br>paraffinic              | 64742-54-7 | No                                 | No   | No                                 | No                     |
| Distillates, petroleum,<br>hydrodesulfurized middle                     | 64742-80-9 | No                                 | No   | No                                 | No                     |
| Distillates, petroleum,<br>hydrodesulfurized light<br>catalytic cracked | 68333-25-5 | No                                 | No   | No                                 | No                     |



# Date of the latest revision of the safety data sheet:09-10-2019Supercedes:25-07-2019

| Kerosene                                       | 8008-20-6  | No | No | No | No |
|--|------------|----|----|----|----|
| Distillates, petroleum,<br>straight-run middle | 64741-44-2 | No | No | No | No |
| Residual oils (petroleum),<br>solvent dewaxed  | 64742-62-7 | No | No | No | No |
| Kerosine, petroleum,<br>hydrodesulfurized      | 64742-81-0 | No | No | No | No |
| Light hydrocracked<br>distillate               | 64741-77-1 | No | No | No | No |
| Naphthalene                                    | 91-20-3    | No | No | No | No |

Canada CEPA - 2015 Greenhouse Gases (GHG) Subject to Mandatory Reporting:

| Chemical Name   | CAS No     | Canada CEPA - 2015 Greenhouse<br>Gases (GHG) Subject to Mandatory<br>Reporting |
|---|------------|--|
| Petroleum distillates, hydrotreated<br>heavy paraffinic                 | 64742-54-7 | No   |
| Distillates, petroleum,<br>hydrodesulfurized middle                     | 64742-80-9 | No   |
| Distillates, petroleum,<br>hydrodesulfurized light catalytic<br>cracked | 68333-25-5 | No   |
| Kerosene  | 8008-20-6  | No   |
| Distillates, petroleum, straight-run<br>middle                          | 64741-44-2 | No   |
| Residual oils (petroleum), solvent dewaxed                              | 64742-62-7 | No   |
| Kerosine, petroleum,<br>hydrodesulfurized                               | 64742-81-0 | No   |
| Light hydrocracked distillate   | 64741-77-1 | No   |
| Naphthalene   | 91-20-3    | No   |

#### Canada - Narcotic Control Regulations (C.R.C., c. 1041):

| Chemical Name                       | CAS No     | Canada - Narcotic Control Regulations<br>(C.R.C., c. 1041) |
|-------------------------------------|------------|--|
| Petroleum distillates, hydrotreated | 64742-54-7 | No   |



Date of the latest revision of the safety data sheet:09-10-2019Supercedes:25-07-2019

| heavy paraffinic  |            |    |
|---|------------|----|
| Distillates, petroleum,<br>hydrodesulfurized middle                     | 64742-80-9 | No |
| Distillates, petroleum,<br>hydrodesulfurized light catalytic<br>cracked | 68333-25-5 | No |
| Kerosene  | 8008-20-6  | No |
| Distillates, petroleum, straight-run<br>middle                          | 64741-44-2 | No |
| Residual oils (petroleum), solvent dewaxed                              | 64742-62-7 | No |
| Kerosine, petroleum,<br>hydrodesulfurized                               | 64742-81-0 | No |
| Light hydrocracked distillate   | 64741-77-1 | No |
| Naphthalene   | 91-20-3    | No |

Canada - Ontario - Toxics Reduction - List of Priority Toxics:

| Chemical Name   | CAS No     | Canada - Ontario - Toxics Reduction -<br>List of Priority Toxics |
|---|------------|--|
| Petroleum distillates, hydrotreated<br>heavy paraffinic                 | 64742-54-7 | No   |
| Distillates, petroleum,<br>hydrodesulfurized middle                     | 64742-80-9 | No   |
| Distillates, petroleum,<br>hydrodesulfurized light catalytic<br>cracked | 68333-25-5 | No   |
| Kerosene  | 8008-20-6  | No   |
| Distillates, petroleum, straight-run<br>middle                          | 64741-44-2 | No   |
| Residual oils (petroleum), solvent dewaxed                              | 64742-62-7 | No   |
| Kerosine, petroleum,<br>hydrodesulfurized                               | 64742-81-0 | No   |
| Light hydrocracked distillate   | 64741-77-1 | No   |
| Naphthalene   | 91-20-3    | No   |

Stockholm Convention on Persistent Organic Pollutants:



Date of the latest revision of the safety data sheet:09-10-2019Supercedes:25-07-2019

| Chemical Name   | CAS No     | Stockholm Convention on Persistent<br>Organic Pollutants |
|---|------------|--|
| Petroleum distillates, hydrotreated<br>heavy paraffinic                 | 64742-54-7 | No   |
| Distillates, petroleum,<br>hydrodesulfurized middle                     | 64742-80-9 | No   |
| Distillates, petroleum,<br>hydrodesulfurized light catalytic<br>cracked | 68333-25-5 | No   |
| Kerosene  | 8008-20-6  | No   |
| Distillates, petroleum, straight-run middle                             | 64741-44-2 | No   |
| Residual oils (petroleum), solvent dewaxed                              | 64742-62-7 | No   |
| Kerosine, petroleum,<br>hydrodesulfurized                               | 64742-81-0 | No   |
| Light hydrocracked distillate   | 64741-77-1 | No   |
| Naphthalene   | 91-20-3    | No   |

Rotterdam Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in International Trade:

| Chemical Name                        | CAS No     | Rotterdam Convention on the Prior<br>Informed Consent Procedure for<br>Certain Hazardous Chemicals and<br>Pesticides in International Trade . |
|--------------------------------------|------------|---|
| Petroleum distillates, hydrotreated  | 64742-54-7 | No  |
| heavy paraffinic                     | 04742-34-7 | NO  |
| Distillates, petroleum,              | 64742-80-9 | No  |
| hydrodesulfurized middle             | 64742-80-9 | NO  |
| Distillates, petroleum,              |            |   |
| hydrodesulfurized light catalytic    | 68333-25-5 | No  |
| cracked                              |            |   |
| Kerosene                             | 8008-20-6  | No  |
| Distillates, petroleum, straight-run | 64741-44-2 | No  |
| middle                               | 04/41-44-2 | NO  |
| Residual oils (petroleum), solvent   | 64742-62-7 | No  |



Date of the latest revision of the safety data sheet:09-10-2019Supercedes:25-07-2019

| dewaxed                                   |            |    |
|---|------------|----|
| Kerosine, petroleum,<br>hydrodesulfurized | 64742-81-0 | No |
| Light hydrocracked distillate             | 64741-77-1 | No |
| Naphthalene                               | 91-20-3    | No |

#### (United Nations) - Kyoto Protocol - Convention on Climate Change - Greenhouse Gases (GHGs):

| Chemical Name   | CAS No     | (United Nations) - Kyoto Protocol -<br>Convention on Climate Change -<br>Greenhouse Gases (GHGs) |
|---|------------|--|
| Petroleum distillates, hydrotreated heavy paraffinic                    | 64742-54-7 | No   |
| Distillates, petroleum,<br>hydrodesulfurized middle                     | 64742-80-9 | No   |
| Distillates, petroleum,<br>hydrodesulfurized light catalytic<br>cracked | 68333-25-5 | No   |
| Kerosene  | 8008-20-6  | No   |
| Distillates, petroleum, straight-run<br>middle                          | 64741-44-2 | No   |
| Residual oils (petroleum), solvent dewaxed                              | 64742-62-7 | No   |
| Kerosine, petroleum,<br>hydrodesulfurized                               | 64742-81-0 | No   |
| Light hydrocracked distillate   | 64741-77-1 | No   |
| Naphthalene   | 91-20-3    | No   |

#### Montreal Protocol on Substances that Deplete the Ozone Layer:

| Chemical Name                       | CAS No     | Montreal Protocol on Substances that<br>Deplete the Ozone Layer |
|-------------------------------------|------------|---|
| Petroleum distillates, hydrotreated | 64742 54 7 | No  |
| heavy paraffinic                    | 64742-54-7 | NO  |
| Distillates, petroleum,             | 64742-80-9 | No  |
| hydrodesulfurized middle            | 04742-80-5 | NO  |
| Distillates, petroleum,             |            |   |
| hydrodesulfurized light catalytic   | 68333-25-5 | No  |
| cracked                             |            |   |



Date of the latest revision of the safety data sheet:09-10-2019Supercedes:25-07-2019

| Kerosene                                       | 8008-20-6  | No |
|--|------------|----|
| Distillates, petroleum, straight-run<br>middle | 64741-44-2 | No |
| Residual oils (petroleum), solvent dewaxed     | 64742-62-7 | No |
| Kerosine, petroleum,<br>hydrodesulfurized      | 64742-81-0 | No |
| Light hydrocracked distillate                  | 64741-77-1 | No |
| Naphthalene                                    | 91-20-3    | No |

Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and their Disposal.:

| Chemical Name   | CAS No     | Basel Convention on the Control of<br>Transboundary Movements of<br>Hazardous Wastes and their Disposal. |
|---|------------|--|
| Petroleum distillates, hydrotreated<br>heavy paraffinic                 | 64742-54-7 | No   |
| Distillates, petroleum,<br>hydrodesulfurized middle                     | 64742-80-9 | No   |
| Distillates, petroleum,<br>hydrodesulfurized light catalytic<br>cracked | 68333-25-5 | No   |
| Kerosene  | 8008-20-6  | No   |
| Distillates, petroleum, straight-run<br>middle                          | 64741-44-2 | No   |
| Residual oils (petroleum), solvent dewaxed                              | 64742-62-7 | No   |
| Kerosine, petroleum,<br>hydrodesulfurized                               | 64742-81-0 | No   |
| Light hydrocracked distillate   | 64741-77-1 | No   |
| Naphthalene   | 91-20-3    | No   |

| 16 Other information                      |   |  |
|---|---|--|
| Date of the latest revision of the safety | 09-10-2019  |  |
| data sheet:                               |   |  |
| Revision Number:                          | 12  |  |
| Reason for revision:                      | Activated by Document Formulation Generation                                |  |
| Disclaimer:                               | This safety data sheet and the information it contains is offered to you in |  |



Date of the latest revision of the safety data sheet:09-10-2019Supercedes:25-07-2019

good faith as accurate. We have reviewed any information contained in the data sheet which we have received from outside sources and we believe the information to be correct, but cannot guarantee its accuracy or completeness. Health and safety precautions in this data sheet may not be adequate for all individuals and/or situations. It is the user's obligation to evaluate and use this product in a safe manner and to comply with all applicable laws and regulations. No statement made in this data sheet shall be construed as permission or recommendation for the use of any product in a manner that might infringe existing patents. No warranty is made, either expressed or implied.