# KLONDIKE®

# SAFETY DATA SHEET

# **KLONDIKE AW 100 Commercial Formula Hydraulic Fluid**

1 Identification

Product Identifier KLONDIKE AW 100 Commercial Formula Hydraulic Fluid

**Stock Number** 

Other means of identification No data available

**Synonyms** 

Recommended use and restrictions on use

Recommended use Gear Oil

**Restrictions on use**Uses other than those described above

Initial Supplier Identifier KLONDIKE Lubricants Corporation

3078 275th Street

Langley, BC, V4W 3L4

Canada

**Telephone** General information 1-877-293-4691

Website www.klondikelubricants.com
Email info@klondikelubricants.com

Emergency phone number Chemtrec (Within US) 1-800-424-9300

Chemtrec (International) 1-703-527-3887

#### 2 Hazard identification

Classification of the hazardous product

Not classified under GHS

Information elements referred to in section 3 of Annex 3 of the GHS and in paragraphs 3(1)(d) to (f) of these Regulations for each of those categories or subcategories. If the required information element is a symbol, either the name of the symbol or the symbol itself may be used

Hazard statements Not applicable

Other hazards known to the supplier with respect to the hazardous product

Physical hazards not otherwise

None known.

classified

Health hazards not otherwise

classified

None known.

Material name: KLONDIKE AW 100 Commercial Formula Hydraulic Fluid

## 3 Composition/information on ingredients

Chemical Name	Common name and synonyms	CAS registry number and any unique identifiers	Concentration	
Petroleum distillates, hydrotreated heavy paraffinic	No data available	64742-54-7	80 - 100	

#### 4 First-aid measures

A description of necessary first aid measures, subdivided according to the different routes of exposure (inhalation, ingestion, skin and eye contact)

**Inhalation** Remove to fresh air. If breathing is difficult, have a trained individual

administer oxygen.

Eye contact No data available

**Skin Contact** Wash with soap and water. Remove contaminated clothing and launder.

Get medical attention if irritation develops or persists.

**Ingestion** No hazard in normal industrial use. Do not induce vomiting. Seek medical

attention if symptoms develop. Provide medical care provider with this

SDS.

The most important symptoms and effects, whether acute or delayed

An indication of immediate medical

attention and special treatment

needed, if necessary

None known.

No additional first aid information available.

## 5 Fire-fighting measures

Suitable and unsuitable extinguishing media

Suitable extinguishing media

Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting

fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the

fire. Do not direct a stream of water into the hot burning liquid.

Unsuitable extinguishing media No data available

Specific hazards arising from the hazardous product, such as the nature of any hazardous combustion

Material may be ignited only if preheated to temperatures above the high

flash point, for example in a fire.

Hazardous Combustion Products Carbon monoxide, Smoke

Special protective equipment and precautions for firefighters

Do not enter fire area without proper protection including self- contained breathing apparatus and full protective equipment. Use methods for the

surrounding fire.

#### 6 Accidental release measures

SDS CAD

Personal precautions, protective equipment and emergency procedures

Exposure to the spilled material may be irritating or harmful. Follow personal protective equipment recommendations found in Section 8 of this SDS. Additional precautions may be necessary based on special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred. Also consider the expertise of employees in the area responding to the spill.

Methods and materials for containment and cleaning up

Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Dispose of according to Federal, State, Local, or Provincial regulations. Used fluid should be disposed of at a recycling center.

## 7 Handling and storage

**Precautions for safe handling** Harmful or irritating material. Avoid contacting and avoid breathing the

material. Use only in a well ventilated area. Empty containers may retain product residues/ vapors. Use proper bonding and grounding during bulk

product transfer.

Conditions for safe storage, including any incompatibilities

**Conditions for safe storage** Store in a cool dry place. Isolate from incompatible materials.

**Materials to Avoid/Chemical** 

Incompatibility

Strong oxidizing agents

## 8 Exposure controls/personal protection

Control parameters, including occupational exposure limit values or biological limit values and the source of those values

#### Canada – Alberta – Occupational Exposure Limits

Chemical Name	Occupational	Occupational	Occupational
	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			

## Canada – British Columbia – Occupational Exposure Limits

	Occupational	Occupational	Occupational
Chemical Name	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			

## Canada - Manitoba - Occupational Exposure Limits

	Occupational	Occupational	Occupational
Chemical Name	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			

## Canada - New Brunswick - Occupational Exposure Limits

	Occupational	Occupational	Occupational
Chemical Name	Exposure Limits - TWAs	Exposure Limits - STELs	Exposure Limits - Ceiling
No data available			

Material name: KLONDIKE AW 100 Commercial Formula Hydraulic Fluid

## Canada - Newfoundland & Labrador - Occupational Exposure Limits

Canada – Newfoundiand & Labrad	ior – Occupational Ex	tposure Limits			
	Occupational		ational	Occupational	
Chemical Name	Exposure Limit TWAs	_	e Limits - E ELs	Exposure Limits - Ceiling	
No data available	IVVAS	31	ELS	Cennig	
Canada – Northwest Territories –	Occupational Exposu	re Limits	l l		
	Occupational		oational	Occupational	
Chemical Name	Exposure Limit			Exposure Limits -	
	TWAs		ELs	Ceiling	
No data available					
Canada – Nova Scotia – Occupatio	onal Exposure Limits				
	Occupational		ational	Occupational	
Chemical Name	Exposure Limit			Exposure Limits -	
	TWAs	ST	ELs	Ceiling	
No data available					
Canada – Nunavut – Occupationa	I Exposure Limits				
	Occupational	-	ational	Occupational	
Chemical Name	Exposure Limit			Exposure Limits -	
	TWAs	ST	ELs	Ceiling	
No data available					
Canada – Ontario – Occupational	Exposure Limits				
	Occupational		ational	Occupational	
Chemical Name	Exposure Limit			Exposure Limits -	
	TWAs	ST	ELs	Ceiling	
No data available					
Canada – Prince Edward Island –	Occupational Exposu	ıre Limits			
	Occupational		ational	Occupational	
Chemical Name	Exposure Limit			Exposure Limits -	
	TWAs	ST	ELs	Ceiling	
No data available					
Canada – Quebec – Occupational	Exposure Limits				
	Occupational		ational	Occupational	
Chemical Name	Exposure Limit	_		Exposure Limits -	
	TWAEVs	ST	EVs	Ceiling	
No data available					
Canada – Saskatchewan – Occupa	•				
	Occupational		ational	Occupational	
Chemical Name	Exposure Limit			Exposure Limits -	
	TWAs	ST	ELs	Ceiling	
No data available					
Canada - Yukon – Occupational E	xposure Limits				
	Occupational		ational	Occupational	
Chemical Name	Exposure Limit			Exposure Limits -	
	TWAs	ST	ELs	Ceiling	
A1 1 / " 1 1		i i	1		
No data available					
No data available  Chemical Name		ACGIH TLV-		IDLH	

Material name: KLONDIKE AW 100 Commercial Formula Hydraulic Fluid

No data available

Appropriate engineering controls

Use local exhaust ventilation or other engineering controls to minimize

exposures and maintain operator comfort.

Individual protection measures, such as personal protective equipment

**Respiratory Protection**Respiratory protection may be required to avoid overexposure when

handling this product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not

available or sufficient to eliminate symptoms.

Respirator Type(s) None required where adequate ventilation is provided. If airborne

concentrations are above the applicable exposure limits, use

NIOSH/MSHA approved respiratory protection.

Eye and face protection No data available

**Skin Protection** Wear protective gloves. Inspect gloves for chemical break-through and

replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating,

drinking, and when leaving work.

Hand protectionNeoprene, NitrileGeneral hygiene conditionsNo data available

## 9 Physical and chemical properties

Appearance, such as physical state

and colour

Physical state Liquid
Colour Beige
Odour Mild

Odour threshold Not determined No data available

Melting point and freezing point

Melting point (°C)

Freezing point (°C)

No data available
No data available
No data available
No data available

(°C)

Flash point (°C) 226

**Evaporation rate**Flammability, in the case of solids and
No data available
No data available

gases

Upper and lower flammability or

explosive limits

Upper flammable or explosive limit, Not established

% in air

Lower flammable or explosive limit, Not established

% in air

Vapour pressureNo data availableVapour densityNo data available

Relative density 0.88

Solubility

Partition coefficient — n-octanol/water

Auto-ignition temperature (°C)

Negligible; 0-1%
No data available
No data available

Decomposition temperature (°C) Not determined 99.86 cSt @ 40°C **Viscosity** 

## 10 Stability and reactivity

Reactivity There are no known reactivity hazards associated with this product.

**Chemical stability** Stable under normal conditions.

Possibility of hazardous reactions None expected under standard conditions of storage.

Conditions to avoid, including static discharge, shock or vibration

Temperatures above the high flash point of this combustible material in combination with sparks, open flames, or other sources of ignition.

Moisture (will lead to product performance degradation).

Incompatible materials Strong oxidizing agents Hazardous decomposition products Carbon monoxide Smoke

## 11 Toxicological information

Description of the various toxic health effects and the data used to identify those effects

Information on the likely routes of exposure (inhalation, ingestion, skin

Eye contact, Ingestion, Inhalation, Skin contact

and eye contact) Symptoms related to the physical,

chemical and toxicological

characteristics

None known.

## Delayed and immediate effects, and chronic effects from short-term and long-term exposure Immediate effects from short term exposure

Inhalation Likely to be practically non-toxic based on animal data.

**Skin Contact** This material is likely to be moderately irritating to skin based on animal

data. Can cause moderate skin irritation, defatting, and dermatitis. Not

likely to cause permanent damage.

**Eye Contact** This material is likely to be non-irritating to eyes based on animal data.

Ingestion No hazard in normal industrial use.

## Delayed and chronic effects from long term exposure

Carcinogenicity Not expected to cause cancer. This product meets the IP-346 criteria of

<3% PAH's and is not considered a carcinogen by the International

Agency for Research on Cancer.

**Reproductive and Developmental** 

**Toxicity** 

Not known or reported to cause reproductive or developmental toxicity.

Mutagenicity No data available to indicate product or any components present at

greater than 0.1% is mutagenic or genotoxic.

Inhalation Breathing oil mist in concentrations that exceed the TLV and PEL may

result in respiratory discomfort and irritation.

There are no known or reported effects from chronic exposure.

**Skin Contact** Upon prolonged or repeated contact, can cause moderate skin irritation,

defatting, and dermatitis. Not likely to cause permanent damage.

**Skin Absorption** Upon prolonged or repeated exposure, no hazard in normal industrial use.

No hazard in normal industrial use. Ingestion

Version #: 01 Issue date: 08-07-2019

Material name: KLONDIKE AW 100 Commercial Formula Hydraulic Fluid SDS CAD **STOT-single exposure** Based on available data, the classification criteria are not met. STOT-repeated exposure Based on available data, the classification criteria are not met. **Aspiration hazard** Based on available data, the classification criteria are not met.

Numerical measures of toxicity, including ATEs Based on available data, the classification criteria are not met.

## 12 Ecological information

Ecotoxicity (aquatic and terrestrial, if

available)

Severe ecological hazard. This product may be toxic to plants and/or

wildlife.

## **Ecological Toxicity Data**

Chemical Name	CAS registry number and any unique identifiers	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
2,6-Di-tert-butylphenol	128-39-2	Aquatic EC50 (48h) Daphnia 0.45 mg/L	No data available	No data available
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	Aquatic LC50 (48h) > 1000 mg/L	No data available	Aquatic LC50 (96h) Rainbow Trout > 5000 mg/L

Persistence and degradability Biodegrades slowly.

Bioaccumulative potential Bioconcentration may occur.

Mobility in soil This material is expected to have essentially no mobility in soil. It absorbs

strongly to most soil types.

Other adverse effects None known.

#### 13 Disposal considerations

Information on safe handling for disposal and methods of disposal, including any contaminated

packaging

Spent or discarded material is non-hazardous according to environmental

regulations.

#### 14 Transport information

Transportation of Dangerous Goods by land (TDG)

Not regulated for road transport **UN number** 

**UN Proper shipping name** Not applicable Transport hazard class(es) Not applicable Packing group Not applicable

International carriage of dangerous goods by sea (IMDG/IMO)

**UN** number Not regulated by IMDG **UN Proper shipping name** Not applicable

Transport hazard class(es) Not applicable Packing group Not applicable International carriage of dangerous goods by air (IATA)

Material name: KLONDIKE AW 100 Commercial Formula Hydraulic Fluid

**UN number** Not regulated by IATA

UN Proper shipping name
Transport hazard class(es)
Packing group
Not applicable
Not applicable

Environmental hazards according to the International Maritime Dangerous Goods Code and the United Nations

No

Model Regulations

Transport in bulk (according to Annex II of the International Convention for the Prevention of Pollution From Ships, 1973, as modified by the Protocol of 1978 (MARPOL 73/78) and

the International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in

Bulk (IBC Code))

Special precautions in connection with transport or conveyance either within or outside the premises

No data available

No data available

## 15 Regulatory information

Safety, health and environmental regulations, made within or outside Canada, specific to the product in question Canada - Domestic Substances List (DSL)

Chemical Name CAS No		Canada - Domestic Substances List (DSL)
Petroleum distillates,		
hydrotreated heavy	64742-54-7	Yes
paraffinic		

#### Canada - Non-Domestic Substances List (NDSL)

Chemical Name	CAS No	Canada - Non-Domestic Substances List (NDSL)
Petroleum distillates,		
hydrotreated heavy	64742-54-7	No
paraffinic		

#### **Canada - Controlled Drugs and Substances**

Chemical Name	CAS No	Sched ule I	Sched ule II	Sched ule III	Sched ule IV	Sched ule V	Sched ule VII	Sched ule VIII
Petroleum distillates,								
hydrotreated heavy	64742-54-7	No	No	No	No	No	No	No
paraffinic								

Chemical Name	CAS No	Class A Precursors	Class B Precursors	Exempt Precursors	Class 1 Targeted Substance s	Class 2 Targeted Substance s
Petroleum distillates, hydrotreated heavy	64742-54-7	No	No	No	No	No

Material name: KLONDIKE AW 100 Commercial Formula Hydraulic Fluid

***			
norottinio			
i DalailliiG			
P 41. 41.11.110			

#### Canada - CEPA - Schedule III Export Control List

Chemical Name	CAS No	Part 1 Prohibited Substances	Part 2 Substances Subject to Notification or Consent	Part 3 Restricted Substances	Export Control List
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No	No	No	No

## Canada CEPA - 2015 Greenhouse Gases (GHG) Subject to Mandatory Reporting

Chemical Name	CAS No	Canada CEPA - 2015 Greenhouse Gases (GHG) Subject to Mandatory Reporting
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No

#### Canada - Narcotic Control Regulations (C.R.C., c. 1041)

Chemical Name	CAS No	Canada - Narcotic Control Regulations (C.R.C., c. 1041)
Petroleum distillates,	64742-54-7	No
hydrotreated heavy paraffinic	04742-34-7	INO

## Canada - Ontario - Toxics Reduction - List of Priority Toxics

Chemical Name	CAS No	Canada - Ontario - Toxics Reduction - List of Priority Toxics
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No

## **Stockholm Convention on Persistent Organic Pollutants**

Chemical Name	CAS No	Stockholm Convention on Persistent Organic Pollutants
Petroleum distillates,	64742-54-7	No
hydrotreated heavy paraffinic	04/42-04-/	No

## Rotterdam Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and **Pesticides in International Trade**

Chemical Name	CAS No	Rotterdam Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in International Trade.
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No

## (United Nations) - Kyoto Protocol - Convention on Climate Change - Greenhouse Gases (GHGs)

Chemical Name	CAS No	(United Nations) - Kyoto Protocol - Convention on Climate Change - Greenhouse Gases (GHGs)
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No

## Montreal Protocol on Substances that Deplete the Ozone Layer

Chemical Name	CAS No	Montreal Protocol on Substances that Deplete the Ozone
		Layer
Petroleum distillates,	64742-54-7	No

Material name: KLONDIKE AW 100 Commercial Formula Hydraulic Fluid Version #: 01 Issue date: 08-07-2019

hydrotreated heavy paraffinic		
-------------------------------	--	--

Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and their Disposal.

Chemical Name	CAS No	Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and their Disposal.
Petroleum distillates,	64742-54-7	No
hydrotreated heavy paraffinic	07172-04-1	140

#### 16 Other information

SDS Prepared by HAZEMS

Date of the latest revision of the 08-07-2019

safety data sheet

Revision Number 13

Reason for revision Activated by Document Formulation Generation

**Disclaimer** The information in this document was written based on the best

knowledge and experience currently available, and is offered for your consideration and guidance when exposed to this product. KLONDIKE Lubricants Corporation disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this document does not apply to use with any other product or in any other process. This document may not be changed, or altered in any way without the expressed knowledge and

permission of KLONDIKE Lubricants Corporation.