Safety Data Sheet



Date of the latest revision of the safety data sheet: 27-09-2019

Supercedes: 27-09-2019

KLONDIKE ISO 150 Rock Drill Oil

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product name KLONDIKE ISO 150 Rock Drill Oil

Other means of identification

Product Code(s) No information available

Synonyms

Recommended use of the chemical and restrictions on use

Recommended Use Lubricant.
Uses advised against All Other Uses

Details of the supplier of the safety data sheet Manufacturer Address

KLONDIKE Lubricants Corporation

3078 275th Street Langley, BC, V4W 3L4

Canada

General information 1-877-293-4691

info@klondikelubricants.com

Emergency Contact

Chemtrec (Within US) 1-800-424-9300 Chemtrec (International)

1-703-527-3887

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This material is not hazardous under the criteria of the Federal OSHA Hazard Communication Standard 29CFR 1910.1200.

Label elements

EMERGENCY OVERVIEW

Appearance Amber colored liquid Physical state Viscous Liquid Odor Mild petroleum odor

Hazards not otherwise classified (HNOC)

Other information

3. COMPOSITION/INFORMATION ON INGREDIENTS

Common NamePetroleum based lubricating fluid.Chemical FamilyPetroleum hydrocarbon mixture.

Chemical name	CAS-No	Weight %	Trade secret
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	50-97	*
Residual Oils (petroleum), solvent-dewaxed	64742-62-7	0-47	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

Material name: KLONDIKE ISO 150 Rock Drill Oil SDS CAD

4. FIRST AID MEASURES

First aid measures

General advice No hazards which require special first aid measures.

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention immediately if irritation

persists.

Skin contact If skin irritation persists, call a physician. Wash skin with soap and water.

Inhalation Move victim to fresh air. If symptoms persist, call a physician.

Ingestion Do NOT induce vomiting. If symptoms persist, call a physician.

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Carbon dioxide (CO₂). Dry chemical. Foam. Water can be used to keep surrounding materials cool.

Large Fires Contact emergency personnel.

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the chemical

Combustible material.

Hazardous combustion products Carbon monoxide. Carbon dioxide (CO2).

Explosion data

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal protection Wear protective gloves/clothing and eye/face protection.

Environmental precautions

Environmental precautions Prevent entry into waterways, sewers, basements or confined areas.

Methods and material for containment and cleaning up

Methods for containment Absorb with earth, sand or other non-combustible material and transfer to containers for

later disposal.

Methods for cleaning up Soak up with inert absorbent material. Prevent product from entering drains.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Keep away from open flames, hot surfaces and sources of ignition. Avoid contact with skin

and eyes.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep away from open flames, hot surfaces and sources of ignition. Keep in a dry, cool and

well-ventilated place. Keep out of the reach of children.

Incompatible Products Strong oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Petroleum distillates, hydrotreated	TWA: 5 mg/m ³	TWA: 5 mg/m ³	IDLH: 2500 mg/m ³
heavy paraffinic	_	_	TWA: 5 mg/m³
64742-54-7			STEL: 10 mg/m ³

Appropriate engineering controls

Engineering Controls Showers. Eyewash stations. Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face Protection Goggles. Safety glasses.

Skin and body protection Long sleeved clothing. Protective gloves.

Respiratory protection In case of inadequate ventilation wear respiratory protection.

General Hygiene Considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and

immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Viscous Liquid

AppearanceAmber colored liquidOdorMild petroleum odor

ColorOdor thresholdNo information available

(based on components)

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH No information available
Melting point/freezing point No information available
Boiling Point/Range No information available
Flash point > 93.3 °C / > 200 °F
Evaporation rate No information available

Evaporation rateNo information available **Flammability (solid, gas)**No information available

Flammability Limit in Air

Upper flammability limit:No information availableLower flammability limit:No information available

Material name: KLONDIKE ISO 150 Rock Drill Oil

Vapor pressureNo information availableVapor densityNo information available

Specific gravity 0.86-0.88

Water solubilityNo information availableSolubility in other solventsNo information availablePartition coefficientNo information available

Autoignition temperature

Decomposition temperatureNo information availableKinematic viscosity29-240 @ 40C cStDynamic viscosityNo information availableExplosive propertiesNo information availableOxidizing propertiesNo information available

Other information

Softening point
VOC Content
Density
No information available

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under normal conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous polymerization Hazardous polymerization does not occur.

Conditions to avoid

Keep away from open flames, hot surfaces and sources of ignition. Excessive heat.

Incompatible materials

Strong oxidizing agents.

Hazardous decomposition products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information No data available

Inhalation Inhalation of vapors in high concentration may cause irritation of respiratory system.

Eye contact Avoid contact with eyes. May cause irritation.

Skin contact Repeated exposure may cause skin dryness or cracking.

Ingestion Do NOT taste or swallow.

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Petroleum distillates, hydrotreated	> 15 g/kg (Rat) > 24 g/kg (Rat)	> 5000 mg/kg (Rabbit)	= 2062 ppm (Rat) 4 h
heavy paraffinic			
64742-54-7			
Residual Oils (petroleum),	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	= 2.18 mg/L (Rat) 4 h
solvent-dewaxed		,	- , ,

Material name: KLONDIKE ISO 150 Rock Drill Oil

SDS CAD

64742-62-7

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

None known. Sensitization Germ cell mutagenicity None known.

Carcinogenicity Mineral oils are known to cause cancer because of carcinogenic components (e.g.

benzene). The mineral oil in this product is highly refined and should not be considered a

carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Petroleum distillates, hydrotreated heavy paraffinic 64742-54-7	-	Group 1	Known	X
Residual Oils (petroleum), solvent-dewaxed 64742-62-7	-	Group 1	Known	X

No information available. Reproductive toxicity No information available. STOT - single exposure STOT - repeated exposure No information available. Not Applicable. **Aspiration hazard**

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document . mg/kg

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Crustacea
Petroleum distillates, hydrotreated heavy	-	5000: 96 h Oncorhynchus mykiss	1000: 48 h Daphnia magna mg/L
paraffinic		mg/L LC50	EC50
64742-54-7		_	
Residual Oils (petroleum), solvent-dewaxed	-	5000: 96 h Oncorhynchus mykiss	1000: 48 h Daphnia magna mg/L
64742-62-7		mg/L LC50	EC50

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal should be in accordance with applicable regional, national and local laws and **Waste Disposal Method**

regulations.

Contaminated packaging Do not reuse container.

Material name: KLONDIKE ISO 150 Rock Drill Oil

14. TRANSPORT INFORMATION

DOT Not regulated

IATA Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA Does not comply DSL/NDSL Does not comply **EINECS/ELINCS** Does not comply **ENCS** Does not comply **IECSC** Does not comply **KECL** Does not comply **PICCS** Does not comply **AICS** Does not comply

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazard No
Chronic Health Hazard No
Fire hazard No
Sudden release of pressure hazard No
Reactive Hazard No

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Petroleum distillates, hydrotreated	X	-	X
heavy paraffinic			
64742-54-7			

U.S. EPA Label Information

EPA Pesticide registration number Not Applicable

16	OTHER	INFORM	MOITAN
10.	OIILIN		

NFPA Health hazards 0 Flammability 1 Instability 0 **Physical and Chemical**

Hazards -

HMIS Health hazards 0 Flammability 1 Physical hazards 0 Personal protection X

Issuing Date 27-Sep-2019 **Revision Date** 27-Sep-2019

Revision Note Initial Release **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of MSDS

Material name: KLONDIKE ISO 150 Rock Drill Oil