

# **Safety Data Sheet**

Date of the latest revision of the safety data sheet: 11-20-2019

Category 1

Supercedes: 11-20-2019

# **KLONDIKE ISO 680 EP Full Synthetic Industrial Gear Lubricant**

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier Product name

KLONDIKE ISO 680 EP Full Synthetic Industrial Gear Lubricant

Other means of identification Product Code(s) Synonyms

Recommended use of the chemical and restrictions on useRecommended UseLubricant.Uses advised againstNo information available

Details of the supplier of the safety data sheet Manufacturer Address KLONDIKE Lubricants Corporation 3078 275th Street Langley, BC, V4W 3L4 Canada General information 1-877-293-4691 info@klondikelubricants.com Emergency Contact: Chemtrec (Within US) 1-800-424-9300 Chemtrec (International) 1-703-527-3887

# 2. HAZARDS IDENTIFICATION

#### **Classification**

## **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

## Label elements

## **EMERGENCY OVERVIEW**

| WARNING |  |
|---------|--|
|         |  |
|         |  |

Hazard statements May cause an allergic skin reaction



Physical state Viscous Liquid

Odor Mild petroleum odor Mild sulfur odor

# **Precautionary Statements - Prevention**

Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing should not be allowed out of the workplace Wear protective gloves

## **Precautionary Statements - Response**

IF ON SKIN: Wash with plenty of soap and water If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

Other information

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

#### Common Name Chemical Family

Petroleum based lubricating fluid. Petroleum hydrocarbon mixture.

| Chemical name  | CAS-No      | Weight %  | Trade secret |
|--|-------------|-----------|--------------|
| 1-Decene, homopolymer, hydrogenated                  | 68037-01-4  | 0-70      | *            |
| Petroleum distillates, hydrotreated heavy paraffinic | 64742-54-7  | 0-75      | *            |
| Long-chain alkyl amine                               | Proprietary | 0.07-0.15 | *            |

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

## 4. FIRST AID MEASURES

## First aid measures

| General advice   | No hazards which require special first aid measures.   |  |
|--|--|--|
| Eye contact  | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation persists, call a physician. |  |
| Skin contact   | Wash skin with soap and water. If symptoms persist, call a physician.  |  |
| Inhalation   | If symptoms persist, call a physician. Move victim to fresh air.   |  |
| Ingestion  | Do NOT induce vomiting. If symptoms persist, call a physician.   |  |
| Most important symptoms and effects, both acute and delayed                |  |  |
| Symptoms   | No information available.  |  |
| Indication of any immediate medical attention and special treatment needed |  |  |
| Notes to Physician   | Treat symptomatically.   |  |
|  | 5. FIRE-FIGHTING MEASURES  |  |
|  |  |  |

#### Suitable extinguishing media

Carbon dioxide (CO<sub>2</sub>). Dry chemical. Foam. Water can be used to keep surrounding materials cool.

Large Fires

Contact emergency personnel.

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire.

## Specific hazards arising from the chemical

Combustible material.

Hazardous combustion productsCarbon monoxide. Carbon dioxide (CO2).

Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

| 6. ACCIDENTAL RELEASE MEASURES                               |   |  |  |  |
|--|---|--|--|--|
| Personal precautions, protective e                           | equipment and emergency procedures  |  |  |  |
| Personal protection  | Wear protective gloves/clothing and eye/face protection.  |  |  |  |
| Environmental precautions                                    |   |  |  |  |
| Environmental precautions                                    | See Section 12 for additional Ecological Information.   |  |  |  |
| Methods and material for containn                            | Methods and material for containment and cleaning up  |  |  |  |
| Methods for containment                                      | Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.  |  |  |  |
| Methods for cleaning up                                      | Soak up with inert absorbent material. Prevent product from entering drains.  |  |  |  |
| 7. HANDLING AND STORAGE                                      |   |  |  |  |
| Precautions for safe handling                                |   |  |  |  |
| Advice on safe handling                                      | Keep away from open flames, hot surfaces and sources of ignition. Avoid contact with skin and eyes.   |  |  |  |
| Conditions for safe storage, including any incompatibilities |   |  |  |  |
| Storage Conditions   | Keep away from open flames, hot surfaces and sources of ignition. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. |  |  |  |
| Incompatible Products  | Strong oxidizing agents.  |  |  |  |

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Control parameters

#### **Exposure guidelines**

| Chemical name                       | ACGIH TLV                | OSHA PEL                 | NIOSH IDLH                   |
|-------------------------------------|--------------------------|--------------------------|------------------------------|
| Petroleum distillates, hydrotreated | TWA: 5 mg/m <sup>3</sup> | TWA: 5 mg/m <sup>3</sup> | IDLH: 2500 mg/m <sup>3</sup> |
| heavy paraffinic                    |                          |                          | TWA: 5 mg/m <sup>3</sup>     |
| 64742-54-7                          |                          |                          | STEL: 10 mg/m <sup>3</sup>   |

## Appropriate engineering controls

| Fnc  | iinee  | erina | Contro | ls |
|------|--------|-------|--------|----|
| LIIE | JIIICO | anng  | Contro | 13 |

Showers Eyewash stations Ventilation systems.

## Individual protection measures, such as personal protective equipment

**Eye/face Protection** 

Goggles. Safety glasses.

Skin and body protectionLong sleeved clothing. Protective gloves.Respiratory protectionIn case of inadequate ventilation wear respiratory protection.General Hygiene ConsiderationsDo not eat, drink or smoke when using this product. Wash hands before breaks and<br/>immediately after handling the product.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

| Physical state<br>Appearance | Viscous Liquid<br>Amber colored liquid | Odor                  | Mild petroleum odor<br>Mild sulfur odor |
|------------------------------|--|-----------------------|---|
| Color                        | amber                                  | Odor threshold        | No information available                |
|                              |  |                       |   |
| Property                     | Values                                 | Remarks • Method      |   |
| рН                           | No information available               |                       |   |
| Melting point/freezing point | No information available               |                       |   |
| Boiling Point/Range          | No information available               |                       |   |
| Flash point                  | > 148.9 °C / > 300 °F                  | (based on components) |   |
| Evaporation rate             | No information available               |                       |   |
| Flammability (solid, gas)    | No information available               |                       |   |
| Flammability Limit in Air    |  |                       |   |
| Upper flammability limit:    | No information available               |                       |   |
| Lower flammability limit:    | No information available               |                       |   |
| Vapor pressure               | No information available               |                       |   |
| Vapor density                | No information available               |                       |   |
| Specific gravity             | 0.84-0.90                              |                       |   |
| Water solubility             | No information available               |                       |   |
| Solubility in other solvents | No information available               |                       |   |
| Partition coefficient        | No information available               |                       |   |
| Autoignition temperature     |  |                       |   |
| Decomposition temperature    | No information available               |                       |   |
| Kinematic viscosity          | 62-730 @40C mm2/s                      |                       |   |
| Dynamic viscosity            | No information available               |                       |   |
| Explosive properties         | No information available               |                       |   |
| Oxidizing properties         | No information available               |                       |   |
| Other information            |  |                       |   |
| Softening point              | No information available               |                       |   |
| VOC Content                  | No information available               |                       |   |
| Density                      | No information available               |                       |   |
| Bulk density                 | No information available               |                       |   |
|                              |  |                       |   |

## **10. STABILITY AND REACTIVITY**

#### Reactivity No data available

<u>Chemical stability</u> Stable under normal conditions.

## Possibility of Hazardous Reactions

None under normal processing.

Hazardous polymerization

Hazardous polymerization does not occur.

## **Conditions to avoid**

Excessive heat.

## **Incompatible materials**

Strong oxidizing agents.

## Hazardous decomposition products

None known based on information supplied.

## **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

| Product Information | No data available  |
|---------------------|--|
| Inhalation          | Inhalation of vapors in high concentration may cause irritation of respiratory system. |
| Eye contact         | Avoid contact with eyes. May cause irritation.   |
| Skin contact        | May cause sensitization by skin contact.   |
| Ingestion           | Do NOT taste or swallow.   |

| Chemical name                       | Oral LD50                      | Dermal LD50           | Inhalation LC50     |
|-------------------------------------|--------------------------------|-----------------------|---------------------|
| Petroleum distillates, hydrotreated | > 15 g/kg (Rat)> 24 g/kg (Rat) | > 5000 mg/kg (Rabbit) | = 2062 ppm (Rat)4 h |
| heavy paraffinic<br>64742-54-7      |                                |                       |                     |
| Long-chain alkyl amine              | 612 mg/kg(Rat)                 | 251 mg/kg(Rat)        | 157 ppm(Rat)4h      |

## Information on toxicological effects

Symptoms

No information available.

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

| Sensitization          | No information available. |
|------------------------|---------------------------|
| Germ cell mutagenicity | No information available. |
| Carcinogenicity        | No information available. |

| Chemical name          | ACGIH | IARC    | NTP   | OSHA |
|------------------------|-------|---------|-------|------|
| Petroleum distillates, | -     | Group 1 | Known | Х    |
| hydrotreated heavy     |       |         |       |      |
| paraffinic             |       |         |       |      |
| 64742-54-7             |       |         |       |      |

Reproductive toxicityNo information available.STOT - single exposureNo information available.STOT - repeated exposureNo information available.Aspiration hazardNo information available.

Numerical measures of toxicity - Product Information

#### The following values are calculated based on chapter 3.1 of the GHS document .

## **12. ECOLOGICAL INFORMATION**

## **Ecotoxicity**

| Chemical name                             | Algae/aquatic plants | Fish                           | Crustacea                     |
|---|----------------------|--------------------------------|-------------------------------|
| Petroleum distillates, hydrotreated heavy | -                    | 5000: 96 h Oncorhynchus mykiss | 1000: 48 h Daphnia magna mg/L |

| paraffinic | mg/L LC50 | EC50 |
|------------|-----------|------|
| 64742-54-7 |           |      |

#### Persistence and degradability No information available.

#### **Bioaccumulation** No information available.

| Other adverse effects   | No information available  |
|-------------------------|---|
|                         | 13. DISPOSAL CONSIDERATIONS   |
| Waste treatment methods |   |
| Waste Disposal Method   | Disposal should be in accordance with applicable regional, national and local laws and regulations. |
| Contaminated packaging  | Do not reuse container.   |

# **14. TRANSPORT INFORMATION**

DOT

Not regulated

# **15. REGULATORY INFORMATION**

| International Inventories |                 |
|---------------------------|-----------------|
| TSCA                      | Does not comply |
| DSL/NDSL                  | Does not comply |
| EINECS/ELINCS             | Does not comply |
| ENCS                      | Does not comply |
| IECSC                     | Does not comply |
| KECL                      | Does not comply |
| PICCS                     | Does not comply |
| AICS                      | Does not comply |
|                           |                 |

## Legend:

All components in this product are listed on the US Toxic Substances Control Act (TSCA) inventory of chemicals.

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

# **U.S. Federal Regulations**

## **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any

chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

## SARA 311/312 Hazard Categories

| Acute health hazard               | No |
|-----------------------------------|----|
| Chronic Health Hazard             | No |
| Fire hazard                       | No |
| Sudden release of pressure hazard | No |
| Reactive Hazard                   | No |

#### **Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

## **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

## U.S. State Regulations

## **California Proposition 65**

This product does not contain any Proposition 65 chemicals

## U.S. State Right-to-Know Regulations

| Chemical name                       | New Jersey | Massachusetts | Pennsylvania |
|-------------------------------------|------------|---------------|--------------|
| Petroleum distillates, hydrotreated | Х          | -             | Х            |
| heavy paraffinic                    |            |               |              |
| 64742-54-7                          |            |               |              |

## U.S. EPA Label Information

EPA Pesticide registration number Not Applicable

| 16. OTHER INFORMATION          |                               |                |                    |                                    |
|--------------------------------|-------------------------------|----------------|--------------------|------------------------------------|
| <u>NFPA</u>                    | Health hazards 1              | Flammability 1 | Instability 0      | Physical and Chemical<br>Hazards - |
| HMIS                           | Health hazards 1              | Flammability 1 | Physical hazards 0 | Personal protection X              |
| Issuing Date                   |                               | 02-Feb-2010    |                    |                                    |
| Revision Date<br>Revision Note | 20-Nov-2                      | 2019           |                    |                                    |
| SDS sections update            | ed 1 2 3 4 5 6 7 8 9 10 11 14 | 16             |                    |                                    |

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.