

Date of the latest revision of the safety data sheet:29-03-2019Supercedes:13-02-2019

KLONDIKE SAE 15W-40 CK-4 Full Synthetic Heavy Duty Engine Oil

1 Identification	
Product Identifier:	KLONDIKE SAE 15W-40 CK-4 Full Synthetic Heavy Duty Engine Oil
Stock Number:	
Other means of identification: Synonyms:	No data available
Recommended use and restrictions on use	: Motor Oil
Recommended use:	Uses other than those described above
Restrictions on use:	KLONDIKE Lubricants Corporation
Initial Supplier Identifier:	3078 275th Street
	Langley, BC, V4W 3L4
	Canada
	General information 1-877-293-4691
Tel No.:	info@klondikelubricants.com
Email:	Chemtrec (Within US) 1-800-424-9300
Emergency telephone number and any	Chemtrec (International) 1-703-527-3887
restrictions on the use of that number,	
if applicable:	
2 Hazard identification	
Classification of the hazardous product:	
Not classified under GHS	
Hazard statements:	Not applicable
Other hazards known to the supplier with	respect to the hazardous product:
	None known.

Health hazards not otherwise classified None known.

classified

3 Composition/information on ingredients				
Chemical Name	Common name and synonyms	CAS registry number and any unique identifiers	Concentration	

Petroleum distillates, solvent dewaxed heavy paraffinic	No data available	64742-65-0	0.5 - 1.5
Petroleum distillates, hydrotreated	No data available	64742-54-7	5 - 10



Date of the latest revision of the safety data sheet:29-03-2019Supercedes:13-02-2019

heavy paraffinic			
Lubricating oils (petroleum), C20-50,	No data available	72623-87-1	60 - 80
hydrotreated neutral oil-based			

4 First-aid measures	
Inhalation:	Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen.
Eye contact:	Use eye wash to remove a chemical from the eye. Flush the affected eye for at least fifteen minutes. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Seek medical attention if irritation persists.
Skin Contact:	Wash with soap and water. Get medical attention if irritation develops or persists.
Ingestion:	No hazard in normal industrial use. Do not induce vomiting. Seek medical attention if symptoms develop. Provide medical care provider with this SDS.
The most important symptoms and effects, whether acute or delayed:	None known.
An indication of immediate medical attention and special treatment needed, if necessary:	No additional first aid information available.

Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the fire. Do not direct a stream of water into the hot burning liquid. No data available
Material may be ignited only if preheated to temperatures above the high flash point, for example in a fire.
Carbon monoxide, Sulfur containing gases, Nitrogen containing gases, Aldehydes, oxides of phosphorus, Hydrogen sulfide, Smoke
Do not enter fire area without proper protection including self- contained breathing apparatus and full protective equipment. Use methods for the surrounding fire.

6 Accidental release measures



Date of the latest revision of the safety data sheet:29-03-2019Supercedes:13-02-2019

KLONDIKE FULL SYNTHETIC SAE 15W-40 HEAVY DUTY ENGINE OIL CK-4 5QT

Personal precautions, protective equipment and emergency procedures:	No health affects expected from the clean up of this material if contact can be avoided. Follow personal protective equipment recommendations found in Section 8 of this SDS.
Methods and materials for containment and cleaning up:	Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Dispose of according to Federal, State, Local, or Provincial regulations. Used fluid should be disposed of at a recycling center.
7 Handling and storage	

Precautions for safe handling: Conditions for safe storage: Materials to Avoid/Chemical Incompatibility: Mildly irritating material. Avoid unnecessary exposure. Store in a cool dry place. Isolate from incompatible materials. Strong oxidizing agents

8 Exposure controls/personal protection

Control parameters, including occupational exposure limit values or biological limit values and the source of those values:

Canada – Alberta – Occupational Exposure Limits:

Chemical Name	Occupational	Occupational	Occupational
	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			

Canada – British Columbia– Occupational Exposure Limits:

Chemical Name	Occupational	Occupational	Occupational
	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			

Canada – Manitoba – Occupational Exposure Limits:

Chemical Name	Occupational	Occupational	Occupational
	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			

Canada – New Brunswick – Occupational Exposure Limits:

	Occupational	Occupational	Occupational
Chemical Name	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			



Date of the latest revision of the safety data sheet:29-03-2019Supercedes:13-02-2019

Canada – Newfoundland & Labrador – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling		
No data available					
Canada – Northwest Territories – Occupational Exposure Limits:					
Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling		
No data available					

Canada – Nova Scotia – Occupational Exposure Limits:

Chemical Name	Occupational	Occupational	Occupational
	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			

Canada – Nunavut – Occupational Exposure Limits:

Chemical Name	Occupational	Occupational	Occupational
	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			

Canada – Ontario – Occupational Exposure Limits:

Chemical Name	Occupational	Occupational	Occupational
	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			

Canada – Prince Edward Island – Occupational Exposure Limits:

Chemical Name	Occupational	Occupational	Occupational
	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			

Canada – Quebec – Occupational Exposure Limits:

Chemical Name	Occupational	Occupational	Occupational
	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAEVs	STEVs	Ceiling
No data available			

Canada – Saskatchewan – Occupational Exposure Limits:

Chemical Name	Occupational	Occupational	Occupational
---------------	--------------	--------------	--------------



	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			

Canada - Yukon – Occupational Exposure Limits:

Chemical Name	Occupational	Occupational	Occupational
	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			

Chemical Name	OSHA PEL	ACGIH TLV-TWA	ACGIH STEL	IDLH
No data available				

Appropriate engineering controls:

Use local exhaust ventilation or other engineering controls to minimize exposures and maintain operator comfort.

Individual protection measures, such as personal protective equipment:

Respiratory Protection:	Respiratory protection may be required to avoid overexposure when handling this product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms.
Respirator Type(s):	None required where adequate ventilation is provided. If airborne
	concentrations are above the applicable exposure limits, use
	NIOSH/MSHA approved respiratory protection.
Eye and face protection:	No data available
Skin Protection:	Where use can result in skin contact, practice good personal hygiene and wear impervious gloves. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work.
Hand protection:	Nitrile, Neoprene
General hygiene conditions:	No data available

9 Physical and chemical properties

Physical state:	Liquid
Colour:	Brown
Odour:	Mild
Odour threshold:	Not determined
pH:	No data available
Melting point (°C):	No data available
Freezing point (°C):	No data available
Initial boiling point and boiling range (°C):	No data available



Г

Date of the latest revision of the safety data sheet:29-03-2019Supercedes:13-02-2019

	225	
Flash point (°C):	225	
Evaporation rate:	No data available	
Flammability, in the case of solids and gases:	No data available	
Upper flammable or explosive limit, % in air:	= 10	
Lower flammable or explosive limit, % in air:	= 1	
Vapour pressure:	No data available	
Vapour density:	No data available	
Relative density:	0.86	
Solubility:	Negligible	
Partition coefficient — n- octanol/water:	No data available	
Auto-ignition temperature (°C):	No data available	
Decomposition temperature (°C):	Not determined	
Viscosity:	107.6	
10 Stability and reactivity		

10 Stability and reactivity	
Reactivity:	There are no known reactivity hazards associated with this product.
Chemical stability:	Stable under normal conditions.
Possibility of hazardous reactions:	None expected under standard conditions of storage.
Conditions to avoid, including static	Temperatures above the high flash point of this combustible material in
discharge, shock or vibration:	combination with sparks, open flames, or other sources of ignition.
	Moisture (will lead to product performance degradation).
Incompatible materials:	Strong oxidizing agents
Hazardous decomposition products:	Carbon monoxide Sulfur containing gases Nitrogen containing gases Aldehydes oxides of phosphorus Hydrogen sulfide Smoke

11 Toxicological information	
Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact):	Eye contact, Ingestion, Inhalation, Skin contact
Symptoms related to the physical, chemical and toxicological characteristics:	None known.
Immediate effects from short term expo	osure:
Inhalation:	Likely to be practically non-toxic based on animal data.
Skin Contact:	This material is likely to be slightly irritating to skin based on animal data. Can cause minor skin irritation, defatting, and dermatitis.



Date of the latest revision of the safety data sheet:29-03-2019Supercedes:13-02-2019

Eye Contact: Ingestion:	This material is likely to be non-irritating to eyes based on animal data. No hazard in normal industrial use.
Delayed and chronic effects from long te	erm exposure:
Carcinogenicity:	Not expected to cause cancer. This product meets the IP-346 criteria of <3% PAH's and is not considered a carcinogen by the International Agency for Research on Cancer.
Reproductive and Developmental Toxicity:	Not known or reported to cause reproductive or developmental toxicity.
Mutagenicity:	No data available to indicate product or any components present at greater than 0.1% is mutagenic or genotoxic.
Skin Contact:	Upon prolonged or repeated contact, can cause minor skin irritation, defatting, and dermatitis.
Skin Absorption:	Upon prolonged or repeated exposure, no hazard in normal industrial use.
STOT-single exposure:	Based on available data, the classification criteria are not met.
STOT-repeated exposure:	Based on available data, the classification criteria are not met.
Aspiration hazard:	Based on available data, the classification criteria are not met.

Numerical measures of toxicity, including ATEs Based on available data, the classification criteria are not met.

12 Ecological information

Ecotoxicity (aquatic and terrestrial, if
available):Moderate ecological hazard. This product may be dangerous to plants
and/or wildlife.

Ecological Toxicity Data:

Chemical Name	CAS registry number and any unique identifiers	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
Petroleum distillates, solvent dewaxed heavy paraffinic	64742-65-0	Aquatic LC50 (48h) > 1000 mg/L	No data available	Aquatic LC50 (96h) Rainbow Trout > 5000 mg/L
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	Aquatic LC50 (48h) > 1000 mg/L	No data available	Aquatic LC50 (96h) Rainbow Trout > 5000 mg/L
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil- based	72623-87-1	Aquatic EC50 (48h) Daphnia > 1000 mg/L	No data available	Aquatic LC50 (96h) > 5000 mg/L

Persistence and degradability:

Biodegrades slowly.



Bioaccumulative potential: Mobility in soil: Other adverse effects:	Bioconcentration may occur. This material is expected to have essentially no mobility in soil. It absorbs strongly to most soil types. None known.
13 Disposal considerations	
Information on safe handling for	Spent or discarded material is non-hazardous according to environmental
disposal and methods of disposal,	regulations.
including any contaminated packaging:	
14 Transport information	
Transportation of Dangerous Goods by la	nd (TDG):
UN number:	Not regulated for road transport
UN Proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
International carriage of dangerous goods	s by sea (IMDG/IMO):
UN number:	Not regulated by IMDG
UN Proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
International carriage of dangerous goods	s by air (IATA):
UN number:	Not regulated by IATA
UN Proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards according to the International Maritime Dangerous Goods Code and the United Nations Model Regulations:	No
Transport in bulk (according to Annex II of the International Convention for the Prevention of Pollution From Ships, 1973, as modified by the Protocol of 1978 (MARPOL 73/78) and the International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk (IBC Code)):	No data available



Date of the latest revision of the safety data sheet:29-03-2019Supercedes:13-02-2019

Special precautions in connection withNo data availabletransport or conveyance either withinor outside the premises:

15 Regulatory information

Safety, health and environmental regulations, made within or outside Canada, specific to the product in question: Canada - Domestic Substances List (DSL):

Chemical Name	CAS No	Canada - Domestic Substances List (DSL)	
Lubricating oils (petroleum), C20-50,	72623-87-1	Yes	
hydrotreated neutral oil-based	/2023-8/-1	165	
Petroleum distillates, hydrotreated	64742-54-7	Vac	
heavy paraffinic	04/42-54-7	Yes	
Petroleum distillates, solvent dewaxed	64742-65-0	Yes	
heavy paraffinic	04742-05-0	Tes	

Canada - Non-Domestic Substances List (NDSL):

Chemical Name	CAS No	Canada - Non-Domestic Substances List (NDSL)	
Lubricating oils (petroleum), C20-50,	72623-87-1	No	
hydrotreated neutral oil-based			
Petroleum distillates, hydrotreated	64742-54-7	No	
heavy paraffinic	04/42-54-7	NO	
Petroleum distillates, solvent dewaxed	64742-65-0	No	
heavy paraffinic	04742-03-0		

Canada - Controlled Drugs and Substances:

Chemical Name	CAS No	Schedule I	Schedule II	Schedule III	Schedule IV	Schedule V	Schedule VII	Schedule VIII
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil- based	72623-87-1	No	No	No	No	No	No	No
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No	No	No	No	No	No	No
Petroleum distillates,	64742-65-0	No	No	No	No	No	No	No



Date of the latest revision of the safety data sheet:29-03-2019Supercedes:13-02-2019

solvent dewaxed heavy				
paraffinic				

Chemical Name	CAS No	Class A Precursors	Class B Precursors	Exempt Precursors	Class 1 Targeted Substances	Class 2 Targeted Substances
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil- based	72623-87-1	No	No	No	No	No
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No	No	No	No	No
Petroleum distillates, solvent dewaxed heavy paraffinic	64742-65-0	No	No	No	No	No

Canada - CEPA - Schedule III Export Control List:

Chemical Name	CAS No	Part 1 Prohibited Substances	Part 2 Substances Subject to Notification or Consent	Part 3 Restricted Substances	Export Control List
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil- based	72623-87-1	No	No	No	No
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No	No	No	No
Petroleum distillates, solvent dewaxed heavy paraffinic	64742-65-0	No	No	No	No

Canada CEPA - 2015 Greenhouse Gases (GHG) Subject to Mandatory Reporting:



Date of the latest revision of the safety data sheet:29-03-2019Supercedes:13-02-2019

Chemical Name	CAS No	Canada CEPA - 2015 Greenhouse Gases (GHG) Subject to Mandatory Reporting
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	72623-87-1	No
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
Petroleum distillates, solvent dewaxed heavy paraffinic	64742-65-0	No

Canada - Narcotic Control Regulations (C.R.C., c. 1041):

Chemical Name	CAS No	Canada - Narcotic Control Regulations (C.R.C., c. 1041)	
Lubricating oils (petroleum), C20-50,	72623-87-1	No	
hydrotreated neutral oil-based			
Petroleum distillates, hydrotreated	64742 54 7	64742-54-7 No	No
heavy paraffinic	04742-34-7		
Petroleum distillates, solvent dewaxed	64742-65-0	No	
heavy paraffinic		NO	

Canada - Ontario - Toxics Reduction - List of Priority Toxics:

Chemical Name	CAS No	Canada - Ontario - Toxics Reduction - List of Priority Toxics
Lubricating oils (petroleum), C20-50,	72623-87-1	No
hydrotreated neutral oil-based	/2023-8/-1	
Petroleum distillates, hydrotreated	64742-54-7	No
heavy paraffinic		
Petroleum distillates, solvent dewaxed	64742-65-0	No
heavy paraffinic	04742-05-0	

Stockholm Convention on Persistent Organic Pollutants:

Chemical Name	CAS No	Stockholm Convention on Persistent Organic Pollutants
Lubricating oils (petroleum), C20-50,	72623-87-1	No
hydrotreated neutral oil-based	/2023-8/-1	
Petroleum distillates, hydrotreated	64742-54-7	No
heavy paraffinic	04/42-34-/	No



Date of the latest revision of the safety data sheet:29-03-2019Supercedes:13-02-2019

Petroleum distillates, solvent dewaxed	64742-65-0	No
heavy paraffinic	04/42-05-0	No

Rotterdam Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in International Trade:

Chemical Name	CAS No	Rotterdam Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in International Trade .
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	72623-87-1	No
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
Petroleum distillates, solvent dewaxed heavy paraffinic	64742-65-0	No

(United Nations) - Kyoto Protocol - Convention on Climate Change - Greenhouse Gases (GHGs):

Chemical Name	CAS No	(United Nations) - Kyoto Protocol - Convention on Climate Change - Greenhouse Gases (GHGs)
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	72623-87-1	No
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
Petroleum distillates, solvent dewaxed heavy paraffinic	64742-65-0	No

Montreal Protocol on Substances that Deplete the Ozone Layer:

Chemical Name	CAS No	Montreal Protocol on Substances that Deplete the Ozone Layer
Lubricating oils (petroleum), C20-50,	72623-87-1	No
hydrotreated neutral oil-based	/2023-8/-1	NO
Petroleum distillates, hydrotreated	64742-54-7	No
heavy paraffinic		
Petroleum distillates, solvent dewaxed	64742-65-0	No
heavy paraffinic		NO

Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and their Disposal.:



Date of the latest revision of the safety data sheet:29-03-2019Supercedes:13-02-2019

Chemical Name	CAS No	Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and their Disposal.
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	72623-87-1	No
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
Petroleum distillates, solvent dewaxed heavy paraffinic	64742-65-0	No

16 Other information

Date of the latest revision of the safety	29-03-2019
data sheet:	
Revision Number:	15
Reason for revision:	Activated by Document Formulation Generation
Disclaimer:	This safety data sheet and the information it contains is offered to you in good faith as accurate. We have reviewed any information contained in the data sheet which we have received from outside sources and we believe the information to be correct, but cannot guarantee its accuracy or completeness. Health and safety precautions in this data sheet may not be adequate for all individuals and/or situations. It is the user's obligation to evaluate and use this product in a safe manner and to comply with all applicable laws and regulations. No statement made in this data sheet shall be construed as permission or recommendation for

the use of any product in a manner that might infringe existing patents.

No warranty is made, either expressed or implied.