

Date of the latest revision of the safety data sheet: 11-10-2019

Supercedes: 09-10-2019

KLONDIKE SAE 40 Low Ash Natural Gas Heavy Duty Engine Oil

1 Identification

Product Identifier: KLONDIKE SAE 40 Low Ash Natural Gas Heavy Duty Engine Oil

Stock Number:

Other means of identification: No data available

Synonyms:

Recommended use and restrictions on use: Motor Oil

Recommended use: Uses other than those described above **Restrictions on use: KLONDIKE Lubricants Corporation**

Initial Supplier Identifier: 3078 275th Street

Langley, BC, V4W 3L4

Canada

General information 1-877-293-4691

(International) 1-703-527-3887

info@klondikelubricants.com Tel No.:

Email: Chemtrec (Within US) 1-800-424-9300 Chemtrec

Emergency telephone number and any

restrictions on the use of that number,

if applicable:

2 Hazard identification

Classification of the hazardous product:

Not classified under GHS

Hazard statements: Not applicable

Other hazards known to the supplier with respect to the hazardous product:

Physical hazards not otherwise

None known.

classified

Health hazards not otherwise classified None known.

3 Composition/information on ingredients

Chemical Name	Common name and synonyms	CAS registry number and any unique identifiers	Concentration
Petroleum distillates, hydrotreated heavy paraffinic	No data available	64742-54-7	80 - 100

4 First-aid measures



Date of the latest revision of the safety data sheet: 11-10-2019

Supercedes: 09-10-2019

Inhalation: Remove to fresh air. If breathing is difficult, have a trained individual

administer oxygen.

Eye contact: No data available

Skin Contact: Wash with soap and water. Get medical attention if irritation develops or

persists.

Ingestion: No hazard in normal industrial use. Do not induce vomiting. Seek medical

attention if symptoms develop. Provide medical care provider with this

SDS.

The most important symptoms and effects, whether acute or delayed:

An indication of immediate medical

attention and special treatment

needed, if necessary:

None known.

No additional first aid information available.

5 Fire-fighting measures

Suitable extinguishing media: Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting

fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the

fire. Do not direct a stream of water into the hot burning liquid.

Unsuitable extinguishing media: No data available

Specific hazards arising from the

hazardous product, such as the nature

of any hazardous combustion: Hazardous Combustion Products:

Special protective equipment and

precautions for firefighters:

Material may be ignited only if preheated to temperatures above the

high flash point, for example in a fire.

Carbon dioxide, Carbon monoxide

Do not enter fire area without proper protection including self- contained

breathing apparatus and full protective equipment. Use methods for the

surrounding fire.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures:

No health affects expected from the clean up of this material if contact can be avoided. Follow personal protective equipment recommendations

found in Section 8 of this SDS.

Methods and materials for containment and cleaning up:

Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Dispose of according to Federal, State, Local, or Provincial regulations.

Used fluid should be disposed of at a recycling center.

Material name: KLONDIKE SAE 40 Low Ash Natural Gas Heavy Duty Engine Oil

Version #: 01 Issue date: 10-11-2019 2 /



Date of the latest revision of the safety data sheet: 11-10-2019

Supercedes: 09-10-2019

7 Handling and storage

Precautions for safe handling:

No special handling instructions due to toxicity.

Conditions for safe storage:

Store in a cool dry place. Isolate from incompatible materials.

Materials to Avoid/Chemical

Strong oxidizing agents

Incompatibility:

8 Exposure controls/personal protection

Control parameters, including occupational exposure limit values or biological limit values and the source of those values:

Canada – Alberta – Occupational Exposure Limits:

Chemical Name	Occupational	Occupational	Occupational
	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			

Canada – British Columbia – Occupational Exposure Limits:

Chemical Name	Occupational	Occupational	Occupational
	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			

Canada – Manitoba – Occupational Exposure Limits:

	Occupational	Occupational	Occupational
Chemical Name	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			

Canada – New Brunswick – Occupational Exposure Limits:

	Occupational	Occupational	Occupational
Chemical Name	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			

Canada – Newfoundland & Labrador – Occupational Exposure Limits:

	Occupational	Occupational	Occupational
Chemical Name	Exposure Limits -	Exposure Limits -	Exposure Limits -
	TWAs	STELs	Ceiling
No data available			

Canada – Northwest Territories – Occupational Exposure Limits:

Chemical Name	Occupational	Occupational	Occupational

Version #: 01 Issue date: 10-11-2019



Date of the latest revision of the safety data sheet: 11-10-2019

Supercedes: 09-10-2019

	Exposure Limits - TWAs	Exposure Limits - STELs	Exposure Limits - Ceiling
No data available			
Canada – Nova Scotia – Occup	oational Exposure Limits:		
Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
No data available			
Canada – Nunavut – Occupati	onal Exposure Limits:		
Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
No data available			
Canada – Ontario – Occupatio	onal Exposure Limits:		
Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
No data available			
Canada – Prince Edward Island	d – Occupational Exposure Limits:		
Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
No data available		0.110	C enning
Canada – Quebec – Occupatio	nal Exposure Limits:		,
Chemical Name	Occupational Exposure Limits - TWAEVs	Occupational Exposure Limits - STEVs	Occupational Exposure Limits - Ceiling
No data available			
Canada – Saskatchewan – Occ	cupational Exposure Limits:		
Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
No data available		_	
Canada - Yukon – Occupationa	al Exposure Limits:		
Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling

Material name: KLONDIKE SAE 40 Low Ash Natural Gas Heavy Duty Engine Oil Version #: 01 | Issue date: 10-11-2019



Date of the latest revision of the safety data sheet: 11-10-2019

Supercedes: 09-10-2019

No data available		
-------------------	--	--

Chemical Name	OSHA PEL	ACGIH TLV-TWA	ACGIH STEL	IDLH
No data available				

Appropriate engineering controls: Use local exhaust ventilation or other engineering controls to minimize

exposures and maintain operator comfort.

Individual protection measures, such as personal protective equipment:

Respiratory Protection: Respiratory protection may be required to avoid overexposure when

> handling this product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms.

Respirator Type(s): None required where adequate ventilation is provided. If airborne

concentrations are above the applicable exposure limits, use

NIOSH/MSHA approved respiratory protection.

Eye and face protection: Wear safety glasses when handling this product if there is a likelihood of

contact with eyes.

Skin Protection: Not normally considered a skin hazard. Where use can result in skin

> contact, practice good personal hygiene. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving

work.

Hand protection: Neoprene, Nitrile **General hygiene conditions:** No data available

9 Physical and chemical properties

Physical state: Liquid **Colour:** Amber **Odour:** Mild

Odour threshold: Not determined pH: No data available Melting point (°C): No data available Freezing point (°C): No data available No data available Initial boiling point and boiling range

(°C):

Flash point (°C): 210

No data available **Evaporation rate:** Flammability, in the case of solids and No data available

gases:

Upper flammable or explosive limit, % Not established

Material name: KLONDIKE SAE 40 Low Ash Natural Gas Heavy Duty Engine Oil



Date of the latest revision of the safety data sheet: 11-10-2019

Supercedes: 09-10-2019

in air:

Lower flammable or explosive limit, %

in air:

Not established

No data available Vapour pressure: No data available Vapour density:

0.88 **Relative density:**

Solubility: Negligible; 0-1% Partition coefficient — n-No data available

octanol/water:

Auto-ignition temperature (°C): No data available **Decomposition temperature (°C):** Not determined

Viscosity: 134.65

10 Stability and reactivity

Reactivity: There are no known reactivity hazards associated with this product.

Chemical stability: Stable under normal conditions.

Possibility of hazardous reactions: None expected under standard conditions of storage.

Conditions to avoid, including static

Temperatures above the high flash point of this combustible material in discharge, shock or vibration: combination with sparks, open flames, or other sources of ignition.

Moisture (will lead to product performance degradation).

Strong oxidizing agents **Incompatible materials:** No data available **Hazardous decomposition products:**

11 Toxicological information

Information on the likely routes of exposure (inhalation, ingestion, skin

and eye contact):

Eye contact, Ingestion, Inhalation, Skin contact

Symptoms related to the physical,

chemical and toxicological

characteristics:

None known.

Immediate effects from short term exposure:

Inhalation: No hazard in normal industrial use.

Skin Contact: Likely to be non-irritating to skin based on animal data.

Eye Contact: This material is likely to be non-irritating to eyes based on animal data.

Ingestion: Estimated to be > 5.0 g/kg. No hazard in normal industrial use.

Material name: KLONDIKE SAE 40 Low Ash Natural Gas Heavy Duty Engine Oil

Version #: 01 Issue date: 10-11-2019



Date of the latest revision of the safety data sheet: 11-10-2019

Supercedes: 09-10-2019

Delayed and chronic effects from long term exposure:

Carcinogenicity: Not expected to cause cancer. This product meets the IP-346 criteria of

<3% PAH's and is not considered a carcinogen by the International

Agency for Research on Cancer.

Reproductive and Developmental

Toxicity:

Mutagenicity:

Not known or reported to cause reproductive or developmental toxicity.

No data available to indicate product or any components present at

greater than 0.1% is mutagenic or genotoxic.

Skin Contact: Unlikely to cause irritation even on repeated contact.

Skin Absorption: Upon prolonged or repeated exposure, no hazard in normal industrial

STOT-single exposure: Based on available data, the classification criteria are not met. STOT-repeated exposure: Based on available data, the classification criteria are not met. **Aspiration hazard:** Based on available data, the classification criteria are not met.

Numerical measures of toxicity, including ATEs Based on available data, the classification criteria are not met.

12 Ecological information

Ecotoxicity (aquatic and terrestrial, if

available):

Slight ecological hazard. In high concentrations, this product may be

dangerous to plants and/or wildlife.

Ecological Toxicity Data:

Chemical Name	CAS registry number and any unique identifiers	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
Petroleum distillates,	64742-54-7	Aquatic EC50 (48h)	No data available	Aquatic LC50 (96h)
hydrotreated heavy		Daphnia > 1000		Rainbow Trout >
paraffinic		mg/L		5000 mg/L

Persistence and degradability: Biodegrades slowly.

Bioaccumulative potential: Bioconcentration may occur.

Mobility in soil: This material is expected to have essentially no mobility in soil. It absorbs

strongly to most soil types.

Other adverse effects: None known.

13 Disposal considerations

Information on safe handling for disposal and methods of disposal,

including any contaminated packaging:

Spent or discarded material is non-hazardous according to environmental

regulations.

SDS CAD Version #: 01 Issue date: 10-11-2019



Date of the latest revision of the safety data sheet: 11-10-2019

Supercedes: 09-10-2019

14 Transport information

Transportation of Dangerous Goods by land (TDG):

UN number: Not regulated for road transport

UN Proper shipping name:

Transport hazard class(es):

Packing group:

Not applicable

Not applicable

International carriage of dangerous goods by sea (IMDG/IMO):

UN number: Not regulated by IMDG

UN Proper shipping name:

Transport hazard class(es):

Packing group:

Not applicable

Not applicable

Not applicable

International carriage of dangerous goods by air (IATA):

UN number: Not regulated by IATA

UN Proper shipping name:

Transport hazard class(es):

Packing group:

Not applicable

Not applicable

Environmental hazards according to the No

International Maritime Dangerous Goods Code and the United Nations

Model Regulations:

Transport in bulk (according to Annex II No data available

of the International Convention for the Prevention of Pollution From Ships, 1973, as modified by the Protocol of 1978 (MARPOL 73/78) and the

International Code for the Construction

and Equipment of Ships carrying

Dangerous Chemicals in Bulk (IBC

Code)):

Special precautions in connection with transport or conveyance either within

No data available

or outside the premises:

15 Regulatory information

Safety, health and environmental regulations, made within or outside Canada, specific to the product in question: Canada - Domestic Substances List (DSL):



Date of the latest revision of the safety data sheet: 11-10-2019

Supercedes: 09-10-2019

Chemical Name	CAS No	Canada - Domestic Substances List (DSL)
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	Yes

Canada - Non-Domestic Substances List (NDSL):

Chemical Name	CAS No	Canada - Non-Domestic Substances List (NDSL)
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No

Canada - Controlled Drugs and Substances:

Chemical Name	CAS No	Schedule I	Schedule II	Schedule III	Schedule IV	Schedule V	Schedule VII	Schedule VIII
Petroleum distillates,								
hydrotreated heavy paraffinic	64742-54-7	No	No	No	No	No	No	No

Chemical Name	CAS No	Class A Precursors	Class B Precursors	Exempt Precursors	Class 1 Targeted Substances	Class 2 Targeted Substances
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No	No	No	No	No

Canada - CEPA - Schedule III Export Control List:

Chemical Name	CAS No	Part 1 Prohibited Substances	Part 2 Substances Subject to Notification or Consent	Part 3 Restricted Substances	Export Control List
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No	No	No	No

Canada CEPA - 2015 Greenhouse Gases (GHG) Subject to Mandatory Reporting:

Version #: 01 Issue date: 10-11-2019



Date of the latest revision of the safety data sheet: 11-10-2019

Supercedes: 09-10-2019

Chemical Name	CAS No	Canada CEPA - 2015 Greenhouse Gases (GHG) Subject to Mandatory Reporting
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No

Canada - Narcotic Control Regulations (C.R.C., c. 1041):

Chemical Name	CAS No	Canada - Narcotic Control Regulations (C.R.C., c. 1041)
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No

Canada - Ontario - Toxics Reduction - List of Priority Toxics:

Chemical Name	CAS No	Canada - Ontario - Toxics Reduction - List of Priority Toxics
Petroleum distillates, hydrotreated	64742-54-7	No
heavy paraffinic		

Stockholm Convention on Persistent Organic Pollutants:

Chemical Name	CAS No	Stockholm Convention on Persistent Organic Pollutants
Petroleum distillates, hydrotreated	64742-54-7	No
heavy paraffinic	04742 54 7	NO NO

Rotterdam Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in **International Trade:**

Chemical Name	CAS No	Rotterdam Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in International Trade.
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No

(United Nations) - Kyoto Protocol - Convention on Climate Change - Greenhouse Gases (GHGs):

Chemical Name	CAS No	(United Nations) - Kyoto Protocol - Convention on Climate Change - Greenhouse Gases (GHGs)
Petroleum distillates, hydrotreated	64742-54-7	No

Material name: KLONDIKE SAE 40 Low Ash Natural Gas Heavy Duty Engine Oil Version #: 01 Issue date: 10-11-2019



Date of the latest revision of the safety data sheet: 11-10-2019

Supercedes: 09-10-2019

heavy paraffinic	
------------------	--

Montreal Protocol on Substances that Deplete the Ozone Layer:

Chemical Name	CAS No	Montreal Protocol on Substances that Deplete the Ozone Layer
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No

Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and their Disposal.:

11-10-2019

Chemical Name	CAS No	Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and their Disposal.
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No

16 Other information

Date of the latest revision of the safety

data sheet:

Revision Number: 16

Reason for revision: **NEW VERSION**

Disclaimer: This safety data sheet and the information it contains is offered to you in

> good faith as accurate. We have reviewed any information contained in the data sheet which we have received from outside sources and we believe the information to be correct, but cannot guarantee its accuracy or completeness. Health and safety precautions in this data sheet may not be adequate for all individuals and/or situations. It is the user's obligation to evaluate and use this product in a safe manner and to comply with all applicable laws and regulations. No statement made in this data sheet shall be construed as permission or recommendation for the use of any product in a manner that might infringe existing patents.

No warranty is made, either expressed or implied.

Material name: KLONDIKE SAE 40 Low Ash Natural Gas Heavy Duty Engine Oil

Version #: 01 Issue date: 10-11-2019 11 / 11